



# Material Safety Data Sheet

<b>NFPA</b>  	<b>HMIS</b>  <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #00FFFF;">Health Hazard</td> <td style="text-align: center; font-weight: bold;">3</td> </tr> <tr> <td style="background-color: #FFCCCC;">Fire Hazard</td> <td style="text-align: center; font-weight: bold;">0</td> </tr> <tr> <td style="background-color: #FFFF00;">Reactivity</td> <td style="text-align: center; font-weight: bold;">0</td> </tr> </table>	Health Hazard	3	Fire Hazard	0	Reactivity	0	<b>Personal Protective Equipment</b>    See Section 15.
Health Hazard	3							
Fire Hazard	0							
Reactivity	0							

<b>Section 1. Chemical Product and Company Identification</b>		<i>Page Number: 1</i>
<b>Common Name/Trade Name</b>	<b>Nickel Fluoborate 45%</b>	<b>Catalog Number(s).</b> N1055
<b>Manufacturer</b>	SPECTRUM CHEMICAL MFG. CORP. 14422 S. SAN PEDRO STREET GARDENA, CA 90248	<b>CAS#</b> Mixture.
<b>Commercial Name(s)</b>	Not available.	<b>RTECS</b> Not applicable.
<b>Synonym</b>	Not available.	<b>TSCA</b> TSCA 8(b) inventory: Nickel fluoborate; Water
<b>Chemical Name</b>	Not applicable.	<b>CI#</b> Not available.
<b>Chemical Family</b>	Not available.	<b><u>IN CASE OF EMERGENCY</u></b> <b><u>CHEMTREC (24hr) 800-424-9300</u></b>  CALL (310) 516-8000
<b>Chemical Formula</b>	Not applicable.	
<b>Supplier</b>	SPECTRUM CHEMICAL MFG. CORP. 14422 S. SAN PEDRO STREET GARDENA, CA 90248	

<b>Section 2. Composition and Information on Ingredients</b>					
		<i>Exposure Limits</i>			
Name	CAS #	TWA (mg/m <sup>3</sup> )	STEL (mg/m <sup>3</sup> )	CEIL (mg/m <sup>3</sup> )	% by Weight
1) Nickel fluoborate	14708-14-6				45
2) Water	7732-18-5				55
<b>Toxicological Data on Ingredients</b>					

<b>Section 3. Hazards Identification</b>	
<b>Potential Acute Health Effects</b>	Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation. Non-corrosive for skin. Non-sensitizer for skin. Non-permeator by skin. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

**Continued on Next Page**

<b>Potential Chronic Health Effects</b>	<p>Extremely hazardous in case of eye contact (irritant), of ingestion, of inhalation.          Very hazardous in case of skin contact (irritant).          Non-corrosive for skin. Non-sensitizer for skin. Non-permeator by skin.  <b>CARCINOGENIC EFFECTS:</b> Not available.  <b>MUTAGENIC EFFECTS:</b> Not available.  <b>TERATOGENIC EFFECTS:</b> Not available.  <b>DEVELOPMENTAL TOXICITY:</b> Not available.</p> <p>Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation.          Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection. Repeated or prolonged inhalation of vapors may lead to chronic respiratory irritation.</p>
---	---

#### Section 4. First Aid Measures

<b>Eye Contact</b>	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.
<b>Skin Contact</b>	After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cold water may be used. Cover the irritated skin with an emollient. If irritation persists, seek medical attention.
<b>Serious Skin Contact</b>	Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.
<b>Inhalation</b>	Allow the victim to rest in a well ventilated area. Seek immediate medical attention.
<b>Serious Inhalation</b>	Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. <b>WARNING:</b> It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek immediate medical attention.
<b>Ingestion</b>	Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.
<b>Serious Ingestion</b>	Not available.

#### Section 5. Fire and Explosion Data

<b>Flammability of the Product</b>	Non-flammable.
<b>Auto-Ignition Temperature</b>	Not applicable.
<b>Flash Points</b>	Not applicable.
<b>Flammable Limits</b>	Not applicable.
<b>Products of Combustion</b>	Not available.
<b>Fire Hazards in Presence of Various Substances</b>	Not applicable.
<b>Explosion Hazards in Presence of Various Substances</b>	<p>Risks of explosion of the product in presence of mechanical impact: Not available.          Risks of explosion of the product in presence of static discharge: Not available.</p>
<b>Fire Fighting Media and Instructions</b>	Not applicable.
<b>Special Remarks on Fire Hazards</b>	Not available.
<b>Special Remarks on Explosion Hazards</b>	Not available.

**Section 6. Accidental Release Measures**

<b>Small Spill</b>	Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.
<b>Large Spill</b>	Corrosive liquid. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal.

**Section 7. Handling and Storage**

<b>Precautions</b>	Keep container dry. Do not breathe gas/fumes/ vapour/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. May corrode glass. Store in an appropriate container.
<b>Storage</b>	May corrode glass. Store in an appropriate container. Corrosive materials should be stored in a separate safety storage cabinet or room.

**Section 8. Exposure Controls/Personal Protection**

<b>Engineering Controls</b>	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.
<b>Personal Protection</b>	Face shield. Full suit. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.
<b>Personal Protection in Case of a Large Spill</b>	Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.
<b>Exposure Limits</b>	Not available.

**Section 9. Physical and Chemical Properties**

<b>Physical state and appearance</b>	Liquid.	<b>Odor</b>	Not available.
<b>Molecular Weight</b>	Not applicable.	<b>Taste</b>	Not available.
<b>pH (1% soln/water)</b>	Neutral.	<b>Color</b>	Clear
<b>Boiling Point</b>	The lowest known value is 100°C (212°F) (Water).		
<b>Melting Point</b>	Not available.		
<b>Critical Temperature</b>	Not available.		
<b>Specific Gravity</b>	The only known value is 1 (Water = 1) (Water).		
<b>Vapor Pressure</b>	The highest known value is 17.535 mm of Hg (@ 20°C) (Water).		
<b>Vapor Density</b>	The highest known value is 0.62 (Air = 1) (Water).		
<b>Volatility</b>	Not available.		
<b>Odor Threshold</b>	Not available.		
<b>Water/Oil Dist. Coeff.</b>	Not available.		
<b>Ionicity (in Water)</b>	Not available.		
<b>Dispersion Properties</b>	See solubility in water, methanol.		
<b>Solubility</b>	Easily soluble in cold water. Partially soluble in methanol.		

Continued on Next Page

**Section 10. Stability and Reactivity Data**

Stability	The product is stable.
Instability Temperature	Not available.
Conditions of Instability	Not available.
Incompatibility with various substances	Not available.
Corrosivity	Corrosive in presence of glass.
Special Remarks on Reactivity	Not available.
Special Remarks on Corrosivity	Not available.
Polymerization	No.

**Section 11. Toxicological Information**

Routes of Entry	Eye contact. Inhalation. Ingestion.
Toxicity to Animals	LD50: Not available. LC50: Not available.
Chronic Effects on Humans	Not available.
Other Toxic Effects on Humans	Very hazardous in case of skin contact (irritant), of ingestion, of inhalation. Non-corrosive for skin. Non-sensitizer for skin. Non-permeator by skin.
Special Remarks on Toxicity to Animals	Not available.
Special Remarks on Chronic Effects on Humans	Not available.
Special Remarks on other Toxic Effects on Humans	Not available.

**Section 12. Ecological Information**

Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	The products of degradation are more toxic.
Special Remarks on the Products of Biodegradation	Not available.

**Section 13. Disposal Considerations**

Waste Disposal

**Section 14. Transport Information**

**DOT Classification** CLASS 8: Corrosive liquid.

**Identification** : Corrosive liquids n.o.s. (Nickel fluoborate) : UN1760 PG: II

**Special Provisions for Transport** Not available.

**DOT (Pictograms)**



**Section 15. Other Regulatory Information and Pictograms**

**Federal and State Regulations**

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer, birth defects or other reproductive harm, which would require a warning under the statute: Nickel fluoborate  
 California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: Nickel fluoborate  
 TSCA 8(b) inventory: Nickel fluoborate; Water  
 CERCLA: Hazardous substances.: Nickel fluoborate;

**California Proposition 65 Warnings**

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: Nickel fluoborate

**Other Regulations**

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

**Other Classifications**

**WHMIS (Canada)** CLASS E: Corrosive liquid.

**DSCL (EEC)** R38- Irritating to skin.  
R41- Risk of serious damage to eyes.

**HMIS (U.S.A.)**

Health Hazard	3
Fire Hazard	0
Reactivity	0
Personal Protection	0


**National Fire Protection Association (U.S.A.)**

Health Flammability  
 Reactivity  
 Specific hazard

**WHMIS (Canada) (Pictograms)**



**DSCL (Europe) (Pictograms)**



**TDG (Canada)  
(Pictograms)**



**ADR (Europe)  
(Pictograms)**



**Protective Equipment**



Gloves.



Full suit.



Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.



Face shield.

**Section 16. Other Information**

**MSDS Code** N3260

**References** Not available.

**Other Special Considerations** Not available.

Validated by Sonia Owen on 8/11/2006.

Verified by Sonia Owen.

Printed 9/12/2006.

CALL (310) 516-8000

**Notice to Reader**

All chemicals may pose unknown hazards and should be used with caution. This Material Safety Data Sheet (MSDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this MSDS is based on technical data judged to be reliable, Spectrum Quality Products, Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.