



Continued on Next Page

Material Safety Data Sheet

NFPA	HMIS	Personal Protective Equipment
3 _{COR} 0	Health Hazard 3 Fire Hazard 1	
		See Section 15.

Section 1. Chem	Section 1. Chemical Product and Company Identification Page Number: 1			Page Number: 1
Common Name/ Nitric Acid, SVS 0.1N Trade Name		Catalog Number(s).	SV120	
			CAS#	Mixture.
Manufacturer	SPECTRUM CHEMICAL MFG. CORP.		RTECS	Not applicable.
14422 S. SAN PEDRO STREET GARDENA, CA 90248			TSCA	TSCA 8(b) inventory: Nitric acid, 70%; Water
Commercial Name(s)	Not available.		CI#	Not available.
Synonym	Not available.		IN CASE OF	
Chemical Name	Not applicable.		<u>CHEMTREC</u>	<u>(24hr) 800-424-9300</u>
Chemical Family	Not available.		CALL (310) 51	6-8000
Chemical Formula	Not applicable.			
Supplier	SPECTRUM CHEMICAL MFG. CORP. 14422 S. SAN PEDRO STREET GARDENA, CA 90248			

Section 2.Composition and Information on Ingredients					
			Exposure Limits		
	CAS #	TWA (mg/m ³)	STEL (mg/m ³)	CEIL (mg/m ³)	% by Weight
	7732-18-5 7697-37-2	5		4	95.6 4.41
Nitric acid, fuming: VAPOR (LC50): Acute: 67 ppm 4 hour(s) [Rat].					
entification					
Very hazardous in ca inhalation. Liquid or s and respiratory tract. of respiratory tract, ch in death. Inflammati characterized by itchin	se of skin contact (c pray mist may produ Skin contact may pro aracterized by coughi on of the eye is char ng, scaling, reddening,	orrosive, irritant, po ce tissue damage duce burns. Inhala ing, choking, or sho acterized by redno , or, occasionally, b	ermeator), of eye particularly on mud ation of the spray n ortness of breath. ess, watering, an listering.	contact (irritant), cous membranes nist may produce Severe over-expr d itching. Skin i	of ingestion, of of eyes, mouth severe irritation osure can result inflammation is
	Nitric acid, fuming: VAPOR (LC50): Intification Very hazardous in ca nhalation. Liquid or s and respiratory tract. of respiratory tract, ch n death. Inflammatic characterized by itchir	CAS # T732-18-5 7697-37-2 Nitric acid, fuming: VAPOR (LC50): Acute: 67 ppm 4 Intification Very hazardous in case of skin contact (c nhalation. Liquid or spray mist may produ and respiratory tract. Skin contact may produ and respiratory tract, characterized by cough n death. Inflammation of the eye is characterized by itching, scaling, reddening.	CAS # TWA (mg/m³) 7732-18-5 5 7697-37-2 5 Nitric acid, fuming: Acute: 67 ppm 4 hour(s) [Rat]. Partification VAPOR (LC50): Very hazardous in case of skin contact (corrosive, irritant, penhalation. Liquid or spray mist may produce tissue damage pand respiratory tract. Skin contact may produce burns. Inhalatof respiratory tract, characterized by coughing, choking, or short n death. Inflammation of the eye is characterized by reduct the star acterized by itching, scaling, reddening, or, occasionally, b	Internation of ingredients Exposure Limits CAS # TWA (mg/m³) STEL (mg/m³) 7732-18-5 5 7697-37-2 5 Nitric acid, fuming: Acute: 67 ppm 4 hour(s) [Rat]. vAPOR (LC50): Acute: 67 ppm 4 hour(s) [Rat]. variable Strict acid, fuming: variable Very hazardous in case of skin contact (corrosive, irritant, permeator), of eye nhalation. Liquid or spray mist may produce tissue damage particularly on mutand respiratory tract. Skin contact may produce burns. Inhalation of the spray no frespiratory tract, characterized by coughing, choking, or shortness of breath. n death. Inflammation of the eye is characterized by redness, watering, an characterized by itching, scaling, reddening, or, occasionally, blistering.	Indiminiation of ingredients Exposure Limits CAS # TWA (mg/m³) STEL (mg/m³) CEIL (mg/m³) 7732-18-5 5 4 Nitric acid, fuming: YAPOR (LC50): Acute: 67 ppm 4 hour(s) [Rat]. Patification Yapor (LC50): Acute: 67 ppm 4 hour(s) [Rat].

Nitric Acid, SVS 0.1	N Page Number: 2
Potential Chronic Health Effects	Very hazardous in case of skin contact (corrosive, irritant, permeator), of eye contact (irritant), of ingestion, of inhalation. Non-sensitizer for skin. CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection. Repeated exposure to an highly toxic material may produce general deterioration of health by an accumulation in one or many human organs. Repeated or prolonged inhalation of vapors may lead to chronic respiratory irritation.

Section 4. First Aid Measures

Eye Contact	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.
Skin Contact	If the chemical got onto the clothed portion of the body, remove the contaminated clothes as quickly as possible, protecting your own hands and body. Place the victim under a deluge shower. If the chemical got on the victim's exposed skin, such as the hands : Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cold water may be used. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.
Serious Skin Contact	Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.
Inhalation	Allow the victim to rest in a well ventilated area. Seek immediate medical attention.
Serious Inhalation	Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. WARNING: It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek immediate medical attention.
Ingestion	Do not induce vomiting. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.
Serious Ingestion	Not available.

Section 5. Fire and E	xplosion Data
Flammability of the Product	May be combustible at high temperature.
Auto-Ignition Temperature	Not available.
Flash Points	Not available.
Flammable Limits	Not available.
Products of Combustion	Not available.
Fire Hazards in Presence of Various Substances	Non-flammable in presence of reducing materials, of combustible materials, of organic materials.
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available. Slightly explosive to explosive in presence of reducing materials, of combustible materials, of organic materials.
Fire Fighting Media and Instructions	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet.
Special Remarks on Fire Hazards	Not available.
Continued on Next	Page

Special Remarks on Explosion Not available. Hazards

Section 6. Accidental Release Measures Small Spill Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of sodium carbonate. Large Spill Corrosive liquid. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Call for assistance on disposal. Neutralize the residue with a dilute solution of sodium carbonate. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

Section 7. Handling and Storage

Precautions

Keep locked up Keep container dry. Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapour/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as metals, alkalis.

Storage

Keep container dry. Keep in a cool place. Ground all equipment containing material. Corrosive materials should be stored in a separate safety storage cabinet or room.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.
Personal Protection	Face shield. Full suit. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.
Exposure Limits	Nitric acid, fuming TWA: 2 CEIL: 4 (ppm) TWA: 5 CEIL: 10 (mg/m ³)

Consult local authorities for acceptable exposure limits.

Section 9. Physical a	nd Chemical Properties		
Physical state and appearance	Liquid.	Odor	Not available.
Molecular Weight	Not applicable.	Taste	Not available.
pH (1% soln/water)	Acidic.	Color	Not available.
Boiling Point	The lowest known value is 82.6°C (180.7°F) (Nitric acid, fuming). Weighted average: 99.23°C (210.6°F)		
Melting Point	May start to solidify at -41.6°C (-42.9°F) based on data for: Nitric acid, fuming.		
Critical Temperature	Not available.		
Specific Gravity	Weighted average: 1.02 (Water = 1)		
Vapor Pressure	The highest known value is 45 mm of Hg (@ 20°C 20°C)	C) (Nitric a	cid, fuming). Weighted average: 18.75 mm of Hg (@
Vapor Density	The highest known value is 0.62 (Air = 1) (Water).	
Volatility	Not available.		
Odor Threshold	The highest known value is 0.29 ppm (Nitric acid,	fuming)	

Continued on Next Page

Nitric Acid, SVS 0.1	N Page Number: 4
Water/Oil Dist. Coeff.	Not available.
Ionicity (in Water)	Not available.
Dispersion Properties	See solubility in water.
Solubility	Easily soluble in cold water.
Section 10. Stability	and Reactivity Data
Stability	The product is stable.
Instability Temperature	Not available.
Conditions of Instability	Not available.
Incompatibility with various substances	Extremely reactive or incompatible with alkalis. Highly reactive with metals. Slightly reactive to reactive with reducing agents, combustible materials, organic materials, acids.
Corrosivity	Non-corrosive in presence of glass.
Special Remarks on Reactivity	Not available.
Special Remarks on Corrosivity	Not available.
Polymerization	No.
Section 11. Toxicolo	gical Information
Routes of Entry	Dermal contact. Eye contact. Inhalation. Ingestion.
Toxicity to Animals	WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE. Acute toxicity of the vapor (LC50): 1519 ppm 4 hour(s) (Rat) (Calculated value for the mixture).
Chronic Effects on Humans	The substance is toxic to lungs, mucous membranes.
Other Toxic Effects on Humans	Very hazardous in case of skin contact (corrosive, irritant, permeator), of ingestion, of inhalation.
Special Remarks on Toxicity to Animals	Not available.
Special Remarks on Chronic Effects on Humans	Not available.
Special Remarks on other Toxic Effects on Humans	Not available.
Section 12. Ecologic	al Information
Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	The products of degradation are more toxic.
Special Remarks on the Products of Biodegradation	Not available.

Section 13. Disposal Considerations

Waste Disposal

Section 14. Transp	Section 14. Transport Information				
DOT Classification	CLASS 8: Corrosive liquid.				
Identification	: Nitric acid, solution (Nitric acid, fuming) : UN2031 PG: II				
Special Provisions for Transport	Marine Pollutant				
DOT (Pictograms)	CORROSIVE 8				
Section 15. Other	Regulatory Information and Pictograms				
Federal and State Regulations	Pennsylvania RTK: Nitric acid, 70% Massachusetts RTK: Nitric acid, 70% TSCA 8(b) inventory: Nitric acid, 70%; Water SARA 302/304/311/312 extremely hazardous substances: Nitric acid, 70% SARA 313 toxic chemical notification and release reporting: Nitric acid, 70% CERCLA: Hazardous substances.: Nitric acid, 70%;				
California Proposition 65	California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: No products were found				
Warnings	California prop. 65: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: No products were found.				
Other Regulations	OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).				
Other Classifications	WHMIS (Canada) CLASS D-1B: Material causing immediate and serious toxic effects (TOXIC). CLASS E: Corrosive liquid.				
	DSCL (EEC) R23- Toxic by inhalation. R35- Causes severe burns.				
HMIS (U.S.A.)	Health Hazard 3 National Fire Protection Flammability Fire Hazard 1 Association (U.S.A.) Health Image: Corr of the sectivity Personal Protection 0 Flammability Specific hazard				
WHMIS (Canada) (Pictograms)					
DSCL (Europe) (Pictograms)	T				
Continued on Ne	xt Page				

Nitric Acid, SVS 0.1	Ν	Page Number: 6
TDG (Canada) (Pictograms)		
ADR (Europe) (Pictograms)		
Protective Equipment	Glov	25.
	Fulls	uit.
	Vapo appri equiv wher	r respirator. Be sure to use an oved/certified respirator or alent. Wear appropriate respirator ventilation is inadequate.
	Face	shield.
Section 16. Other In	formation	
MSDS Code SV1	20	
References Not a	available.	

Other Special Considerations	Not available.	
Validated by Sonia Ower	n on 8/11/2006.	Verified by Sonia Owen. Printed 9/12/2006.

CALL (310) 516-8000

Notice to Reader

All chemicals may pose unknown hazards and should be used with caution. This Material Safety Data Sheet (MSDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this MSDS is based on technical data judged to be reliable, Spectrum Quality Products, Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.