

Revision number: 1 Revision date: 07/06/2018

## 1. IDENTIFICATION

Product name: Product code:

Product use:

**Restrictions on use:** 

Dimethyl (2-Oxo-3-phenoxypropyl)phosphonate
D4408

**TCI AMERICA** 

SAFETY DATA SHEET

For laboratory research purposes. Not for drug or household use.

Company: TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

#### Emergency telephone number:

Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) **Responsible department:** TCI America Environmental Health Safety and Security +1- 503-286-7624

### 2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: WHMIS 2015:	Not classifiable
Signal word:	None
Hazard Statement(s):	None
Pictogram(s) or Symbol(s):	None
Precautionary Statement(s):	None
Hazards not otherwise classified: [HNOC]	None.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Page	2	of	5
------	---	----	---

bhonate TCI AMERICA Page 2 of
Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.
Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Get medical advice/attention if you feel unwell. Rinse mouth.
No data available
No data available
ention:
Dry chemical, foam, water spray, carbon dioxide.
Take care as it may decompose upon combustion or in high temperatures to generate poisonous fum
These products include: Carbon oxides Phosphates Closed containers may explode from heat of a fire.
Wear self-contained breathing apparatus if possible.
RES
Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping of
etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly
etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.
etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. <b>ny incompatibilities</b> Keep container tightly closed. Store in a cool and dark place. Store under inert gas.
etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. <b>ny incompatibilities</b> Keep container tightly closed. Store in a cool and dark place.
etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. <b>ny incompatibilities</b> Keep container tightly closed. Store in a cool and dark place. Store under inert gas. Store away from incompatible materials such as oxidizing agents. Air-sensitive Comply with laws.
etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. <b>ny incompatibilities</b> Keep container tightly closed. Store in a cool and dark place. Store under inert gas. Store away from incompatible materials such as oxidizing agents. Air-sensitive
etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. <b>ny incompatibilities</b> Keep container tightly closed. Store in a cool and dark place. Store under inert gas. Store away from incompatible materials such as oxidizing agents. Air-sensitive Comply with laws. <b>DVAL PROTECTION</b> Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed
etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. <b>ny incompatibilities</b> Keep container tightly closed. Store in a cool and dark place. Store under inert gas. Store away from incompatible materials such as oxidizing agents. Air-sensitive Comply with laws. <b>INAL PROTECTION</b> Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety
etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. <b>ny incompatibilities</b> Keep container tightly closed. Store in a cool and dark place. Store under inert gas. Store away from incompatible materials such as oxidizing agents. Air-sensitive Comply with laws. <b>INAL PROTECTION</b> Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):	Liquid		
Form:	Clear		
Colour:	Colorless - Yellow		
Odour:	No data available		
Odor threshold:	No data available		
Odour threshold:	No data available		
Melting point/freezing point:	No data available	pH:	No data available
Boiling point/range:	175°C /0.07kPa (347°F)	Vapour pressure:	No data available.
Decomposition temperature:	No data available	Vapour density:	No data available
Relative density:	No data available	Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available		
Log Pow:	No data available	Evaporation rate(Butyl	No data available
		Acetate=1):	
Flash point:	No data available	Autoignition temperature:	No data available
Flammability(solid, gas):	No data available	Flammability or explosive limits:	
		Lower:	No data available
		Upper:	No data available
Solubility(ies):		••	
[Water]	No data available		
[Other solvents]	No data available		
[enner certenne]			

### 10. STABILITY AND REACTIVITY

Reactivity: Chemical stability: Possibility of hazardous reactions: Incompatible materials: Hazardous decomposition products: No data available Stable under proper conditions. No special reactivity has been reported. Oxidizing agents Carbon dioxide, Carbon monoxide, Phosphorus oxides

# 11. TOXICOLOGICAL INFORMATION

Acute Toxicity: No data available

#### Skin corrosion/irritation: No data available

Serious eye damage/irritation: No data available

Respiratory or skin sensitization: No data available

Germ cell mutagenicity: No data available

Carcinogenicity: No data available

> IARC: No data available

NTP:

No data available

OSHA: No data available

**Reproductive toxicity:** No data available

Target organ(s):

No data available

## 12. ECOLOGICAL INFORMATION

Ecotoxicity:		
Fish:	No data available	
Crustacea:	No data available	
Algae:	No data available	
Persistence / degradability:	No data available	
Bioaccumulative potential(BCF): Mobility in soil	No data available	
Log Pow:	No data available	
Soil adsorption (Koc):	No data available	
Henry's Law (PaM ³/mol):	No data available	
13. DISPOSAL CONSIDERATION	IS	

Disposal of product:	Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil.	
Disposal of container:	Dispose of as unused product.	
Other considerations:	Observe all federal, state and local regulations when disposing of the substance.	
14. TRANSPORT INFORMATION		
DOT (US)	Non-hazardous for transportation.	
IATA_	Non-hazardous for transportation.	
IMDG	Non-hazardous for transportation.	

# 15. REGULATORY INFORMATION

## Toxic Substance Control Act (TSCA 8b.):

This product is NOT on the EPA Toxic Substances Control Act (TSCA) inventory. The following notices are required by 40 CFR 720.36 (C) for those products not on the inventory list:

(i) These products are supplied solely for use in research and development by or under the supervision of a technically qualified individual as defined in 40 CFR 720.0 et sec.

(ii) The health risks of these products have not been fully determined. Any information that is or becomes available will be supplied on a SDS sheet.

0

0 0

### **US Federal Regulations**

CERCLA Hazardous substance and Reportable Quantity:				
SARA 313:		Not Listed		
SARA 302:		Not Listed		
State Regulations	S			
State Right-to-Kn				
Massachuset	tts	Not Listed		
New Jersey		Not Listed		
Pennsylvania	3	Not Listed		
California Propos	sition 65:	Not Listed		
Other Information	n			
NFPA Rating:	-		HMIS Classification:	
Health:	0		Health:	
Flammability:	0		Flammability:	
Instability:	0		Physical:	

### International Inventories

#### 16. OTHER INFORMATION

#### Revision date: 07/06/2018 Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.