

SAFETY DATA SHEET

Preparation Date: 12/16/2016

Revision Date: 10/15/2018

Revision Number: G2

1. IDENTIFICATION

Product identifier

Product code: AA250
Product Name: PALLADIUM ATOMIC ABSORPTION STANDARD

Other means of identification

Synonyms: Ammonium Tetrachloropalladate in 10% Hydrochloric acid solution
CAS #: Mixture
RTECS # Not available
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: No information available.
Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp
 14422 South San Pedro St.
 Gardena, CA 90248
 (310) 516-8000

Order Online At: <https://www.spectrumchemical.com>
Emergency telephone number Chemtrec 1-800-424-9300
Contact Person: Martin LaBenz (West Coast)
Contact Person: Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Corrosive to metals	Category 1

Label elements

Danger

Hazard statements

Harmful if inhaled
 Causes severe skin burns and eye damage
 May cause respiratory irritation
 May be corrosive to metals



Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

May be harmful if swallowed

Precautionary Statements - Prevention

Use only outdoors or in a well-ventilated area
 Do not breathe dust/fume/gas/mist/vapors/spray
 Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection
 Keep only in original container

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician
 Absorb spillage to prevent material damage
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse
 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. Immediately call a POISON CENTER or doctor/physician.
 IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place. Keep container tightly closed
 Store in corrosive resistant/ .? container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Water	7732-18-5	95-96
Hydrogen chloride	7647-01-0	4-5
Ammonium Tetrachloropalladate (II)	13820-40-1	0.27

4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call

1-800-222-1222. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. First aider needs to protect himself.

- Skin Contact:** Wash off immediately with soap and plenty of water. Continue flushing with plenty of water for at least 15 minutes. Remove all contaminated clothes and shoes. Immediate medical attention is required. Call a physician immediately.
- Eye Contact:** Flush eyes with water for 15 minutes. Immediate medical attention is required. Call a physician immediately.
- Inhalation:** Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. **WARNING!** It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled or ingested material is toxic, infectious or corrosive. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. Call a physician immediately.
- Ingestion:** Do not induce vomiting without medical advice. Do not give Sodium Bicarbonate (Baking Soda). Never give anything by mouth to an unconscious person. If victim is conscious, give water or milk. Immediate medical attention is required. Call a physician or Poison Control Center immediately.

Most important symptoms and effects, both acute and delayed

- Symptoms**
- Severe skin irritation
 - Severe eye irritation
 - Severe skin and eye irritation or burns
 - Irritating to respiratory system
 - Burning sensation of the respiratory tract
 - Coughing
 - Hoarseness of the voice
 - Choking sensation
 - Dyspnea (Shortness of breath and difficulty breathing)
 - Shallow respiration
 - Can burn mouth, throat, and stomach
 - May cause salivation
 - Thirst
 - May cause difficulty swallowing
 - May cause abdominal pain, nausea, vomiting, diarrhea
 - Weak, rapid pulse or rapid heart rate (Tachycardia)
 - May cause erosion of tooth enamel

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: The product is not flammable. If it is involved in a fire, extinguish the fire using an agent suitable for the type of surrounding fire.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products:

No information available.

Specific hazards:

For Hydrogen chloride/concentrated Hydrochloric acid:. Contact with metals may evolve flammable hydrogen gas. Calcium carbide reacts with hydrogen chloride gas with incandescence. Uranium phosphide reacts with hydrochloric acid to release spontaneously flammable phosphine. Rubidium acetylene carbide burns with slightly warm Hydrochloric acid. Lithium silicide in contact with hydrogen chloride becomes incandescent. When dilute hydrochloric acid is used, gas that is spontaneously flammable in air is evolved. Magnesium boride treated with concentrated hydrochloric acid produces spontaneously flammable gas. Cesium acetylene carbide burns in hydrogen chloride gas. Cesium carbide ignites in contact with Hydrochloric acid unless acid is dilute. Hydrogen chloride in contact with the following can cause an explosion or ignition on contact, or other violent/vigorous reaction: Acetic anhydride AgClO + CCl4 Alcohols + hydrogen cyanide, Aluminum Aluminum-titanium alloys (with HCl vapor), 2-Amino ethanol, Ammonium hydroxide, Calcium carbide Ca₃P₂ Chlorine + dinitroanilines (evolves gas), Chlorosulfonic acid Cesium carbide Cesium acetylene carbide, 1,1-Difluoroethylene Ethylenediamine, Ethyleneimine, Fluorine, HClO₄ Hexalithium disilicide H₂SO₄ Metal acetylides or carbides, Magnesium boride, Mercuric sulfate, Oleum, Potassium permanganate, beta-Propiolactone Propylene oxide Rubidium carbide, Rubidium, acetylene carbide Sodium (with aqueous HCl), Sodium hydroxide Sodium tetraselenium, Sulfonic acid, Tetraselenium tetranitride, U₃P₄ , Vinyl acetate. Silver perchlorate with carbon tetrachloride in the presence of hydrochloric acid produces trichloromethyl perchlorate which detonates at 40 deg. C.

Special Protective Actions for Firefighters**Specific Methods:**

No information available.

Special Protective Equipment for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protective equipment. Avoid contact with skin, eyes and clothing.

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk.

Methods for cleaning up Neutralize with Sodium carbonate or Sodium bicarbonate. Dilute with water. Absorb spill with inert material (e.g. vermiculite, dry sand or earth), then place in a suitable chemical waste container. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Use only in area provided with appropriate exhaust ventilation. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe vapors or spray mist. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. May corrode metallic surfaces. Do not store in uncoated metallic containers. Store in a segregated and approved area. Store away from incompatible materials.

Incompatible Materials:

Oxidizing agents
Metals
Alkalis
Organic materials

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WEEL
Water	7732-18-5	None	None	None	None
Hydrogen chloride	7647-01-0	5 ppm Ceiling 7 mg/m ³ Ceiling	5 ppm Ceiling 7 mg/m ³ Ceiling	2 ppm Ceiling	None
Ammonium Tetrachloropalladate (II)	13820-40-1	None	None	None	None

Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Water	7732-18-5	None	None	None	None
Hydrogen chloride	7647-01-0	2 ppm Ceiling 3 mg/m ³ Ceiling	2 ppm Ceiling	2 ppm Ceiling	5 ppm Ceiling 7.5 mg/m ³ Ceiling
Ammonium Tetrachloropalladate (II)	13820-40-1	None	None	None	None

Australia and Mexico

Components	CAS-No.	Australia	Mexico
Water	7732-18-5	None	None
Hydrogen chloride	7647-01-0	None	5 ppm Ceiling 7 mg/m ³ Ceiling
Ammonium Tetrachloropalladate (II)	13820-40-1	None	None

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Face-shield.

Skin and body protection: Chemical resistant apron
Long sleeved clothing
Gloves
If working with large quantities:
Chemical resistant protective suit
Boots

Respiratory protection: Respiratory protection is not necessary for normal handling. Good room ventilation or use of local exhaust (fume hood) is sufficient. Use a vapor respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapor, inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to use an approved/certified respirator or equivalent.

Hygiene measures: Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:

Liquid

Appearance:

No information available.

Color:

Colorless.

Odor:

Slight. Pungent. Irritating.

Taste

No information available.

Formula:

No information available

Molecular/Formula weight (g/mole):

No information available

Flammability:

No information available

Flashpoint (°C/°F):

No information available.

Product code: AA250

Product name: PALLADIUM ATOMIC
ABSORPTION STANDARD

6 / 16

Flash Point Tested according to: Not available	Autoignition Temperature (°C/°F): No information available	Lower Explosion Limit (%): No information available
Upper Explosion Limit (%): No information available	Melting point/range(°C/°F): No information available	Decomposition temperature(°C/°F): No information available
Boiling point/range(°C/°F): No information available	Bulk density: No information available	Density (g/cm³): No information available
Specific gravity: 1.0	pH: No information available	Vapor pressure @ 20°C (kPa): No information available
Evaporation rate: No information available	Vapor density: No information available	VOC content (g/L): No information available
Odor threshold (ppm): No information available	Partition coefficient (n-octanol/water): No information available	Viscosity: No information available
Miscibility: No information available	Solubility: No information available	

10. STABILITY AND REACTIVITY

Reactivity

For Hydrogen chloride or concentrated Hydrochloric Acid:

Reacts with most metals to produce flammable Hydrogen gas.

Sodium reacts very violently with gaseous hydrogen chloride.

Calcium phosphide and Hydrochloric acid undergo a very energetic reaction.

Hydrogen chloride reacts with oxidizers releasing chlorine gas.

Hydrogen chloride gas is emitted when Hydrochloric acid comes in contact with Sulfuric acid.

Adsorption of Hydrochloric acid onto Silicon dioxide results in exothermic reaction.

Hydrogen chloride causes aldehydes and epoxides to violently polymerize.

Reacts violently with bases, oxidizers forming toxic chlorine gas.

Reacts, often violently or vigorously or exothermically, with acetic anhydride, active metals, aliphatic amines, alkanolamines, alkylene oxides, aromatic amines, amides, 2-aminoethanol, ammonia, ammonium hydroxide, calcium phosphide, chlorosulfonic acid, ethylene diamine, ethyleneimine, epichlorohydrin, isocyanates, metal acetylides, oleum, organic anhydrides, perchloric acid, 3-propiolactone, uranium phosphide, sulfuric acid, vinyl acetate, vinylidene fluoride, alcohols + hydrogen cyanide, Aluminum phosphide, Aluminum-titanium alloys, 2-Amino ethanol, Ammonium hydroxide, Ammonium, 1,4-Benzoquinone diimine, Cesium telluroacylated, Chlorine + dinitroanilines, Chloroacetaldehyde oxime, Cyanogen chloride, 1,1-Difluoroethylene, dinitroanilines, Ethylene, Ethyl 2-formylpropionate oxime, Hexalithium disilicide, Hydrogen peroxide, Methyl vinyl ether, Nitric acid + glycerol, Potassium, Potassium permanganate, beta-Propiolactone, Propylene oxide, Rubidium acetylide, Silver chlorite, Sodium 2-allyloxy-6-nitrophenylpyruvate oxime, Sodium hydroxide, Sodium teranitride, 2,4,6-Tri(2-acetylhydrazino)-1,3,5-trinitrobenzene, Sulfonic acid, Cesium cyanotridecahydrodecarborate(2-), Potassium ferricyanide, Vinylidene fluoride, Potassium ferrocyanide, Ammonium hexacyanoferrate (II).

Reaction with oxidizers such as permanganates, chlorates, chlorites, and hypochlorites may produce chlorine or bromine gas.

Reacts vigorously with alkalis and with many organic materials.

Cesium acetylene carbide burns in hydrogen chloride gas.

Lithium silicide in contact with hydrogen chloride becomes incandescent.

Magnesium boride in contact with concentrated hydrochloric acid produces spontaneously flammable gas.

Rubidium acetylene carbide burns with slightly warm hydrochloric acid.

Rubidium carbide ignites in contact with hydrochloric acid unless acid is dilute.

Uranium phosphide reacts with hydrochloric acid to release spontaneously flammable phosphine.

Calcium carbide reacts with hydrogen chloride gas with incandescence.

Absorption of gaseous hydrogen chloride on mercuric sulfate becomes violent @ 125 deg C.

Reaction of silver perchlorate with carbon tetrachloride in presence of small amount of hydrochloric acid produces trichloromethyl perchlorate, which detonates @ 40 deg C.

Cesium carbide ignites in contact with hydrochloric acid unless acid is dilute.

Hydrochloric acid in the presence of alcohol and glycols results in dehydration reactions.

Hydrogen chloride gas can react with formaldehyde to form bis(chloromethyl)ether, a human carcinogen.

Exothermic reaction with water

Attacks some plastics, rubber, and coatings.

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Stable at normal conditions.

Incompatible Materials: Oxidizing agents
Metals
Alkalis
Organic materials

Hazardous decomposition products: Hydrogen chloride gas. Hydrogen. Hydrogen, by reaction with metals.

Other Information

Corrosivity: Severe corrosive effect on 304 Stainless Steel
Severe corrosive effect on 316 Stainless Steel
Severe corrosive effect on Copper and copper alloys
Severe corrosive effect on Bronze
Severe corrosive effect on Brass

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Skin. Inhalation. Ingestion.

Acute Toxicity

Component Information

Water	
CAS-No.	7732-18-5

LD50/oral/rat = > 90 mL/kg Oral LD50 Rat
LD50/oral/mouse = No information available
LD50/dermal/rabbit = No information available
LD50/dermal/rat = No information available
LC50/inhalation/rat = No information available
LC50/inhalation/mouse = No information available
Other LD50 or LC50 information = No information available

Hydrogen chloride	
CAS-No.	7647-01-0

LD50/oral/rat = 238 - 277 mg/kg Oral LD50 Rat
700 mg/kg (test substance: 31.5% hydrochloric acid solution)
LD50/oral/mouse = No information available
LD50/dermal/rabbit = >5010 mg/kg (Test substance: 31.5% hydrochloric acid solution - from European Chemicals Bureau IUCLID dataset)
LD50/dermal/rat = No information available
LC50/inhalation/rat = 3124 ppm Inhalation LC50 Rat 1 h
1562 ppm 4 h
1.68 mg/L Inhalation LC50 Rat 1h
LC50/inhalation/mouse = 1108 ppm 1 h

Other LD50 or LC50 information = 900 mg/kg oral LD50 Rabbit (no information on test substance)

Ammonium Tetrachloropalladate (II)	
CAS-No.	13820-40-1

LD50/oral/rat = No information available
LD50/oral/mouse = No information available
LD50/dermal/rabbit = No information available
LD50/dermal/rat = No information available
LC50/inhalation/rat = No information available
LC50/inhalation/mouse = No information available
Other LD50 or LC50 information = No information available

Product Information

LD50/oral/rat =
VALUE- Acute Tox Oral = No information available

LD50/oral/mouse =
Value - Acute Tox Oral = No information available

LD50/dermal/rabbit
VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat
VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat
VALUE-Vapor = No information available
VALUE-Gas = No information available
VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse
VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: Causes severe irritation and burns.

Eye Contact: Causes severe irritation and burns.

Inhalation Harmful by inhalation. Material may be destructive to tissue of the mucous membranes and upper respiratory tract. Inhalation of hydrochloric acid fumes produces nose, throat, and laryngeal burning, and irritation, pain and inflammation, coughing, sneezing, choking sensation, hoarseness, laryngeal spasms, upper respiratory tract edema, chest pains, as well as headache, and palpitations. Inhalation of high concentrations can result in corrosive burns, necrosis of bronchial epithelium, constriction of the larynx and bronchi, nasospetal perforation, glottal closure, dyspnea, bronchitis. Chemical pneumonitis and pulmonary edema can also occur, particularly if exposure is prolonged. May affect the liver.

Ingestion Causes irritation and burning, ulceration, or perforation of the gastrointestinal tract and resultant peritonitis, gastric hemorrhage and infection. Can also cause nausea, vomiting (with "coffee ground" emesis), diarrhea, thirst, difficulty swallowing, salivation, chills, fever, uneasiness, shock, strictures and stenosis (esophageal, gastric, pyloric). May affect behavior (excitement), the cardiovascular system (weak rapid pulse, tachycardia), respiration (shallow respiration), and urinary system (kidneys- renal failure, nephritis). Acute ingestion

can also cause erosion of tooth enamel.

Aspiration hazard No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Prolonged or repeated inhalation and/or ingestion may affect liver, and cause bleeding of nose and gums, nasal and oral mucosal ulceration, conjunctivitis. It may also affect respiratory tract (changes in pulmonary function, chronic bronchitis, overt respiratory tract abnormalities), teeth (yellowing of teeth and erosion of tooth enamel), kidneys, and behavior/central nervous system (muscle contraction or spasticity). Prolonged or repeated skin contact may cause dermatitis. Prolonged or repeated eye contact with vapor/mist can cause conjunctivitis.

Sensitization: No information available.

Mutagenic Effects: For Hydrogen Chloride/Hydrochloric Acid:
Animal experiments showed mutagenic effects
Cytogenetic Analysis - chromosome aberration test (Chinese Hamster ovary):
Genotoxic effects were observed

Carcinogenic effects: Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed
Hydrogen chloride	7647-01-0	Group 3 - Not classifiable - Monograph 54 [1992]	A4 Not Classifiable as a Human Carcinogen	Not listed	Not listed	Not listed	Not listed
Ammonium Tetrachloropalladate (II)	13820-40-1	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects: No information available
Developmental Effects: For Hydrogen Chloride/Hydrochloric Acid
No information on developmental toxicity effects on humans was found
An increase in postnatal mortality was seen in experiments where rats were exposed to Hydrogen Chloride for 1 hour

Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure No information available.
STOT - repeated exposure No information available.
Target Organs: Skin. Eyes. Respiratory system.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.

Hydrogen chloride - 7647-01-0

Freshwater Fish Species Data: 282 mg/L LC50 *Gambusia affinis* 96 h
862 mg/L LC50 *Leuciscus idus*

Water Flea Data: <56 mg/L LC50 *Daphnia magna* 72h

Persistence and degradability: No information available

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Water	7732-18-5	None	None	None	None
Hydrogen chloride	7647-01-0	None	None	None	None
Ammonium Tetrachloropalladate (II)	13820-40-1	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: UN1789
Proper Shipping Name: Hydrochloric acid
Hazard Class: 8
Subsidiary Class: No information available
Packing group: II
Emergency Response Guide Number: 157
Marine Pollutant: Severe Marine Pollutant
DOT RQ (lbs): No information available
Special Provisions: A3, A6, B3, B15, IB2, N41, T8, TP2
Symbol(s): No information available
Description: UN1789, Hydrochloric acid, 8, II

TDG (Canada)

UN-No: UN1789
Proper Shipping Name: Hydrochloric acid
Hazard Class: 8
Subsidiary Risk: No information available
Packing Group: II
Marine Pollutant: No Information available
Description: UN1789, Hydrochloric acid, 8, II

ADR

UN-No: UN1789
Proper Shipping Name: Hydrochloric acid
Hazard Class: 8
Packing Group: II
Subsidiary Risk: No information available
Special Provisions 520
Description: UN1789, Hydrochloric acid, 8, II

IMO / IMDG

UN-No: UN1789
Proper Shipping Name: Hydrochloric acid
Hazard Class: 8
Subsidiary Risk: No information available
Packing Group: II
Marine Pollutant No information available
EMS: F-A
Description UN1789, Hydrochloric acid, 8, II

RID

UN-No: UN1789
Proper Shipping Name: Hydrochloric acid
Hazard Class: 8
Subsidiary Risk: 8
Packing Group: II
Special Provisions 520
Description: UN1789, Hydrochloric acid, 8, II

ICAO

UN-No: UN1789
Proper Shipping Name: Hydrochloric acid
Hazard Class: 8
Subsidiary Risk: No information available
Packing Group: II
Description: UN1789, Hydrochloric acid, 8, II
Special Provisions A3

IATA

UN-No: UN1789
Proper Shipping Name: Hydrochloric acid
Hazard Class: 8
Subsidiary Risk: No information available
Packing Group: II
ERG Code: 8L
Special Provisions No information available
Description: UN1789, Hydrochloric acid, 8, II

15. REGULATORY INFORMATION

International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
<i>Water</i>	7732-18-5	PresentACTIV E	Present KE-35400	Present	Not present	Present	Present	Present 231-791-2
<i>Hydrogen chloride</i>	7647-01-0	PresentACTIV E	Present KE-20189	Present	Present (1)-215	Present	Present	Present 231-595-7
<i>Ammonium</i>	13820-40-1	PresentACTIV	Present	Not present	Not present	Present	Present	Present

Tetrachloropalladate (II)		E	KE-09824				237-498-6
---------------------------	--	---	----------	--	--	--	-----------

U.S. Regulations

Hydrogen chloride

Massachusetts RTK: Present

Massachusetts EHS: extraordinarily hazardous

New Jersey RTK Hazardous Substance List: 1012

New Jersey (EHS) List: 1012 500 lb TPQ

2909 500 lb TPQ

New Jersey - Discharge Prevention - List of Hazardous Substances: Present

New Jersey TCPA - EHS: 15000lbTQ

5000lbTQ

5600lbTQ

2000lbTQ

Pennsylvania RTK: Environmental hazard

Pennsylvania RTK - Environmental Hazard List Present

Michigan PSM HHC: = 5000 lb TQ

Minnesota - Hazardous Substance List: Present

New York Release Reporting - List of Hazardous Substances:

5000 lb RQ

100 lb RQ

Louisiana Reportable Quantity List for Pollutants: 5000lbfinal RQAs listed in 40 CFR 117.3 Table 117.3 and 40 CFR 302.4 Table 302.4

2270kgfinal RQAs listed in 40 CFR 117.3 Table 117.3 and 40 CFR 302.4 Table 302.4

5000lbRQAs listed in Louisiana Administrative Code, Title 33, Part 1, Subpart 2, Chapter 39, Subchapter E. Applies to unauthorized emissions based on total mass emitted into or onto all media within any consecutive 24-hour period

1000lbRQAs listed in Louisiana Administrative Code, Title 33, Part 1, Subpart 2, Chapter 39, Subchapter E. Applies to unauthorized emissions based on total mass emitted into the atmosphere

California Directors List of Hazardous Substances: Present

FDA - Food Additives Generally Recognized as Safe (GRAS): 21 CFR 182.1057

FDA - 21 CFR - Total Food Additives 133.129, 155.191, 155.194, 160.105, 160.185, 172.560, 172.892, 182.1057

- List Sourced from EAFUS

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Water	7732-18-5	Not Listed	Not Listed	Not Listed	Not Listed
Hydrogen chloride	7647-01-0	Not Listed	Not Listed	Not Listed	Not Listed
Ammonium Tetrachloropalladate (II)	13820-40-1	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Water	7732-18-5	None	None	None	None	None
Hydrogen chloride	7647-01-0	5000 lb final RQ 2270 kg final RQ	5000 lb EPCRA RQ	None	None	1.0 % de minimis concentration
Ammonium Tetrachloropalladate (II)	13820-40-1	None	None	None	None	None

U.S. TSCA

Components	CAS-No.	TSCA Section 5(a)2 - Chemicals	TSCA 8(d) -Health and Safety
------------	---------	--------------------------------	------------------------------

Product code: AA250

Product name: PALLADIUM ATOMIC
ABSORPTION STANDARD

13 / 16

		With Significant New Use Rules (SNURS)	Reporting
Water	7732-18-5	Not Applicable	Not Applicable
Hydrogen chloride	7647-01-0	Not Applicable	Not Applicable
Ammonium Tetrachloropalladate (II)	13820-40-1	Not Applicable	Not Applicable

Canada

WHMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Component
Water
7732-18-5 (95-96)
Hydrogen chloride
7647-01-0 (4-5)

WHMIS 2015 Hazard Classification
Not a dangerous product according to HPR classification criteria

Hydrogen Chloride: Gases under pressure - Liquefied gas: H280 Contains gas under pressure, may explode when heated.; Corrosive to Metals - Category 1: H290 May be corrosive to metals. (potentially corrosive to metals; the supplier should be contacted for more information); Acute toxicity - Inhalation - Category 3: H331 Toxic if inhaled.; Health Hazard Not Otherwise Classified - Category 1: Causes severe damage to the respiratory tract; Skin corrosion/irritation - Category 1: H314 Causes severe skin burns and eye damage.; Serious Eye Damage/Eye Irritation - Category 1: H318 Causes serious eye damage.
Hydrochloric Acid: Corrosive to Metals - Category 1: H290 May be corrosive to metals. (potentially corrosive to metals; the supplier should be contacted for more information); Acute toxicity - Oral - Category 4: H302 Harmful if swallowed. (3.6% in aqueous solution); Acute toxicity - Inhalation - Category 2: H330 Fatal if inhaled.; Health Hazard Not Otherwise Classified - Category 1: Causes severe damage to the respiratory tract; Skin corrosion/irritation - Category 1: H314 Causes severe skin burns and eye damage.; Skin corrosion/irritation - Category 2: H315 Causes skin irritation. (3.6% in aqueous solution); Serious Eye Damage/Eye Irritation - Category 1: H318 Causes serious eye damage.; Serious Eye Damage/Eye Irritation - Category 2: H319 Causes serious eye irritation. (3.6% in aqueous solution)

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

Components	WHMIS Ingredient Disclosure List -
Hydrogen chloride	1 %
Ammonium Tetrachloropalladate (II)	1 %

Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
Water	7732-18-5	Present	Not Listed
Hydrogen chloride	7647-01-0	Present	Not Listed
Ammonium Tetrachloropalladate (II)	13820-40-1	Not Listed	Present

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Water	7732-18-5	Not listed
Hydrogen chloride	7647-01-0	Not listed
Ammonium Tetrachloropalladate (II)	13820-40-1	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Water	7732-18-5	Not listed
Hydrogen chloride	7647-01-0	Not listed
Ammonium Tetrachloropalladate (II)	13820-40-1	Not listed

EU Classification

Product code: AA250

Product name: PALLADIUM ATOMIC
ABSORPTION STANDARD

14 / 16

EU GHS - SV - CLP 1272/2008

Components	CAS-No.	EU GHS - SV - CLP (1272/2008)
Water	7732-18-5	
Hydrogen chloride	7647-01-0	Hydrogen Chloride: Gases under pressure: H280 Contains gas under pressure, may explode when heated.; Acute toxicity - Inhalation - Acute Tox. 3: H331 Toxic if inhaled. (Minimum classification); Skin corrosion/irritation - Skin Corr. 1A: H314 Causes severe skin burns and eye damage.017-002-00-2 Hydrochloric Acid: Skin corrosion/irritation - Skin Corr. 1B: H314 Causes severe skin burns and eye damage. (C >= 25 %); Specific target organ toxicity - Single exposure - STOT SE 3: H335 May cause respiratory irritation. (C >= 10 %)017-002-01-X Skin corrosion/irritation - Skin Corr. 1B: H314 Causes severe skin burns and eye damage. (C >= 25 %); Skin corrosion/irritation - Skin Irrit. 2: H315 Causes skin irritation. (10 % <= C <25 %); Serious Eye Damage/Eye Irritation - Eye Irrit. 2: H319 Causes serious eye irritation. (10 % <= C <25 %); Specific target organ toxicity - Single exposure - STOT SE 3: H335 May cause respiratory irritation. (C >= 10 %)017-002-01-X
Ammonium Tetrachloropalladate (II)	13820-40-1	

EU - CLP (1272/2008)

R-phrase(s)

R36/37/38 - Irritating to eyes, respiratory system and skin.

S -phrase(s)

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S 1/2 - Keep locked up and out of the reach of children.

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
Water	7732-18-5		No information	
Hydrogen chloride	7647-01-0	Hydrogen Chloride T; R23 C; R35 Hydrochloric Acid: + hydrochloric acid ...% C; R34 - Xi; R37 Concentration Limit(s): C >= 25 % C; R34-37 10 % <= C < 25 % Xi; R36/37/38	Hydrogen Chloride: 0.02%<=C<0.2% Xi;R36/37/38 0.2%<=C<0.5% C;R34 0.5%<=C<1% C;R20-34 1%<=C<5% C;R20-35 5%<=C T;C;R23-35	For Hydrogen Chloride: S1/2 S9 S26 S36/37/39 S45 Hydrochloric Acid: S(1/2)-S26-S45
Ammonium	13820-40-1		No information	

Tetrachloropalladate (II)				
---------------------------	--	--	--	--

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

Xi - Irritant.

Xi



16. OTHER INFORMATION

Preparation Date: 12/16/2016
Revision Date: 10/15/2018
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet