



Revision date 02-August-2024

Revision Number 3

1. Identification

Product identifier

Product Name ETHYL ETHER, ANHYDROUS, REAGENT, ACS

Other means of identification

Product Code(s) E1010

UN/ID no UN1155

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use No information available

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Address

Spectrum Chemical Mfg. Corp. 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Danger

Hazard statements

Causes serious eye irritation

Causes skin irritation

Harmful if swallowed

May cause respiratory irritation. May cause drowsiness or dizziness

Extremely flammable liquid and vapor



Physical state Liquid

Odor Pungent and sweet

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/.?/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/eye protection/face protection

Keep cool

Precautionary Statements - Response

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

Rinse mouth

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Tends to form explosive peroxides when exposed to air and light, and especially when evaporated to dryness.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
Ethyl Ether	60-29-7	99.9999

Butylated Hydroxytoluene	128-37-0	0.0001

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical Inhalation

attention immediately if symptoms occur.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep Eye contact

> eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get medical attention if irritation develops and persists.

Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Ingestion

Never give anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

> involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. Fire-fighting measures

Dry chemical. Carbon dioxide (CO2). water spray. Alcohol resistant foam. **Suitable Extinguishing Media**

CAUTION: Use of water spray when fighting fire may be inefficient. Large Fire

Do not scatter spilled material with high pressure water streams. Unsuitable extinguishing media

risk of ignition. Keep product and empty container away from heat and sources of ignition. In Specific hazards arising from the

the event of fire, cool tanks with water spray. Fire residues and contaminated fire chemical

extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Carbon dioxide (CO2).

Explosion data

Sensitivity to mechanical impact none.

Sensitivity to static discharge yes.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Use personal protective equipment as required. See Personal precautions

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Air sensitive. Hygroscopic. It absorbs moisture from the air. Protect from moisture. Sensitive to light. Store in light-resistant containers. Keep containers tightly closed in a dry, cool and well-ventilated place. Store below 30°C. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Ether	No data available	400 ppm TWA	-
60-29-7		1200 mg/m³ TWA	

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available

Color Colorless

OdorPungent and sweetOdor thresholdNo information available

Property Values Remarks • Method

no data available None known pН Melting point / freezing point -116 °C / -176.8 °F None known Boiling point / boiling range 34.6 °C / 94.3 °F None known -45 °C / -49 °F Flash point None known **Evaporation rate** no data available None known Flammability (solid, gas) no data available None known Flammability Limit in Air None known

Upper flammability or explosive 36-48%

limits

Lower flammability or explosive 1.9%

limits

Vapor pressure58.9 @ 20°C (kPa)None knownVapor density2.55None knownRelative density0.7134 - 0.7147None knownWater solubilitySlightly soluble in waterNone knownSolubility(ies)Soluble in AcetoneNone known

Soluble in Ethanol

Soluble in Benzene

Partition coefficientNo data availableNone knownAutoignition temperature160 - 180 °C / 320 - 356 °FNone known

Decomposition temperature

None known
no data available
No data available
None known
No home known

Dynamic viscosity

Other information

Kinematic viscosity

Explosive properties

Oxidizing properties

No information available
No information available
No information available

Molecular weight 74.12

VOC Content (%)
Liquid Density
No information available
No information available
No information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May cause drowsiness or dizziness.

Eye contact Specific test data for the substance or mixture is not available. Irritating to eyes. (based on

components). Causes serious eye irritation.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on

components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. May cause redness and tearing of the eyes. Inhalation of high vapor

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomitina.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Component Information

component imormation			
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl Ether	= 1215 mg/kg (Rat)	= 20 mL/kg (Rabbit)> 20	= 32000 ppm (Rat) 4 h
60-29-7		mL/kg (Rabbit)	
Butylated Hydroxytoluene 128-37-0	890 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Butylated Hydroxytoluene	-	Group 3 - Not classifiable	-	-

128-37-0	- Supplement 7 [[1987]
	Monograph 40 [[1986]

Reproductive toxicity No information available.

STOT - single exposure May cause drowsiness or dizziness.

STOT - repeated exposureNo information available.

Target organ effects respiratory system, Eyes, Skin, central nervous system.

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Ethyl Ether	-	LC50: =2560mg/L (96h,	-	EC50: =165mg/L (24h,
60-29-7		Pimephales promelas)		Daphnia magna)
		LC50: >10000mg/L (96h,		
		Lepomis macrochirus)		
Butylated Hydroxytoluene	EC50: =6mg/L (72h,	LC50: =5mg/L (48h,	-	-
128-37-0	Pseudokirchneriella	Oryzias latipes)		
	subcapitata) EC50:			
	>0.42mg/L (72h,			
	Desmodesmus			
	subspicatus)			

Persistence and degradability

No information available.

Bioaccumulation

Inherently biodegradable.

Component Information

Chemical name	Partition coefficient
Ethyl Ether	0.82
60-29-7	
Butylated Hydroxytoluene	4.17
128-37-0	

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused Sh

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a poter

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld containers.

14. Transport information

```
UN/ID no
                                  UN1155
   Proper shipping name
                                  Diethyl ether
   Hazard class
   Special Provisions
   Special Provisions
                                  T11, TP2
   Marine Pollutant
                                  Severe Marine Pollutant
   Description
                                  UN1155, Diethyl ether, 3, I
   Emergency Response Guide
                                  127
   Number
TDG
   UN/ID no.
                                  UN1155
   Proper shipping name
                                  Diethyl ether
   Hazard class
                                  3
   Packing Group
   Description
                                  UN1155, Diethyl ether, 3, I
MEX
                                  UN1155
   UN-No
   Proper Shipping Name
                                  Diethyl ether
   Hazard class
   Packing Group
   Description
                                  UN1155, Diethyl ether, 3, I
ICAO (air)
                                  UN1155
   UN/ID no.
   Hazard class
                                  3
   Packing Group
IATA
   UN number
                                  UN1155
   Hazard Class
                                  3
   Packing group
   Emergency Response Guide
                                  3AH
   Number
IMDG
   UN number
                                  UN1155
   Hazard Class
                                  3
   Packing group
   EmS-No
                                  F-E, S-D
   Marine Pollutant
                                  NP1
RID
   UN number
                                  UN1155
   Proper shipping name
                                  DIETHYL ETHER
   Hazard Class
                                  3
   Packing group
                                  ı
   Classification code
   Description
                                  UN1155, DIETHYL ETHER, 3, I
   Labels
ADR
                                  UN1155
   UN number
   Proper shipping name
                                  Diethyl ether
   Hazard Class
                                  3
   Packing group
                                  ı
   Classification code
                                  F1
   Tunnel restriction code
                                  (D/E)
                                  UN1155, Diethyl ether, 3, I, (D/E)
   Description
   Labels
ADN
   UN/ID No
                                  UN1155
```

DOT

Proper shipping name Diethyl ether

Hazard Class 3
Packing Group I
Classification code F

Description UN1155, Diethyl ether, 3, I

Hazard label(s) 3
Limited quantity (LQ) 0
ventilation VE01
Equipment Requirements PP, EX, A

15. Regulatory information

International Inventories

TSCA Complies

DSL/NDSL Complies EINECS/ELINCS Complies

ENCS This product complies with ENCS: **IECSC** This product complies with China:

KECL Complies **PICCS** Complies

AICS All the constituents of this material are listed on the Australian Inventory of Chemical

Substances (AICS).

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Ethyl Ether	100 lb final RQ	-
60-29-7	45.4 kg final RQ	

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl Ether	0701	Present	Environmental hazard
60-29-7			
Butylated Hydroxytoluene 128-37-0	0814	Present	Present

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA

Health hazards 2 Flammability 4 Instability 0

Physical and chemical properties -

HMIS

Health hazards 2 Flammability 4 Physical hazards 0 Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 02-August-2024
Revision Note 02-August-2024
No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet