

SAFETY DATA SHEET

spectrum®



Revision date 02-February-2022

Revision Number 2

1. Identification

Product identifier

Product Name ETHYL ACETATE, 99+ PERCENT MOL

Other means of identification

Product Code(s) E1030

UN/ID no UN1173

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use or

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Address

Spectrum Chemical Mfg. Corp.
14422 South San Pedro St.
Gardena, CA 90248
(310) 516-8000

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

| | |
|--|-------------|
| Serious eye damage/eye irritation | Category 2A |
| Specific target organ toxicity (single exposure) | Category 3 |
| Flammable liquids | Category 2 |

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Danger

Hazard statements

Causes serious eye irritation
May cause respiratory irritation
May cause drowsiness or dizziness
Highly flammable liquid and vapor



Appearance clear

Physical state Liquid

Odor Ether-like and Fruity

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
Keep container tightly closed
Ground/bond container and receiving equipment
Use explosion-proof electrical/ ventilating / lighting/ .? / equipment
Use only non-sparking tools
Take precautionary measures against static discharge
Wear protective gloves/eye protection/face protection
Keep cool

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower
IF INHALED: Remove person to fresh air and keep comfortable for breathing
Call a POISON CENTER or doctor if you feel unwell
In case of fire: Use CO₂, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed
Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

No information available.

3. Composition/information on ingredients

Substance

| Chemical name | CAS No | Weight-% | Trade secret |
|---------------|----------|----------|--------------|
| Ethyl Acetate | 141-78-6 | 100 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

Inhalation

Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

Ingestion

Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider

Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms

May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

5. Fire-fighting measures

**Suitable Extinguishing Media
Large Fire**

Dry chemical. Carbon dioxide (CO₂). water spray. Alcohol resistant foam.
CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media

Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical

risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products

Carbon Monoxide, Carbon Dioxide.

Explosion data

Sensitivity to mechanical impact none.

Sensitivity to static discharge yes.

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

Other information

Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment

Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up

Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------------------|-------------------|---|------------|
| Ethyl Acetate 141-78-6 | No data available | 400 ppm TWA 1400 mg/m ³ TWA | - |

Appropriate engineering controls

Engineering controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tight sealing safety goggles.

Hand protection

Wear suitable gloves. Impervious gloves.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

9. Physical and chemical properties

Information on basic physical and chemical properties

| | |
|----------------|--------------------------|
| Physical state | Liquid |
| Appearance | clear |
| Color | Colorless |
| Odor | Ether-like and Fruity |
| Odor threshold | No information available |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|--|--|-------------------------|
| pH | no data available | None known |
| Melting point / freezing point | -83 °C / -117.4 °F | None known |
| Boiling point / boiling range | 77 °C / 170.6 °F | None known |
| Flash point | -4.4 °C / 24.1 °F | None known |
| Evaporation rate | 6.2 (butyl acetate = 1) | None known |
| Flammability (solid, gas) | no data available | None known |
| Flammability Limit in Air | | None known |
| Upper flammability or explosive limits | 11% | |
| Lower flammability or explosive limits | 2% | |
| Vapor pressure | 10 @ 20°C (kPa) | None known |
| Vapor density | 3.04 | None known |
| Relative density | 0.9 | None known |
| Water solubility | Soluble in water | None known |
| Solubility(ies) | Soluble in Ether Soluble in hot alcohol Soluble in Acetone Soluble in Benzene | None known |
| Partition coefficient | 0.73 | None known |
| Autoignition temperature | 426.6 °C / 799.9 °F | None known |
| Decomposition temperature | | None known |
| Kinematic viscosity | no data available | None known |
| Dynamic viscosity | No data available | None known |
| <u>Other information</u> | | |
| Explosive properties | No information available | |
| Oxidizing properties | No information available | |
| Softening point | No information available | |
| Molecular weight | 88.11 | |
| VOC Content (%) | No information available | |
| Liquid Density | No information available | |
| Bulk density | No information available | |

10. Stability and reactivity

| | |
|------------------------------------|---|
| Reactivity | No information available. |
| Chemical stability | Stable under normal conditions. |
| Possibility of hazardous reactions | None under normal processing. |
| Conditions to avoid | Heat, flames and sparks. |
| Incompatible materials | None known based on information supplied. |
| Hazardous decomposition products | None known based on information supplied. |

11. Toxicological information

Information on likely routes of exposure

Product Information

| | |
|---------------------|---|
| Inhalation | Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness. |
| Eye contact | Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain. |
| Skin contact | Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation. |
| Ingestion | Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

Symptoms related to the physical, chemical and toxicological characteristics

| | |
|-----------------|---|
| Symptoms | May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. |
|-----------------|---|

Acute toxicity

Numerical measures of toxicity

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------------------|----------------------|---|------------------------|
| Ethyl Acetate 141-78-6 | = 5620 mg/kg (Rat) | > 18000 mg/kg (Rabbit) > 20 mL/kg (Rabbit) | = 4000 ppm (Rat) 4 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|--|--|
| Skin corrosion/irritation | May cause skin irritation. |
| Serious eye damage/eye irritation | Classification based on data available for ingredients. Causes serious eye irritation. |
| Respiratory or skin sensitization | No information available. |
| Germ cell mutagenicity | No information available. |
| Reproductive toxicity | No information available. |
| STOT - single exposure | May cause respiratory irritation. May cause drowsiness or dizziness. |
| STOT - repeated exposure | No information available. |
| Target organ effects | respiratory system, Eyes, Skin. |
| Aspiration hazard | No information available. |
| Other adverse effects | No information available. |
| Interactive effects | No information available. |

12. Ecological information

Ecotoxicity

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---------------------------|--|---|----------------------------|--|
| Ethyl Acetate 141-78-6 | EC50: =3300mg/L (48h, Desmodesmus subspicatus) | LC50: 220 - 250mg/L (96h, Pimephales promelas) LC50: 352 - 500mg/L (96h, Oncorhynchus mykiss) LC50: =484mg/L (96h, Oncorhynchus mykiss) | - | EC50: =560mg/L (48h, Daphnia magna) |

| | |
|--------------------------------------|---------------------------|
| Persistence and degradability | No information available. |
|--------------------------------------|---------------------------|

Bioaccumulation Inherently biodegradable.

Component Information

| Chemical name | Partition coefficient |
|---------------------------|-----------------------|
| Ethyl Acetate 141-78-6 | 0.6 |

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

14. Transport information

DOT

UN/ID no UN1173
Proper Shipping Name: Ethyl acetate
Hazard class 3
Packing group: II
Special Provisions IB2, T4, TP1
Marine Pollutant Severe Marine Pollutant
Description: UN1173, Ethyl acetate, 3, II
Emergency Response Guide Number 129

TDG

UN-No: UN1173
Proper Shipping Name: Ethyl acetate
Hazard class 3
Packing Group: II
Description: UN1173, Ethyl acetate, 3, II

MEX

UN-No UN1173
Proper Shipping Name Ethyl acetate
Hazard class 3
Packing Group II
Description UN1173, Ethyl acetate, 3, II

ICAO (air)

UN-No: UN1173
Proper Shipping Name: Ethyl acetate
Hazard class 3
Packing Group: II
Description: UN1173, Ethyl acetate, 3, II

IATA

UN number UN1173
Proper Shipping Name: Ethyl acetate
Transport hazard class(es) 3
Packing group II
Description: UN1173, Ethyl acetate, 3, II

IMDG

| | |
|-----------------------------------|---|
| UN number | UN1173 |
| Proper shipping name | Ethyl acetate |
| Transport hazard class(es) | 3 |
| Packing group | II |
| EmS-No | F-E, S-D |
| Marine pollutant | NP1 |
| Description | UN1173, Ethyl acetate, 3, II, (-4.4°C c.c.) |

RID

| | |
|-----------------------------------|------------------------------|
| UN number | UN1173 |
| Proper Shipping Name: | Ethyl acetate |
| Transport hazard class(es) | 3 |
| Packing group | II |
| Classification code | F1 |
| Description: | UN1173, Ethyl acetate, 3, II |
| Labels | 3 |

ADR

| | |
|-----------------------------------|-----------------------------------|
| UN number | 1173 |
| Proper Shipping Name: | Ethyl acetate |
| Transport hazard class(es) | 3 |
| Packing group | II |
| Classification code | F1 |
| Tunnel restriction code | (D/E) |
| Description: | 1173, Ethyl acetate, 3, II, (D/E) |
| Labels | 3 |

ADN

| | |
|-----------------------------------|------------------------------|
| UN/ID No | UN1173 |
| Proper shipping name | Ethyl acetate |
| Transport hazard class(es) | 3 |
| Packing Group | II |
| Classification code | F1 |
| Description | UN1173, Ethyl acetate, 3, II |
| Hazard label(s) | 3 |
| Limited quantity (LQ) | 1 L |
| ventilation | VE01 |
| Equipment Requirements | PP, EX, A |

15. Regulatory information

International Inventories

TSCA Complies

DSL/NDSL Complies

EINECS/ELINCS Complies

ENCS This product complies with ENCS:

IECSC This product complies with China:

KECL Complies

PICCS Complies

AICS All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs |
|---------------------------|--------------------------------------|------------------------------------|
| Ethyl Acetate 141-78-6 | 5000 lb final RQ 2270 kg final RQ | - |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|---------------------------|------------|---------------|----------------------|
| Ethyl Acetate 141-78-6 | 0841 | Present | Environmental hazard |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA

Health hazards 2

Flammability 3

Instability 0

Physical and chemical properties -

HMIS

Health hazards 2

Flammability 3

Physical hazards 0

Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision date 02-February-2022
Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet