



Material Safety Data Sheet

NFPA 	HMIS <table border="1"> <tr> <td>Health Hazard</td> <td style="text-align: center;">3</td> </tr> <tr> <td>Fire Hazard</td> <td style="text-align: center;">0</td> </tr> <tr> <td>Reactivity</td> <td style="text-align: center;">0</td> </tr> </table>	Health Hazard	3	Fire Hazard	0	Reactivity	0	Personal Protective Equipment See Section 15.
Health Hazard	3							
Fire Hazard	0							
Reactivity	0							

Section 1. Chemical Product and Company Identification		Page Number: 1
Common Name/ Trade Name	Lead sulfate	Catalog Number(s). YY544, L1095
Manufacturer	SPECTRUM CHEMICAL MFG. CORP. 14422 S. SAN PEDRO STREET GARDENA, CA 90248	CAS# 7446-14-2
Commercial Name(s)	Not available.	RTECS OG4375000
Synonym	Not available.	TSCA TSCA 8(b) inventory: Lead sulfate
Chemical Name	Not available.	CI# Not available.
Chemical Family	Not available.	IN CASE OF EMERGENCY CHEMTREC (24hr) 800-424-9300 CALL (310) 516-8000
Chemical Formula	PbSO ₄	
Supplier	SPECTRUM CHEMICAL MFG. CORP. 14422 S. SAN PEDRO STREET GARDENA, CA 90248	

Section 2. Composition and Information on Ingredients					
Name	CAS #	<i>Exposure Limits</i>			% by Weight
		TWA (mg/m ³)	STEL (mg/m ³)	CEIL (mg/m ³)	
1) Lead sulfate	7446-14-2	0.15		0.45	100
Toxicological Data on Ingredients	Lead sulfate LD50: Not available. LC50: Not available.				

Section 3. Hazards Identification	
Potential Acute Health Effects	Very hazardous in case of ingestion. Hazardous in case of eye contact (irritant), of inhalation. Slightly hazardous in case of skin contact (irritant). Corrosive to eyes and skin. The amount of tissue damage depends on length of contact. Eye contact can result in corneal damage or blindness. Skin contact can produce inflammation and blistering. Inhalation of dust will produce irritation to gastro-intestinal or respiratory tract, characterized by burning, sneezing and coughing. Severe over-exposure can produce lung damage, choking, unconsciousness or death.

Continued on Next Page

Potential Chronic Health Effects	<p>Very hazardous in case of ingestion. Hazardous in case of eye contact (irritant), of inhalation. Slightly hazardous in case of skin contact (irritant). CARCINOGENIC EFFECTS: Classified 2B (Possible for human.) by IARC. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance is toxic to blood, kidneys, the nervous system. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated skin exposure can produce local skin destruction, or dermatitis. Repeated inhalation of dust can produce varying degree of respiratory irritation or lung damage.</p>
-----------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Section 4. First Aid Measures

Eye Contact	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.
Skin Contact	If the chemical got onto the clothed portion of the body, remove the contaminated clothes as quickly as possible, protecting your own hands and body. Place the victim under a deluge shower. If the chemical got on the victim's exposed skin, such as the hands : Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.
Serious Skin Contact	Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.
Inhalation	Allow the victim to rest in a well ventilated area. Seek immediate medical attention.
Serious Inhalation	Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. WARNING: It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek immediate medical attention.
Ingestion	Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.
Serious Ingestion	Not available.

Section 5. Fire and Explosion Data

Flammability of the Product	Non-flammable.
Auto-Ignition Temperature	Not applicable.
Flash Points	Not applicable.
Flammable Limits	Not applicable.
Products of Combustion	Not available.
Fire Hazards in Presence of Various Substances	Not applicable.
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.
Fire Fighting Media and Instructions	Not applicable.
Special Remarks on Fire Hazards	Not available.
Special Remarks on Explosion Hazards	Not available.

Section 6. Accidental Release Measures

Small Spill	Use appropriate tools to put the spilled solid in a convenient waste disposal container.
Large Spill	Corrosive solid. Stop leak if without risk. Do not get water inside container. Do not touch spilled material. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

Section 7. Handling and Storage

Precautions	Keep locked up Keep container dry. Do not breathe dust. Avoid contact with eyes Never add water to this product Wear suitable protective clothing In case of insufficient ventilation, wear suitable respiratory equipment If you feel unwell, seek medical attention and show the label when possible.
Storage	Corrosive materials should be stored in a separate safety storage cabinet or room.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.
Personal Protection	Splash goggles. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Vapor and dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.
Exposure Limits	TWA: 0.15 CEIL: 0.45 (mg/m ³) Consult local authorities for acceptable exposure limits.

Section 9. Physical and Chemical Properties

Physical state and appearance	Solid.	Odor	Not available.
Molecular Weight	303.25 g/mole	Taste	Not available.
pH (1% soln/water)	Not available.	Color	Not available.
Boiling Point	Not available.		
Melting Point	1170°C (2138°F)		
Critical Temperature	Not available.		
Specific Gravity	6.2 (Water = 1)		
Vapor Pressure	Not applicable.		
Vapor Density	Not available.		
Volatility	Not available.		
Odor Threshold	Not available.		
Water/Oil Dist. Coeff.	Not available.		
Ionicity (in Water)	Not available.		
Dispersion Properties	Not available.		
Solubility	Very slightly soluble in cold water.		

Continued on Next Page

Section 10. Stability and Reactivity Data

Stability	The product is stable.
Instability Temperature	Not available.
Conditions of Instability	Not available.
Incompatibility with various substances	Not available.
Corrosivity	Non-corrosive in presence of glass.
Special Remarks on Reactivity	Not available.
Special Remarks on Corrosivity	Not available.
Polymerization	No.

Section 11. Toxicological Information

Routes of Entry	Eye contact. Inhalation. Ingestion.
Toxicity to Animals	LD50: Not available. LC50: Not available.
Chronic Effects on Humans	CARCINOGENIC EFFECTS: Classified 2B (Possible for human.) by IARC. The substance is toxic to blood, kidneys, the nervous system.
Other Toxic Effects on Humans	Very hazardous in case of ingestion. Hazardous in case of inhalation. Slightly hazardous in case of skin contact (irritant).
Special Remarks on Toxicity to Animals	Not available.
Special Remarks on Chronic Effects on Humans	Not available.
Special Remarks on other Toxic Effects on Humans	Not available.

Section 12. Ecological Information

Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	The products of degradation are more toxic.
Special Remarks on the Products of Biodegradation	Not available.

Section 13. Disposal Considerations

Waste Disposal

Section 14. Transport Information

DOT Classification CLASS 8: Corrosive solid.

Identification : Corrosive solid, n.o.s. (Lead sulfate) : UN1759 PG: III

Special Provisions for Transport Marine Pollutant

DOT (Pictograms)



Section 15. Other Regulatory Information and Pictograms

Federal and State Regulations

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer, birth defects or other reproductive harm, which would require a warning under the statute: Lead sulfate
 California prop. 65: This product contains the following ingredients for which the State of California has found to cause reproductive harm (female) which would require a warning under the statute: Lead sulfate
 California prop. 65: This product contains the following ingredients for which the State of California has found to cause reproductive harm (male) which would require a warning under the statute: Lead sulfate
 California prop. 65: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: Lead sulfate
 California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: Lead sulfate
 Pennsylvania RTK: Lead sulfate
 Massachusetts RTK: Lead sulfate
 TSCA 8(b) inventory: Lead sulfate
 SARA 313 toxic chemical notification and release reporting: Lead sulfate
 CERCLA: Hazardous substances.: Lead sulfate

California Proposition 65 Warnings

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: Lead sulfate
 California prop. 65: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: Lead sulfate

Other Regulations

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

Other Classifications

WHMIS (Canada) CLASS D-2A: Material causing other toxic effects (VERY TOXIC).

DSCL (EEC) R36- Irritating to eyes.
 R40- Possible risks of irreversible effects.

HMIS (U.S.A.)

Health Hazard	3
Fire Hazard	0
Reactivity	0
Personal Protection	j

National Fire Protection Association (U.S.A.)

Health Flammability
 Reactivity
 Specific hazard

**WHMIS (Canada)
(Pictograms)**



**DSCL (Europe)
(Pictograms)**



**TDG (Canada)
(Pictograms)**



**ADR (Europe)
(Pictograms)**



Protective Equipment



Gloves.



Synthetic apron.



Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.



Splash goggles.

Section 16. Other Information

MSDS Code L3260

References Not available.

Other Special Considerations Not available.

Validated by Sonia Owen on 8/11/2006.

Verified by Sonia Owen.

Printed 9/12/2006.

CALL (310) 516-8000

[Notice to Reader](#)

Continued on Next Page

All chemicals may pose unknown hazards and should be used with caution. This Material Safety Data Sheet (MSDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this MSDS is based on technical data judged to be reliable, Spectrum Quality Products, Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.