



TCI AMERICA

SAFETY DATA SHEET

Revision number: 1
Revision date: 07/06/2018

1. IDENTIFICATION

Product name: tert-Butyl Hydroperoxide (70% in Water)
Product code: B3153

Product use: For laboratory research purposes.
Restrictions on use: Not for drug or household use.

Company:
TCI America
9211 N. Harborgate Street
Portland, OR 97203 U.S.A.
Telephone:
+1-800-423-8616 / +1-503-283-1681
Fax:
+1-888-520-1075 / +1-503-283-1987
e-mail:
sales-US@TCIchemicals.com
www.TCIchemicals.com

Emergency telephone number:
Chemical Emergencies:
TCI America (8:00am - 5:00pm) PST
+1-503-286-7624
Transportation Emergencies:
Chemtrec 24-Hour
+1-800-424-9300 (U.S.A.)
+1-703-527-3887 (International)
Responsible department:
TCI America
Environmental Health Safety and Security
+1- 503-286-7624

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Acute Toxicity - Oral [Category 4]
WHMIS 2015: Acute Toxicity - Dermal [Category 3]
Acute Toxicity - Inhalation [Category 2]
Eye Damage/Irritation [Category 1]
Sensitization - Skin [Category 1]
Germ Cell Mutagenicity [Category 2]
Specific Target Organ Toxicity (Single Exposure) [Category 2]
Specific Target Organ Toxicity (Single Exposure) [Category 3]
Specific Target Organ Toxicity (Repeated Exposure) [Category 1]
Specific Target Organ Toxicity (Repeated Exposure) [Category 2]
Flammable Liquids [Category 3]
Organic Peroxides - Type F
Aquatic Hazard (Acute) [Category 2]
Aquatic Hazard (Long-Term) [Category 2]
Skin Corrosion/Irritation [Category 1C]

Signal word: Danger!

Hazard Statement(s): Flammable liquid and vapor
Heating may cause a fire
Harmful if swallowed
Toxic in contact with skin
Fatal if inhaled
Causes severe skin burns and eye damage
May cause an allergic skin reaction
Suspected of causing genetic defects
Toxic to aquatic life
Toxic to aquatic life with long lasting effects
May cause damage to organs: Blood System Respiratory System Nervous System
May cause drowsiness or dizziness.
Causes damage to organs through prolonged or repeated exposure: Kidney
May cause damage to organs through prolonged or repeated exposure: Blood System

Pictogram(s) or Symbol(s):



Precautionary Statement(s):
[Prevention]

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces. – No smoking. Keep and

[Response]	store away from clothing or other combustible materials. Keep container tightly closed. Keep only in original container. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist, vapors or spray. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wash hands and face thoroughly after handling. Wear respiratory protection. Wear protective gloves, protective clothing, face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a poison center or doctor. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. If exposed or concerned: Call a poison center or doctor. Collect spillage.
[Storage]	Store away from other materials. Store in a well-ventilated place. Keep container tightly closed. Store locked up.
[Disposal]	Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40 CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).

Hazards not otherwise classified: None.
[HNOC]

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture:	Mixture
Components:	tert-Butyl Hydroperoxide (70% in Water)
Percent:
CAS RN:	75-91-2
Molecular Weight:	90.12
Chemical Formula:	C ₄ H ₁₀ O ₂
Hazardous ingredient(s):	tert-Butyl Hydroperoxide (70%) 75-91-2 Water (30%) 7732-18-5
Synonyms:	TBHP (70% in Water)

4. FIRST-AID MEASURES

Description of first aid measures

Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/physician.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
Ingestion:	Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

Symptoms/effects:

Acute:	Dizziness. Pain. Redness. Drowsiness.
Delayed:	May cause heritable genetic damage in humans.

Indication of any immediate medical attention:

Not available.

Notes to physician:

No data available

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:	Dry chemical, foam, water spray, carbon dioxide.
Specific hazards arising from the chemical:	Explosion risk in case of fire. Fight fire remotely due to the risk of explosion.
Hazardous combustion products:	These products include: Carbon oxides
Other specific hazards:	Closed containers may explode from heat of a fire.
Advice for firefighters:	Wear self-contained breathing apparatus if possible. Combat fire from a sheltered position.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc.
Environmental precautions:	Be careful not to let it flow into rivers, etc., since adverse effects on the environment are concerned.
Methods and materials for containment and cleaning up:	Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
Prevention of secondary hazards:	Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.

7. HANDLING AND STORAGE

Precautions for safe handling:	Handling is performed in a well ventilated place. Wear suitable protective equipment. Be careful not to cause leakage, overflow, or dispersion. Steam should not be generated unnecessarily. Keep away from heat/sparks/open flame/hot surfaces. -No smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Avoid shock and friction. Wash hands and face before breaks and immediately after handling the product. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid all contact!
Conditions for safe storage, including any incompatibilities	
Storage conditions:	Keep container tightly closed. Store in an explosion-proof refrigerator. Store locked up. Be sure not to give the container unexpected impacts, such as falling down or falling off. Store away from other materials. Heat-sensitive Light-sensitive
Packaging material:	Comply with laws. Keep only in original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:	
ACGIH TLV(TWA):	0.1 ppm (skin)
Appropriate engineering controls:	Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed system or local exhaust. Also install safety shower and eye bath.
Personal protective equipment	
Respiratory protection:	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.
Hand protection:	Impervious gloves.
Eye protection:	Safety goggles. A face-shield, if the situation requires.
Skin and body protection:	Impervious protective clothing. Protective boots, if the situation requires.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):	Liquid		
Form:	Clear		
Colour:	Colorless - Very pale yellow		
Odour:	Pungent		
Odor threshold:	No data available		
Odour threshold:	No data available		
Melting point/freezing point:	-3°C (27°F)	pH:	No data available
Boiling point/range:	89°C (192°F)	Vapour pressure:	No data available.
Decomposition temperature:	No data available	Vapour density:	3.1
Relative density:	0.94	Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available		
Log Pow:	No data available	Evaporation rate(Butyl Acetate=1):	No data available
Flash point:	43°C (109°F)	Autoignition temperature:	232°C (450°F)
Flammability(solid, gas):	No data available	Flammability or explosive limits:	
		Lower:	5%
		Upper:	10%
Solubility(ies):			
[Water]	Soluble		
[Other solvents]			
Soluble:	Many organic solvents		

10. STABILITY AND REACTIVITY

Reactivity:	No data available
Chemical stability:	Stable under proper conditions.
Possibility of hazardous reactions:	May explosively decompose on heating, shock, friction, etc.
Conditions to avoid:	Heat, Spark, Open flame, Static discharge, Shock, Friction, Light
Incompatible materials:	Acids, Reducing agents, Metals, Combustibles, Amines, Sulfur, Sulfur compounds
Hazardous decomposition products:	Carbon dioxide, Carbon monoxide

11. TOXICOLOGICAL INFORMATION

RTECS Number: EQ4900000

Acute Toxicity:

ihl-rat LC50:500 ppm/4H
orl-rat LD50:370 mg/kg

ipr-rat LD50:200 mg/kg
skn-rbt LD50:460 uL/kg

Skin corrosion/irritation:

skn-rbt 500 mg/24H SEV

Serious eye damage/irritation:

eye-rbt 70 uL SEV

Respiratory or skin sensitization:

No data available

Germ cell mutagenicity:

mno-sat 17 ug/plate (+/-S9)

Carcinogenicity:

No data available

IARC: No data available

NTP: No data available

OSHA: No data available

Reproductive toxicity:

No data available

Target organ(s):

May cause damage to organs: Blood System Respiratory System Nervous System

May cause drowsiness or dizziness.

Causes damage to organs through prolonged or repeated exposure: Kidney

May cause damage to organs through prolonged or repeated exposure: Blood System

12. ECOLOGICAL INFORMATION**Ecotoxicity:**

Fish: 48h LC50:220 mg/L (Oryzias latipes)

Crustacea: No data available

Algae: No data available

Persistence / degradability:

No data available

Bioaccumulative potential(BCF):

0.9 - 1.8 (conc. 1 mg/L) , <8.0 (conc. 0.1 mg/L)

Mobility in soil

Log Pow: -1.3

Soil adsorption (Koc): 97

Henry's Law (PaM³/mol): 1.6

13. DISPOSAL CONSIDERATIONS

Disposal of product:	Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. Consult an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil.
Disposal of container:	Dispose of as unused product. Do not re-use empty containers.
Other considerations:	Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION**DOT (US)**

UN number: UN3109	Proper Shipping Name: Organic peroxide type F, liquid	Class or Division: 5.2 Organic peroxide	Subrisk(s): 8 Corrosive material	Packing Group: II
-----------------------------	---	---	--	-----------------------------

IATA

UN number: UN3109	Proper Shipping Name: Organic peroxide type F, liquid	Class or Division: 5.2 Organic peroxide	Subrisk(s): 8 Corrosive material
-----------------------------	---	---	--

IMDG

UN number: UN3109	Proper Shipping Name: Organic peroxide type F, liquid	Class or Division: 5.2 Organic peroxide
-----------------------------	---	---

EmS number: F-J, S-R

15. REGULATORY INFORMATION**Toxic Substance Control Act (TSCA 8b.):**

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regulations**CERCLA Hazardous substance and Reportable Quantity:**

SARA 313:	Not Listed
SARA 302:	Not Listed

State Regulations**State Right-to-Know**

Massachusetts	Listed
New Jersey	Listed
Pennsylvania	Listed

California Proposition 65: Not Listed

Other Information**NFPA Rating:**

Health:	3
Flammability:	2
Instability:	1

HMIS Classification:

Health:	3
Flammability:	2
Physical:	1

International Inventories

Canada: DSL	On DSL
EC-No:	200-915-7

16. OTHER INFORMATION

Revision date: 07/06/2018

Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.