



TCI AMERICA

SAFETY DATA SHEET

Revision number: 1
Revision date: 07/06/2018

1. IDENTIFICATION

Product name: Lithium Aluminum Hydride (Powder)
Product code: L0203

Product use: For laboratory research purposes.
Restrictions on use: Not for drug or household use.

Company:
TCI America
9211 N. Harborgate Street
Portland, OR 97203 U.S.A.
Telephone:
+1-800-423-8616 / +1-503-283-1681
Fax:
+1-888-520-1075 / +1-503-283-1987
e-mail:
sales-US@TCIchemicals.com
www.TCIchemicals.com

Emergency telephone number:
Chemical Emergencies:
TCI America (8:00am - 5:00pm) PST
+1-503-286-7624
Transportation Emergencies:
Chemtrec 24-Hour
+1-800-424-9300 (U.S.A.)
+1-703-527-3887 (International)
Responsible department:
TCI America
Environmental Health Safety and Security
+1- 503-286-7624

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Acute Toxicity - Oral [Category 3]
WHMIS 2015: Acute Toxicity - Inhalation [Category 2]
Skin Corrosion/Irritation [Category 1A]
Eye Damage/Irritation [Category 1]
Substances and Mixtures which, in Contact with Water, Emit Flammable Gases [Category 1]

Signal word: Danger!

Hazard Statement(s): In contact with water releases flammable gases which may ignite spontaneously
Toxic if swallowed
Fatal if inhaled
Causes severe skin burns and eye damage

Pictogram(s) or Symbol(s):



Precautionary Statement(s):

[Prevention]

Do not allow contact with water. Handle under inert gas. Protect from moisture. Do not breathe dust, fume, mist, vapors or spray. Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Wear respiratory protection. Wear protective gloves, protective clothing, face protection.

[Response]

If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a poison center or doctor. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. Brush off loose particles from skin. Immerse in cool water or wrap with wet bandages. In case of fire: Use dry chemical or dry sand to extinguish.

[Storage]

Store in a dry place. Store in a closed container. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

[Disposal]

Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40 CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).

Hazards not otherwise classified:
[HNOC]

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture:	Substance
Components:	Lithium Aluminum Hydride (Powder)
Percent:	>95.0%(T)
CAS RN:	16853-85-3
Molecular Weight:	37.95
Chemical Formula:	LiAlH ₄
Synonyms:	LAH (Powder)

4. FIRST-AID MEASURES**Description of first aid measures**

Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/physician.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
Ingestion:	Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

Symptoms/effects:

Acute:	Pain. Redness.
Delayed:	No data available

Indication of any immediate medical attention:

Not available.

Notes to physician:

No data available

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:	Dry chemical, dry sand.
Unsuitable extinguishing media:	Water
Hazardous combustion products:	These products include: Metallic oxides
Other specific hazards:	Closed containers may explode from heat of a fire.
Advice for firefighters:	Wear self-contained breathing apparatus if possible.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc.
Environmental precautions:	Prevent product from entering drains.
Methods and materials for containment and cleaning up:	Sweep dust to collect it into an airtight container, taking care not to disperse it. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
Prevention of secondary hazards:	Do not allow contact with water. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Since there is a possibility of igniting behind when removal of a leakage thing is imperfect, it is careful enough.

7. HANDLING AND STORAGE

Precautions for safe handling:	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent dispersion of dust. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a local exhaust if dust or aerosol will be generated. Avoid contact with skin, eyes and clothing. Keep away from any possible contact with water, because of violent reaction and possible flash fire. Use well-dried equipment. Handle under inert gas. Don't leave used equipment or rag. This product may ignite if it is left stuck on combustibles such as paper, rags, etc.
Conditions for safe storage, including any incompatibilities	
Storage conditions:	Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas. Protect from moisture. Store locked up. Store away from incompatible materials such as oxidizing agents. Moisture-sensitive
Packaging material:	Comply with laws.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:	
ACGIH TLV(TWA):	2 mg (Al)/m ³
Appropriate engineering controls:	Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed system or local exhaust. Also install safety shower and eye bath.
Personal protective equipment	
Respiratory protection:	Dust respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.
Hand protection:	Impervious gloves.
Eye protection:	Safety goggles. A face-shield, if the situation requires.
Skin and body protection:	Impervious protective clothing. Protective boots, if the situation requires.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):	Solid		
Form:	Crystal - Powder		
Colour:	White - Almost white		
Odour:	Odorless		
Odor threshold:	No data available		
Odour threshold:	No data available		
Melting point/freezing point:	125°C (dec.) (257°F)	pH:	No data available
Boiling point/range:	No data available	Vapour pressure:	No data available.
Decomposition temperature:	No data available	Vapour density:	No data available
Relative density:	No data available	Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available		
Log Pow:	No data available	Evaporation rate(Butyl Acetate=1):	No data available
Flash point:	No data available	Autoignition temperature:	No data available
Flammability(solid, gas):	No data available	Flammability or explosive limits:	
		Lower:	No data available
		Upper:	No data available
Solubility(ies):			
[Water]	No data available		
[Other solvents]			
Soluble:	Ether, Tetrahydrofuran(THF), Dioxane		

10. STABILITY AND REACTIVITY

Reactivity:	No data available
Chemical stability:	Stable under proper conditions.
Possibility of hazardous reactions:	May spontaneously ignite or release flammable gases when in contact with water.
Conditions to avoid:	Moisture
Incompatible materials:	Oxidizing agents, Acids, Water, Alcohols
Hazardous decomposition products:	Carbon monoxide, carbon dioxide etc

11. TOXICOLOGICAL INFORMATION

RTECS Number: BD0100000

Acute Toxicity:ihl-mam LC50:70 mg/m³
ipr-mus LD50:7 mg/kg

orl-mus LD50:85 mg/kg

Skin corrosion/irritation:

No data available

Serious eye damage/irritation:

No data available

Respiratory or skin sensitization:

No data available

Germ cell mutagenicity:

No data available

Carcinogenicity:

No data available

IARC: No data available

NTP: No data available

OSHA: No data available

Reproductive toxicity:

No data available

Target organ(s):

No data available

12. ECOLOGICAL INFORMATION**Ecotoxicity:**

Fish:	No data available
Crustacea:	No data available
Algae:	No data available

Persistence / degradability:

No data available

Bioaccumulative potential(BCF):

No data available

Mobility in soil

Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM³/mol):	No data available

13. DISPOSAL CONSIDERATIONS**Disposal of product:**

Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil.

Disposal of container:

Dispose of as unused product. Do not re-use empty containers.

Other considerations:

Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION**DOT (US)**

UN number: UN1410	Proper Shipping Name: Lithium aluminium hydride	Class or Division: 4.3 Dangerous when wet material (water reactive)	Packing Group: I
-----------------------------	---	---	----------------------------

IATA

UN number: UN1410	Proper Shipping Name: Lithium aluminium hydride	Class or Division: 4.3 Dangerous when wet material (water reactive)	Packing Group: I
-----------------------------	---	---	----------------------------

IMDG

UN number: UN 1410	Proper Shipping Name: Lithium aluminium hydride	Class or Division: 4.3 Dangerous when wet material (water reactive)	Packing Group: I
------------------------------	---	---	----------------------------

Air Transport: Cargo Aircraft Only.
EmS number: F-G, S-M

15. REGULATORY INFORMATION**Toxic Substance Control Act (TSCA 8b.):**

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regulations**CERCLA Hazardous substance and Reportable Quantity:**

SARA 313: Not Listed
SARA 302: Not Listed

State Regulations**State Right-to-Know**

Massachusetts	Listed
New Jersey	Listed
Pennsylvania	Listed
California Proposition 65:	Not Listed

Other Information

NFPA Rating:		HMIS Classification:	
Health: 3		Health: 3	
Flammability: 4		Flammability: 4	
Instability: 2		Physical: 2	

International Inventories

Canada: NDSL On NDSL
EC-No: 240-877-9

16. OTHER INFORMATION

Revision date: 07/06/2018

Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.