



Material Safety Data Sheet

NFPA	HMIS	Personal Protective Equipment
3 1 cor	Health Hazard 3 Fire Hazard 3	
	Reactivity 1	See Section 15.

Section 1. Chemical Product and Company Identification			Page Number: 1	
Common Name/ Trade Name	Methyl Chloroformate		ntalog mber(s).	M2107
		CA	AS#	79-22-1
Manufacturer	SPECTRUM CHEMICAL MFG. CORP.	RT	TECS	FG3675000
	14422 S. SAN PEDRO STREET GARDENA, CA 90248		SCA	TSCA 8(b) inventory: Methyl Chloroformate
Commercial Name(s)	Not available.	CI		Not available.
Synonym	Carbonochloridic Acid Methyl Ester		CAGE OF	EL MED CENTON
Chemical Name	Methyl Chloroformate			EMERGENCY (24hr) 800-424-9300
Chemical Family Not available.		CA	CALL (310) 516-8000	
Chemical Formula	C2-H3-CL-O2			
Supplier	SPECTRUM CHEMICAL MFG. CORP. 14422 S. SAN PEDRO STREET GARDENA, CA 90248			

Section 2.Compos	ition and Information	on ingrealents				Ī
				Exposure Limits		
Name		CAS#	TWA (mg/m³)	STEL (mg/m³)	CEIL (mg/m³)	% by Weight
1) Methyl Chloroformate 79-22		79-22-1				100
Toxicological Data on Ingredients Methyl Chloroformate: ORAL (LD50): Acute: 67 mg/kg [Mouse]. 140 mg/kg [Guinea pig]. 60 mg/kg [Rat]. DERMAL (LD50): Acute: 1750 mg/kg [Mouse]. 7120 mg/kg [Rabbit]. VAPOR (LC50): Acute: 44 ppm 4 hour(s) [Rat]. 33.8 ppm 4 hour(s) [Mouse].						

Section 3. Hazards Identification

Potential Acute Health Effects

Very hazardous in case of skin contact (irritant, sensitizer, permeator), of eye contact (irritant), of ingestion, of inhalation (lung irritant, lung sensitizer). Corrosive to skin and eyes on contact. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Severe over-exposure can result in death. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

Methyl Chloroform	ate Page Number: 2
Potential Chronic Health Effects	CARCINOGENIC EFFECTS: Classified A5 (Not suspected for human.) by ACGIH. MUTAGENIC EFFECTS: Classified POSSIBLE for human. TERATOGENIC EFFECTS: Classified POSSIBLE for human. DEVELOPMENTAL TOXICITY: Classified Reproductive system/toxin/female, Reproductive system/toxin/male, Development toxin [None.]. The substance is toxic to lungs, cardiovascular system, muscle tissue. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection. Repeated exposure to an highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

Section 4. First Aid Measures			
Eye Contact	Check for and remove any contact lenses. Do not use an eye ointment. Seek medical attention.		
Skin Contact	If the chemical got onto the clothed portion of the body, remove the contaminated clothes as quickly as possible, protecting your own hands and body. Place the victim under a deluge shower. If the chemical got on the victim's exposed skin, such as the hands: Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.		
Serious Skin Contact	Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.		
Inhalation	Allow the victim to rest in a well ventilated area. Seek immediate medical attention.		
Serious Inhalation	Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. WARNING: It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek immediate medical attention.		
Ingestion	Do not induce vomiting. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.		
Serious Ingestion	Not available.		

Section 5. Fire and E.	Section 5. Fire and Explosion Data			
Flammability of the Product	Flammable.			
Auto-Ignition Temperature	504.8°C (940.6°F)			
Flash Points	CLOSED CUP: 22.78°C (73°F). OPEN CUP: 24.4°C (75.9°F).			
Flammable Limits	LOWER: 6.7%			
Products of Combustion	These products are carbon oxides (CO, CO2).			
Fire Hazards in Presence of Various Substances	Extremely flammable in presence of open flames and sparks, of heat.			
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available. Extremely explosive in presence of metals.			
Fire Fighting Media and Instructions	Flammable liquid, insoluble in water. SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray or fog. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosion.			
Special Remarks on Fire Hazards	Not available.			

Methyl Chloroformate	Page Number: 3
Special Remarks on Explosion Not available. Hazards	

Section 6. Accidental Release Measures		
Small Spill	Absorb with an inert material and put the spilled material in an appropriate waste disposal.	
Large Spill	Toxic flammable liquid, insoluble or very slightly soluble in water. Corrosive liquid. Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Call for assistance on disposal. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.	

Section 7. Handling and Storage			
Precautions	Keep locked up Keep container dry. Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapour/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as oxidizing agents, metals.		
Storage	Flammable materials should be stored in a separate safety storage cabinet or room. Keep away from heat. Keep away from sources of ignition. Keep container tightly closed. Keep in a cool, well-ventilated place. Ground all equipment containing material. A refrigerated room would be preferable for materials with a flash point lower than 37.8°C (100°F).		

Section 8. Exposure	Section 8. Exposure Controls/Personal Protection		
Engineering Controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.		
Personal Protection	Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.		
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.		
Exposure Limits	Russia: STEL: 0.05 (mg/m³) SKIN		
	Consult local authorities for acceptable exposure limits.		

Physical state and appearance	Liquid.	Odor	Strong.	
Molecular Weight	94.5 g/mole	Taste	Not available.	
pH (1% soln/water)	Not applicable.	Color	Colorless.	
Boiling Point	71.4°C (160.5°F)			
Melting Point	-81°C (-113.8°F)			
Critical Temperature	252°C (485.6°F)			
Specific Gravity	Not available.			
Vapor Pressure	108.5 mm of Hg (@ 20°C)			
Vapor Density	>1 (Air = 1)			
Volatility	Not available.			
Odor Threshold	Not available.			
Water/Oil Dist. Coeff.	Not available.			

Methyl Chloroformate		Page Number: 4
Ionicity (in Water)	Not available.	
Dispersion Properties	Dispersed in diethyl ether. Partially dispersed in methanol, n-octanol. Is not dispersed in cold water. See solubility in methanol, diethyl ether, n-octanol.	
Solubility	Soluble in diethyl ether. Partially soluble in methanol, n-octanol. Insoluble in cold water.	

Section 10. Stability and Reactivity Data			
Stability	The product is stable.		
Instability Temperature	Not available.		
Conditions of Instability	Not available.		
Incompatibility with various substances	Highly reactive with oxidizing agents, metals.		
Corrosivity	Non-corrosive in presence of glass.		
Special Remarks on Reactivity	Decompose with hot water but stable in cold water		
Special Remarks on Corrosivity	Not available.		
Polymerization	No.		

Section 11. Toxicological Information			
Routes of Entry	Absorbed through skin. Dermal contact. Eye contact. Inhalation. Ingestion.		
Toxicity to Animals	WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE. Acute oral toxicity (LD50): 60 mg/kg [Rat]. Acute dermal toxicity (LD50): 1750 mg/kg [Mouse]. Acute toxicity of the vapor (LC50): 33.8 ppm 4 hour(s) [Mouse].		
Chronic Effects on Humans	CARCINOGENIC EFFECTS: Classified A5 (Not suspected for human.) by ACGIH. MUTAGENIC EFFECTS: Classified POSSIBLE for human. TERATOGENIC EFFECTS: Classified POSSIBLE for human. DEVELOPMENTAL TOXICITY: Classified Reproductive system/toxin/female, Reproductive system/toxin/male, Development toxin [None.]. The substance is toxic to lungs, cardiovascular system, muscle tissue.		
Other Toxic Effects on Humans	Very hazardous in case of skin contact (irritant, sensitizer, permeator), of ingestion, of inhalation (lung irritant, lung sensitizer).		
Special Remarks on Toxicity to Animals	Not available.		
Special Remarks on Chronic Effects on Humans	Not available.		
Special Remarks on other Toxic Effects on Humans	Not available.		

Methyl Chloroformate	Page Number: 5
----------------------	----------------

Section 12. Ecological Information			
Ecotoxicity	Not available.		
BOD5 and COD	Not available.		
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.		
Toxicity of the Products of Biodegradation	The products of degradation are less toxic than the product itself.		
Special Remarks on the Products of Biodegradation	Not available.		

Section 13. Disposal Considerations

Waste Disposal

Section 14. Transport Information			
DOT Classification	CLASS 6.1: Poisonous material.		
Identification	: Methyl Chloroformate Poison Inhalation Hazard Zone A : UN1238 PG: I		
Special Provisions for Transport	Not available.		
DOT (Pictograms)	POISON		

Section 15. Other Regulatory Information and Pictograms

Federal and State Pennsylvania RTK: Methyl Chloroformate: (environmental hazard)

Regulations Florida: Methyl Chloroformate

Massachusetts RTK: Methyl Chloroformate New Jersey: Methyl Chloroformate New Jersey spill list: Methyl Chloroformate TSCA 8(b) inventory: Methyl Chloroformate

TSCA 4(a) proposed test rules: Methyl Chloroformate

TSCA 8(a) CAIR: Methyl Chloroformate

SARA 313 toxic chemical notification and release reporting: Methyl Chloroformate: 1% CERCLA: Hazardous substances.: Methyl Chloroformate: 1000 lbs. (453.6 kg)

California Proposition 65 Warnings			
Other Regulations	OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).		
Other Classifications	WHMIS (Canada)	CLASS B-2: Flammable liquid with a flash point lower than 37.8°C (100°F). CLASS D-1A: Material causing immediate and serious toxic effects (VERY TOXIC). CLASS D-2A: Material causing other toxic effects (VERY TOXIC). CLASS E: Corrosive liquid.	
	DSCL (EEC)	R10- Flammable. R23- Toxic by inhalation. R34- Causes burns.	

Methyl Chloroformate Page Number: 6 **Health Hazard HMIS (U.S.A.)** (3) **National Fire Protection** Flammability Association (U.S.A.) Fire Hazard 3 Health Reactivity Reactivity 1 Specific hazard Personal Protection h WHMIS (Canada) (Pictograms) DSCL (Europe) (Pictograms) TDG (Canada) (Pictograms) ADR (Europe) (Pictograms) **Protective Equipment** Gloves. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

Methyl Chloroformate			Page Number: 7	
Section 16. Other Information				
MSDS Code	4530M			
References	Not available.			
Other Special Considerations	Not available.			
Validated by Sonia Owen on 8/11/2006.		Verified by Sonia Owen. Printed 9/12/2006.		
CALL (310) 516-80	00	•		

Notice to Reader

All chemicals may pose unknown hazards and should be used with caution. This Material Safety Data Sheet (MSDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this MSDS is based on technical data judged to be reliable, Spectrum Quality Products, Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.