

SAFETY DATA SHEET

Preparation Date: 10/15/2019

Revision date 10/15/2019

Revision Number: G1

1. IDENTIFICATION

Product identifier

Product code: A-160
Product Name: AMMONIUM HYDROXIDE, 50 PERCENT (V/V) SOLUTION

Other means of identification

Synonyms: No information available
CAS #: Mixture
RTECS # Not available
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: No information available.
Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp
 14422 South San Pedro St.
 Gardena, CA 90248
 (310) 516-8000

Order Online At: <https://www.spectrumchemical.com>
Emergency telephone number Chemtrec 1-800-424-9300
Contact Person: Tom Tyner (USA - West Coast)
Contact Person: Ibad Tirmiz (USA - East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Corrosive to metals	Category 1

Label elements

Danger

Hazard statements

Harmful if swallowed
 Causes severe skin burns and eye damage
 May cause respiratory irritation

May be corrosive to metals



Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Toxic to aquatic life with long lasting effects

Very toxic to aquatic life

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe mist or vapors

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Keep only in original container

Precautionary Statements - Response

Immediately call a POISON CENTER or physician

Absorb spillage to prevent material damage

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician.

Call a POISON CENTER or physician if you feel unwell.

IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell

Rinse mouth

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant/ .? container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant in accordance with local, regional, national and international regulations as applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight-%
Ammonium Hydroxide consisting of 27-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)	1336-21-6	50

Product code: A-160

Product name: AMMONIUM
HYDROXIDE, 50 PERCENT (V/V)
SOLUTION

Page 2 / 14

4. FIRST AID MEASURES

First aid measures

- General Advice:** National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. First aider needs to protect himself.
- Skin Contact:** Wash off immediately with soap and plenty of water. Continue flushing with plenty of water for at least 15 minutes. Remove all contaminated clothes and shoes. Immediate medical attention is required. Call a physician immediately.
- Eye Contact:** Flush eyes with water for 15 minutes. Immediate medical attention is required. Call a physician immediately.
- Inhalation:** Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. **WARNING!** It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled or ingested material is toxic, infectious or corrosive. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. Call a physician immediately.
- Ingestion:** Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If victim is conscious, give water or milk. Immediate medical attention is required. Call a physician or Poison Control Center immediately.

Most important symptoms and effects, both acute and delayed

- Symptoms**
- Severe skin and eye irritation or burns
 - May cause inflammation and cause deep, penetrating ulcers of the skin, staining of the skin, and thickening of the skin
 - Causes digestive (gastrointestinal) tract irritation
 - May cause gastrointestinal (digestive) tract burns
 - Severe irritation of the upper respiratory tract
 - May cause chemical burns to the respiratory tract
 - May cause central nervous system effects
 - May affect the cardiovascular system

Indication of any immediate medical attention and special treatment needed

- Notes to Physician:** Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

- Suitable Extinguishing Media:** The product is not flammable. If it is involved in a fire, extinguish the fire using an agent suitable for the type of surrounding fire.
- Unsuitable Extinguishing Media:** No information available.

Specific hazards arising from the chemical

Hazardous combustion products

If it is involved in a fire the following can be released:
Ammonia.

Specific hazards

No information available.

Special Protective Actions for Firefighters

Specific Methods:

No information available

Special Protective Equipment for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions:

Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protective equipment. Avoid contact with skin, eyes and clothing.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment

Stop leak if you can do it without risk. Absorb spill with inert material (e.g. vermiculite, dry sand or earth).

Methods for cleaning up

Dilute with water. Neutralize the residue with a dilute solution of acetic acid. Use appropriate tools to put the spilled material in a suitable chemical waste disposal container. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Use only in area provided with appropriate exhaust ventilation. Keep away from incompatible materials.

Safe Handling Advice:

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe vapors or spray mist. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep containers tightly closed in a dry, cool and well-ventilated place. Store at room temperature in the original container. Keep at temperatures below 26 °C. Store in a segregated and approved area. Store away from incompatible materials.

Incompatible Materials:

Oxidizing agents

Acids
Metals
Powdered metals

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Component	CAS No	OSHA	NIOSH	ACGIH	AIHA WEEL
Ammonium Hydroxide consisting of 27-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)	1336-21-6	None	None	None	None

Canada

Component	CAS No	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Ammonium Hydroxide consisting of 27-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)	1336-21-6	None	None	None	None

Australia and Mexico

Component	CAS No	Australia	Mexico
Ammonium Hydroxide consisting of 27-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)	1336-21-6	None	None

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

- Eye protection:** Face-shield.
- Skin and body protection:** Chemical resistant protective suit
Gloves
Boots
- Respiratory protection:** Vapor respirator. Be sure to use an approved/certified respirator or equivalent.
- Hygiene measures:** Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid	Appearance: Clear.	Color: Colorless.
Odor: Ammonia.	Taste No information available.	Formula No information available
Molecular/Formula weight (g/mole): No information available	Flammability (solid, gas) no data available	Flashpoint (°C/°F): No information available
Flash Point Tested according to: Not available	Autoignition Temperature (°C/°F): No information available	Lower Explosion Limit (%): No information available
Upper Explosion Limit (%): No information available	Melting point(range(°C/°F): No information available	Decomposition temperature(°C/°F): No information available
Boiling point(range(°C/°F): No information available	Bulk density: No information available	Density (g/cm3): No information available
Specific gravity: 0.95	pH No information available	Vapor pressure @ 20°C (kPa): No information available
Evaporation rate: No information available	Vapor density: No information available	VOC content (g/L): No information available
Odor threshold (ppm): No information available	Partition coefficient (n-octanol/water): No information available	Viscosity: No information available
Miscibility: No information available	Solubility: Easily soluble in cold water	

10. STABILITY AND REACTIVITY

Reactivity

For Ammonium Hydroxide:

Halogens, salts of silver and zinc, air and hydrocarbons, calcium, 1-chloro-2,4-dinitrobenzene, chloroformamidinium nitrate, 2-chloronitrobenzene, chlorine azide, magnesium perchlorate, halogens or interhalogens, iodine, potassium, nitrogen trichloride, potassium chlorate, nityl chloride, chromyl chloride, chromium trioxide, trioxgen difluoride, selenium difluoride dioxide, nitric acid, hydrogen peroxide, nitrogen oxide, dinitrogen tetraoxide, oxygen, platinum, silver chloride, thiocarbonyl azide thiocyanate, sulfinyl chloride, thiotriethiazyl chloride, tetramethylammonium amide, tellurium tetrachloride, tellurium tetrabromide, silver (I) oxide, dichlorine oxide, silver nitrate, ethylene oxide, acetaldehyde, acrolein, boron, boron triiodide, bromine, bromine pentafluoride, fluorine, chloric acid, chlorine monoxide, chlorine trifluoride, chlorites, chlorosilane, chromic anhydride, ethylene dichloride, hydrogen bromide, hypochlorous acid, nitrogen peroxide, fluorine, some heavy metals (gold, silver, mercury), hexachloromelamine, hydrazine, alkali metals, nitrogen trifluoride, oxygen difluoride, phosphorous trioxide, potassium and arsine, potassium and phosphine, potassium and sodium nitrite, potassium ferricyanide, potassium mercuricyanide, sodium and carbon monoxide, stibine, sulfur, sulfur dichloride, tellurium hydropentachloride, trichloromelamine, Organic acids, amides, organic anhydrides, isocyanates, vinyl acetate, epichlorhydrin, aldehydes, Acrylic acid, chlorosulfonic acid, dimethyl sulfate, fluorine, gold + aqua regia, hydrochloric acid, hydrofluoric acid, hydrogen peroxide, iodine, nitric acid, oleum, propiolactone, propylene oxide, silver nitrate, silver oxide + ethyl alcohol, nitromethane, silver permanganate, sulfuric acid, gold, mercury, and halide salts. Forms explosive compounds with many heavy metals (silver, lead, zinc).Forms explosive compounds with many heavy metals such as silver, lead, zinc and their halide salts.It can form shock sensitive compounds with halogens, mercury oxide, and silver oxide

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Incompatible materials.

Incompatible Materials: Oxidizing agents
Acids
Metals
Powdered metals

Hazardous decomposition products: Ammonia gas may be liberated at high temperatures. Nitrogen oxides (NOx).

Other Information
Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:
Skin. Inhalation. Ingestion. Eyes.

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document
Component Information

Ammonium Hydroxide consisting of 27-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)	
CAS No	1336-21-6

LD50/oral/rat = 350 mg/kg Oral LD50 Rat

LD50/oral/mouse = No information available

LD50/dermal/rabbit = No information available

LD50/dermal/rat = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No information available

Other LD50 or LC50 information = 2000 ppm 4 hours LC50 inhalation Rat (for Ammonia)
4230 ppm 1 hour LC50 inhalation Mouse (for Ammonia)

Product Information

LD50/oral/rat =

Value - Acute Toxicity = 350 mg/kg

LD50/oral/mouse =

Value - Acute Tox = No information available

LD50/dermal/rabbit

Value - Acute Toxicity = No information available

LD50/dermal/rat

VALUE - Acute Tox = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available

VALUE-Gas = 6452-7407 ppm ppm (4-hr)

VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available

VALUE - Gas = No information available

VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: Severe skin irritation. Causes skin burns. May cause deep penetrating ulcers of the skin. Contact with skin may cause staining, inflammation, and thickening of the skin.

Eye Contact: Severe eye irritation. Causes eye burns. May cause irreversible eye damage. May cause corneal damage. May cause cataracts.

Inhalation Causes severe irritation of the respiratory tract and mucous membranes with coughing, burns, breathing difficulty, and possible coma. Irritation may lead to chemical pneumonitis, pneumoconiosis, fibrosis, and pulmonary edema. Can cause chemical burns to the respiratory tract and mucous membranes. It is a respiratory stimulant when inhaled at lower concentrations. It may also affect behavior/central nervous system (convulsions, seizures, ataxia, tremor), cardiovascular system (increase in blood pressure and pulse rate).

Ingestion Harmful if swallowed. Causes gastrointestinal tract corrosion, burns, swelling of the lips, mouth, and larynx, throat constriction, nausea, vomiting, convulsions, shock and may cause severe and permanent damage to the digestive tract with perforation of the digestive tract. It may also affect the liver, and urinary system (kidneys), behavior/central nervous system (convulsions, seizures, ataxia, excitement).

Aspiration hazard No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Ingestion: May cause effects similar to those of acute ingestion. Inhalation: Repeated exposure to low concentrations may cause bronchitis with cough, phlegm, and/or shortness of breath. May also cause liver and kidney damage, and affect the brain, and blood. Eye: May cause corneal damage and the development of cataracts and glaucoma. Skin: Repeated skin contact to low concentrations may cause dryness, itching, and redness (dermatitis).

Sensitization: No information available.

Mutagenic Effects: May affect genetic material
Mutations in microorganisms

Carcinogenic effects: Not considered carcinogenic.

Component	CAS No	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances

Ammonium Hydroxide consisting of 27-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)	1336-21-6	Not listed					
---	-----------	------------	------------	------------	------------	------------	------------

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects: No information available

Developmental Effects: No information available

Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure respiratory system.
STOT - repeated exposure No information available.
Target Organs: Skin. Eyes. Respiratory system.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: Aquatic environment.

Ammonium Hydroxide consisting of 27-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5) - 1336-21-6

Fish 8.2 mg/L LC50 Pimephales promelas 96 h 1
Crustacea 0.66 mg/L EC50 water flea 48 h 0.66 mg/L EC50 Daphnia pulex 48 h

Persistence and degradability: No information available

Bioaccumulative potential: No information available.

Mobility in soil No information available

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:
Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:
Empty containers should be taken for local recycling, recovery or waste disposal

Component	CAS No	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Ammonium Hydroxide consisting of 27-31%	1336-21-6	None	None	None	None

Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)					
---	--	--	--	--	--

14. TRANSPORT INFORMATION

DOT

UN-No: UN2672
Proper Shipping Name: Ammonia solution
Hazard Class 8
Subsidiary Class No information available
Packing group: III
Emergency Response Guide Number 154
Marine Pollutant No data available
DOT RQ (lbs): No information available
Special Provisions 336, IB3, IP8, T7, TP2
Symbol(s): No information available
Description: UN2672, Ammonia solution, 8, III

TDG (Canada)

UN-No: UN2672
Proper Shipping Name: Ammonia solution
Hazard Class 8
Subsidiary Risk: No information available
Packing Group: III
Marine Pollutant No Information available
Description: UN2672, Ammonia solution, 8, III

ADR

UN Number UN2672
Proper Shipping Name: Ammonia solution
Transport hazard class(es) 8
Packing group III
Subsidiary Risk: No information available
Special Provisions 543
Description: UN2672, Ammonia solution, 8, III, ENVIRONMENTALLY HAZARDOUS

IMDG

UN-No: UN2672
Proper Shipping Name: Ammonia solution
Hazard Class: 8
Subsidiary Risk: No information available
Packing Group: III
Marine Pollutant No information available
EMS: F-A
Description UN2672, Ammonia solution, 8, III, Marine pollutant

RID

UN Number UN2672
Proper Shipping Name: Ammonia solution
Transport hazard class(es) 8
Subsidiary Risk: No information available
Packing group III
Special Provisions 543
Description: UN2672, Ammonia solution, 8, III, ENVIRONMENTALLY HAZARDOUS

ICAO (air)

UN-No: UN2672
Proper Shipping Name: Ammonia solution
Hazard Class 8
Subsidiary Risk: No information available
Packing Group: III
Description: UN2672, Ammonia solution, 8, III
Special Provisions A64

IATA

UN Number UN2672
Proper Shipping Name: Ammonia solution
Transport hazard class(es) 8
Subsidiary Risk: No information available
Packing group III
Precautionary Statements - Response 8L
Special Provisions No information available
Description: UN2672, Ammonia solution, 8, III

15. REGULATORY INFORMATION**International Inventories**

Component	CAS No	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	China IECSC	Australia (AICS)	EINECS-No.
<i>Ammonium Hydroxide consisting of 27-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)</i>	1336-21-6	Present ACTIV E	Present KE-01688	Present	Present (1)-314	Present	Present	Present 215-647-6

U.S. Regulations

Ammonium Hydroxide consisting of 27-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)

Massachusetts RTK: Present

New Jersey RTK Hazardous Substance List: 0103

New Jersey - Discharge Prevention - List of Hazardous Substances: Present

New Jersey TCPA - EHS: 19000lbTQ

Pennsylvania RTK: Environmental hazard

Pennsylvania RTK - Environmental Hazard List Present

New York Release Reporting - List of Hazardous Substances:

1000 lb RQ

100 lb RQ

Louisiana Reportable Quantity List for Pollutants: 1000lbfinal RQ

454kgfinal RQ

California Directors List of Hazardous Substances: Present

FDA - Food Additives Generally Recognized as Safe (GRAS): 21 CFR 184.1139

FDA - 21 CFR - Total Food Additives 163.110, 163.111, 163.112, 177.1600, 184.1139, 73.85

- **List Sourced from EAFUS**

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.**Chemicals Known to the State of California to Cause Cancer:**

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Product code: A-160

Product name: AMMONIUM
HYDROXIDE, 50 PERCENT (V/V)
SOLUTION

Page 11 / 14

Component	CAS No	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Ammonium Hydroxide consisting of 27-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)	1336-21-6	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Component	CAS No	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Ammonium Hydroxide consisting of 27-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)	1336-21-6	1000 lb final RQ 454 kg final RQ	None	None	None	None

U.S. TSCA

Component	CAS No	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Ammonium Hydroxide consisting of 27-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)	1336-21-6	Not Applicable	Not Applicable

Canada

WHMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

The WHMIS 2015 classification of this product has not been validated or reviewed yet.

Component
Ammonium Hydroxide consisting of 27-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)
1336-21-6 (50)

WHMIS 2015 Hazard Classification
Health Hazard Not Otherwise Classified - Category 1: Causes severe damage to the respiratory tract; Skin corrosion/irritation - Category 1: H314 Causes severe skin burns and eye damage.; Serious Eye Damage/Eye Irritation - Category 1: H318 Causes serious eye damage.

Canada Hazardous Products Regulation This product has not been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

DSL/NDSL

Component	CAS No	Canada (DSL)	Canada (NDSL)
Ammonium Hydroxide consisting of 27-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)	1336-21-6	Present	Not Listed

Component	CAS No	CEPA Schedule I - Toxic Substances
Ammonium Hydroxide consisting of 27-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)	1336-21-6	Not listed
Component	CAS No	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Ammonium Hydroxide consisting of 27-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)	1336-21-6	Not listed

EU Classification

EU GHS - SV - CLP 1272/2008

Component	CAS No	EU GHS - SV - CLP (1272/2008)
Ammonium Hydroxide consisting of 27-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)	1336-21-6	Skin corrosion/irritation - Skin Corr. 1B: H314 Causes severe skin burns and eye damage.; Hazardous to aquatic environment - acute hazard - Aquatic Acute 1: H400 Very toxic to aquatic life.007-001-01-2 Specific target organ toxicity - Single exposure - STOT SE 3: H335 May cause respiratory irritation. (C >= 5 %)007-001-01-2

EU - CLP (1272/2008)

R-phrase(s)

R34 - Causes burns

R50 - Very toxic to aquatic organisms

S -phrase(s)

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)

S61 - Avoid release to the environment. Refer to special instructions/safety data sheets.

S 1/2 - Keep locked up and out of the reach of children.

S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection

Component	CAS No	Classification	Concentration Limits:	Safety Phrases
Ammonium Hydroxide consisting of 27-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)	1336-21-6	C; R34 N; R50	5%<=C<10% Xi; R36/37/38 10%<=C C; R34	S:(1/2)-26-36/37/39-45-61

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

C - Corrosive

N - Dangerous for the environment



16. OTHER INFORMATION

Preparation Date: 10/15/2019
Revision date 10/15/2019
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet