SAFETY DATA SHEET

Revision date 24-January-2022

1. Identification			
Product identifier			
Product Name	AEROSOL(R) OT, 75 PERCENT W/W SOLUTION		
Other means of identification			
Product Code(s)	A-312		
UN/ID no	UN1170		
Synonyms	None		
Recommended use of the chemical and restrictions on use			
Recommended use	No information available		
Restrictions on use	No information available		
Details of the supplier of the safety	data sheet		
Supplier Address Spectrum Chemical Mfg. Corp. 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000			
Emergency telephone number			
The second second second			

Emergency Telephone

Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Flammable liquids	Category 3

Hazards not otherwise classified (HNOC)

Not applicable

Label elements


Warning

Hazard statements

Causes skin irritation Causes serious eye irritation Flammable liquid and vapor



Revision Number 2



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating / lighting/ .? / equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

Specific treatment (see .? on this label) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention If skin irritation occurs: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower Wash contaminated clothing before reuse In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Trade secret
Docusate Sodium	577-11-7	73 - 75	*
Water	7732-18-5	18 - 21	*
Ethyl Alcohol 200 Proof	64-17-5	6 - 7	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.	
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effects, both acute and delayed		

Symptoms	May cause redness and tearing of the eyes. Burning sensation.
Indication of any immediate medica	al attention and special treatment needed

Note to physicians Treat symptomatically.

5.	Fire	-fiah	tina	measures
ν.	1 11 0	IIMI	ILIIIM	III Cuoui Co

Suitable Extinguishing Media Large Fire	Dry chemical. Carbon dioxide (CO2). water spray. Alcohol resistant foam. CAUTION: Use of water spray when fighting fire may be inefficient.		
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.		
Specific hazards arising from the chemical	risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.		
Explosion data Sensitivity to mechanical impact none.			
Sensitivity to static discharge	yes.		
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.		

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert

7. Handling and storage

Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol 200 Proof	No data available	1000 ppm TWA	3300 ppm IDLH
64-17-5		1900 mg/m³ TWA	

Appropriate engineering controls

Engineering controls	Showers	
	Eyewash stations	
	Ventilation systems.	

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and o	Liquid	
Physical state	clear	
Appearance	Colorless	
Color		
Odor Odor thread ald	Slight Alcohol	
Odor threshold	No information available	
Property	Values	Remarks • Method
рН	no data available	None known
Melting point / freezing point	no data available	None known
Boiling point / boiling range	78 °C / 172.4 °F	None known
Flash point	29 °C / 84.2 °F	None known
Evaporation rate	no data available	None known
Flammability (solid, gas)	no data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	19 %	
Lower flammability or explosive limits	3.3 %	
Vapor pressure	No data available	None known
Vapor density	no data available	None known
Relative density	1.09	None known
Water solubility	Soluble in cold water	None known
Water Solubility	Soluble in hot water	
Solubility(ies)	Soluble in Methanol	None known
Condumny(ICS)	Soluble in diethyl ether	
	Soluble in Acetone	
Partition coefficient	No data available	None known
Autoignition temperature	no data available	None known
Decomposition temperature		None known
Kinematic viscosity	no data available	None known
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening point	No information available	
Molecular weight	No information available	
VOC Content (%)	No information available	
Liquid Density	No information available	
Bulk density	No information available	
10. Stability and reactivity		
Reactivity	No information available	

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.	
Eye contact	Specific test data for the substance or mixture is not available. Irritating to eyes. (based on components). Causes serious eye irritation.	
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).	
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed.	
Symptoms related to the physical, chemical and toxicological characteristics		
Symptoms	Redness. May cause redness and tearing of the eyes.	

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Docusate Sodium 577-11-7	= 1900 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	-
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Ethyl Alcohol 200 Proof 64-17-5	= 7060 mg/kg (Rat)	-	124.7 mg/L (Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Serious eye damage/eye Respiratory or skin sensi Germ cell mutagenicity Carcinogenicity The table below indicates	irritation Class tization No in No in No in No in	Classification based on data available for ingredients. Irritating to skin. Classification based on data available for ingredients. Causes serious eye irritation. No information available. No information available. No information available. each agency has listed any ingredient as a carcinogen.			
Chemical name	ACGIH	IAR	C	NTP	OSHA
Ethyl Alcohol 200 Proof 64-17-5	-	Monograph 1 in alcoholic Monograph 9 alcoholic b	beverages 96 [2010] in	-	-
Legend					
Reproductive toxicity	No in	formation available.			
STOT - single exposure STOT - repeated exposur Target organ effects	e No in	No information available. No information available. liver, respiratory system, Eyes, Skin, central nervous system, blood, Reproductive System.			
Aspiration hazard	No in	No information available.			
Other adverse effects	No in	No information available.			
Interactive effects	No information available.				

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Docusate Sodium	-	LC50: 20 - 40mg/L (96h,	-	EC50: =36mg/L (48h,
577-11-7		Oncorhynchus mykiss)		Daphnia magna)
		LC50: <24mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: =37mg/L (96h,		
		Lepomis macrochirus)		
Ethyl Alcohol 200 Proof	-	LC50: 12.0 - 16.0mL/L	-	LC50: 9268 - 14221mg/L
64-17-5		(96h, Oncorhynchus		(48h, Daphnia magna)
		mykiss) LC50: 13400 -		EC50: =10800mg/L (24h,
		15100mg/L (96h,		Daphnia magna) EC50:
		Pimephales promelas)		=2mg/L (48h, Daphnia
		LC50: >100mg/L (96h,		magna)
		Pimephales promelas)		

Persistence and degradability Bioaccumulation

No information available. Inherently biodegradable.

Component Information

Chemical name	Partition coefficient
Ethyl Alcohol 200 Proof	-0.32
64-17-5	

Other adverse effects

No information available.

13. Disposal considerations		
Waste treatment methods		
Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.	

Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld
	containers.

14. Transport information

DOT	
UN/ID no	UN1170
Proper Shipping Name:	Ethanol
Hazard class	3
Packing group:	111
Special Provisions	24, B1, IB3, T2, TP1
Marine Pollutant	Severe Marine Pollutant
Description:	UN1170, Ethanol, 3, III
Emergency Response Guide	127
Number	
TDG	
UN-No:	UN1170
Proper Shipping Name:	Ethanol
Hazard class	3
Packing Group:	III
Description:	UN1170, Ethanol, 3, III

UN-No Proper Shipping Name Hazard class Special Provisions Packing Group Description	UN1170 Ethanol 3 144, 223 III UN1170, Ethanol, 3, III
ICAO (air) UN-No: Proper Shipping Name: Hazard class Packing Group: Special Provisions Description:	UN1170 Ethanol 3 III A58, A180, A3 UN1170, Ethanol, 3, III
IATA UN number Proper Shipping Name: Transport hazard class(es) Packing group Description:	UN1170 Ethanol 3 III UN1170, Ethanol, 3, III
IMDG UN number Proper shipping name Transport hazard class(es) Packing group EmS-No Special Provisions Marine pollutant Description	UN1170 Ethanol 3 III F-E, S-D 144, 223 NP1 UN1170, Ethanol, 3, III, (29°C c.c.)
<u>RID</u> UN number Proper Shipping Name: Transport hazard class(es) Packing group Classification code Special Provisions Description: Labels	UN1170 Ethanol solution 3 III F1 144, 601 UN1170, Ethanol solution, 3, III 3
ADR UN number Proper Shipping Name: Transport hazard class(es) Packing group Classification code Tunnel restriction code Special Provisions Description: Labels	1170 Ethanol solution 3 III F1 (D/E) 144, 601 1170, Ethanol solution, 3, III, (D/E) 3
ADN UN/ID No Proper shipping name Transport hazard class(es) Packing Group Classification code Special Provisions Description Hazard label(s) Limited quantity (LQ) ventilation Equipment Requirements	UN1170 Ethanol solution 3 III F1 144, 601 UN1170, Ethanol solution, 3, III 3 5 L VE01 PP, EX, A

15. Regulatory information

International Inventories

TSCA

Complies

DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	This product complies with ENCS:
IECSC	This product complies with China:
KECL	Complies
PICCS AICS	Complies Complies All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

Legend:

 TSCA
 - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL
 - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS
 - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS
 - Japan Existing and New Chemical Substances

 IECSC
 - China Inventory of Existing Chemical Substances

 KECL
 - Korean Existing and Evaluated Chemical Substances

 PICCS
 - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65	
Ethyl Alcohol 200 Proof - 64-17-5	developmental toxicity	
	carcinogen	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl Alcohol 200 Proof	0844	Present	Present
64-17-5			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 2 Flammability 3 Instability 0 Physical and chemical properties -HMIS Health hazards 2* Flammability 3 Physical hazards 0 Personal protection X Chronic Hazard Star Legend * = Chronic Health Hazard Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION TWA TWA (time-weighted average) STEL (Short Term Exposure Limit) STEL Ceiling Maximum limit value Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization **Revision date** 24-January-2022

Revision date24-January-2022Revision NoteNo information available.DisclaimerNo

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet