spectrum®



SAFETY DATA SHEET

Preparation Date: 09/05/2019	Revision date 09/05/2019	Revision Number: G1
	1. IDENTIFICATION	
Product identifier		
Product code:	A1548	
Product Name:	ALUMINUM, 12 IN. X 25 FT., 0.00094 IN. (0.02	24 MM) THICK, FOIL
Other means of identification		
Synonyms:	Aluminum	
CAS #:	7429-90-5	
RTECS #	BD0330000	
CI#:	77000	
Recommended use of the cher	nical and restrictions on use	
Recommended use:	No information available.	
Uses advised against	No information available	
Supplier:	Spectrum Chemical Mfg. Corp	
<u> </u>	14422 South San Pedro St.	
	Gardena, CA 90248	
	(310) 516-8000	
Order Online At:	https://www.spectrumchemical.com_	
Emergency telephone number	Chemtrec 1-800-424-9300	
Contact Person:	Tom Tyner (USA - West Coast)	
Contact Person:	Ibad Tirmiz (USA - East Coast)	
<u></u>		

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Not classified

Hazards not otherwise classified (HNOC) Not Applicable

Other hazards Not available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component CAS No Weight-%						
Aluminum		7429-90-5	100			
	4. Fl	IRST AID MEASURES				
First aid measures						
General Advice: National Capital Poison Center in the United States can provide assistance if yo have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222.						
Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothing an shoes. Get medical attention if irritation develops. Consult a physician if necessary.						
Eye Contact: Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms persist, call a physician.						
Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.						
Ingestion:	ngestion: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.					
Most important symptoms and effe	cts, both acute	and delayed				
Symptoms	normal use					
Indication of any immediate medica	l attention and	special treatment needed				
Notes to Physician:	Treat symptom	atically.				
Protection of first-aiders First-Aid Providers: Avoid exposure to contaminated clothing and equipment			cessary protective clothing. Dispose of			
	5. FIRE	-FIGHTING MEASURES				
Extinguishing Media The product is not flammable. If it is involved in a fire, extinguish the fire using an agent suitable for the type of surrounding fire.						
Unsuitable Extinguishing Media	:	No information avai	lable.			
Specific hazards arising from the chemical						
Hazardous combustion product	S	No information avai	No information available.			
Specific hazards		No information avai	lable.			
Special Protective Actions for Firefighters						

Specific Methods:

Special Protective Equipment for Firefighters:

No information available

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

2

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency proceduresPersonal Precautions:Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin,
eyes and clothing. Remove all sources of ignition.Environmental precautionsPrevent further leakage or spillage if safe to do so. Prevent product from entering
drains.Methods and material for containment and cleaning upMethods for containmentMethods for containmentStop leak if you can do it without risk. Cover with plastic sheet to prevent
spreading.Methods for cleaning upSweep up and shovel into suitable containers for disposal. Clean contaminated
surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Keep away from incompatible materials.

Safe Handling Advice:

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe dust. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

Incompatible Materials:

Strong oxidizing agents Acids Strong bases Sodium hydroxide Iodine monochloride halogenated hydrocarbons

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

[Component	CAS No	OSHA	NIOSH	ACGIH	AIHA WEEL	
	Product code: A15			ALUMINUM, 12 IN. I. (0.024 MM) THIC		Page	3/1

Aluminum	7429-90-5	15 mg/m³ TWA 5 mg/m³ TWA	10 mg/m³ TWA 5 mg/m³ TWA	1 mg/m ³ TWA respirable particulate	None
		-	-	matter	

Canada

Component	CAS No	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Aluminum	7429-90-5	10 mg/m ³ TWA dust	1.0 mg/m ³ TWA respirable	None	None

Australia and Mexico

Component	CAS No	Australia	Mexico
Aluminum	7429-90-5	10 mg/m ³ TWA	1 mg/m³ TWA
		5 mg/m ³ TWA	-

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection:	Goggles or Safety glasses with side-shields.
Skin and body protection:	Chemical resistant apron Gloves Long sleeved clothing
Respiratory protection:	Effective dust mask. Use a dust respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentration of dust (dust clouds), inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to use an approved/certified respirator or equivalent.
Hygiene measures:	Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Solid	Appearance: Pellets.	Color: Gray.		
Odor: No information available.	Taste No information available.	Formula Al		
Molecular/Formula weight (g/mole) 26.98	: Flammability (solid, gas) no data available	Flashpoint (°C/°F): No information available		
Flash Point Tested according to:	Autoignition Temperature (°C/°F):			
Product code: A1548	Product name: ALUMINUM, 12 IN. > 25 FT., 0.00094 IN. (0.024 MM) THICK FOIL		Page	4 / 12

Not available

Upper Explosion Limit (%): No information available

Boiling point/range(°C/°F): 2327°C/ 4220.6°F

Specific gravity: 2.7

Evaporation rate: No information available

Odor threshold (ppm): No information available

Miscibility: No information available

No information available

Melting point/range(°C/°F): 660°C/ 1220°F

Bulk density: No information available

pH No information available

Vapor density: No information available

Partition coefficient (n-octanol/water): No information available

Solubility: Insoluble in water Soluble in Alkalis Soluble in Sulfuric acid Soluble in Hydrochloric acid Insoluble in Nitric acid Insoluble in hot acetic acid Lower Explosion Limit (%): No information available

Decomposition temperature(°C/°F): No information available

Density (g/cm3): No information available

Vapor pressure @ 20°C (kPa): No information available

VOC content (g/L): No information available

Viscosity: No information available

10. STABILITY AND REACTIVITY

Reactivity

Aluminum reacts vigorously with strong oxidizers, acids, halogenated hydrocarbons, Sodium Hydroxide, lead oxide, iodine monochloride, diborane.

Chemical stability	
Stability:	Stable under recommended storage conditions.
Possibility of Hazardous Reactions:	Hazardous polymerization does not occur
Conditions to avoid:	Heat. Ignition sources. Incompatible materials
Incompatible Materials:	Strong oxidizing agents Acids Strong bases Sodium hydroxide Iodine monochloride halogenated hydrocarbons
Hazardous decomposition products:	No information available.
Other Information Corrosivity:	No information available

Special Remarks on Corrosivity: No information available

Product code: A1548

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure: Skin. Ingestion. Eyes.

Acute Toxicity

Component Information

Aluminum	
CAS No	7429-90-5
LD50/oral/rat = No informa LD50/oral/mouse = No informa LD50/dermal/rabbit = No info LD50/dermal/rat = No info LC50/inhalation/rat = No info LC50/inhalation/mouse =	ation available ormation available information available rmation available nformation available
Product Information	
LD50/oral/rat = Value - Acute Toxicity = No in	nformation available
LD50/oral/mouse = Value - Acute Tox = No inform	nation available
LD50/dermal/rabbit Value - Acute Toxicity = No in	nformation available
LD50/dermal/rat VALUE - Acute Tox = No info	rmation available
LC50/inhalation/rat VALUE-Vapor = No information VALUE-Gas = No information VALUE-Dust/Mist = No inform	available
LC50/Inhalation/mouse VALUE-Vapor = No information VALUE - Gas = No information VALUE - Dust/Mist = No information	n available
Symptoms_	
Skin Contact:	Not likely to cause skin irritation.
Eye Contact:	Not likely to cause eye irritation.
Inhalation	Inhalation of aluminum dust or fume (if heated) may cause respiratory tract irritation. Heating Aluminum can release Aluminum Oxide fumes and cause fume metal fever when inhaled. This is a flu-like illness with symptoms of metallic taste, fever, chills, aches, chest tightness, and cough.
Product code: A1548	Product name: ALUMINUM, 12 IN. X Page 6 / 12 25 FT., 0.00094 IN. (0.024 MM) THICK, FOUL

FOIL

Ingestion	May cause digestive (gastointestinal) tract irritation. Acute aluminum toxicity is unlikely.							
Aspiration hazard	No information available.							
Delayed and immediate effects	Delayed and immediate effects as well as chronic effects from short and long-term exposure							
Chronic Toxicity	Skin: Contact dermatitis occurs rarely after aluminum exposure. Most cases of aluminum toxicity in humans are in one of two categories: patients with chronic renal failure, or people exposed to aluminum in the workplace. The main source of aluminum in people with chronic renal failure was in the high aluminum content of the water for the dialysate used for dialysis in the 1970's. Even though this problem was recognized and corrected, aluminum toxicity continues to occur in some individuals with renal who chronically ingest aluminum-containing phosphate binders or antacids. Inhalation: Chronic exposure to aluminum dust may cause dyspnea, cough, asthma, chronic obstructive lung disease, pulmonary fibrosis, pneumothorax, pneumoconiosis, encephalopathy, weakness, incoordination and epileptiform seizures and other neurological symptoms similar to that described for chronic ingestion. Hepatic necrosis is also a reported effect of exposure to airborne particulates carrying aluminum. Ingestion: Chronic ingestion of aluminum may cause Aluminum Related Bone Disease or aluminum-induced Osteomalacia with fracturing Osteodystrophy, microcytic anemia, weakness, fatigue, visual and auditory hallucinations, memory loss, speech and language impairment (dysarthria, stuttering, stammering, anomia, hypofluency, aphasia and eventually, mutism), epileptic seizures(focal or grand mal), motor disturbance (tremors, myoclonic jerks, ataxia, convulsions, asterixis, motor apraxia, muscle fatigue), and dementia (personality changes, altered mood, depression, diminished alertness, lethargy, 'clouding of the sensorium', intellectual deterioration, obtundation, coma), and altered EEG.							
Sensitization:	No information available.							
Mutagenic Effects:	No information available							

Carcinogenic effects: Not considered carcinogenic.

Component	CAS No	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Aluminum	7429-90-5	Not listed	A4 Not Classifiable as a Human Carcinogen	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Product code: A1548

Product name: ALUMINUM, 12 IN. X 25 FT., 0.00094 IN. (0.024 MM) THICK, FOIL

Reproductive Effects: Developmental Effects:	No information available No information available
Teratogenic Effects:	No information available
Specific Target Organ Toxicity	

STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target Organs:	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects:	No data available.		
Persistence and degradability:	No information available		
Bioaccumulative potential:	No information available.		
Mobility in soil Other adverse effects	No information available No information available.		

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Component	CAS No	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Aluminum	7429-90-5	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No:	Not Regulated		
Proper Shipping Name:	No information available		
Hazard Class	No information available		
Subsidiary Class	No information available		
Packing group:	No information available		
Emergency Response Guide	No information available		
Number			
Marine Pollutant	No data available		
DOT RQ (lbs):	No information available		
Special Provisions	No Information available		
Symbol(s):	No information available		
Description:	No information available		

TDG (Canada) UN-No: Proper Shipping Name: Hazard Class Subsidiary Risk: Packing Group: Marine Pollutant Description:	Not Regulated No information available No information available No information available No information available No Information available
ADR UN Number Proper Shipping Name: Transport hazard class(es)	Not regulated No information available No information available
Packing group Subsidiary Risk:	No information available No information available
IMDG UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: Marine Pollutant	Not Regulated No information available No information available No information available No information available No information available
RID	Net De sudete d
UN Number Proper Shipping Name: Transport hazard class(es)	Not Regulated No information available No information available
Subsidiary Risk: Packing group	No information available No information available
ICAO (air)	
UN-No: Proper Shipping Name:	Not Regulated No information available
Hazard Class Subsidiary Risk:	No information available No information available
Packing Group:	No information available
ΙΑΤΑ	
UN Number Proper Shipping Name:	Not Regulated No information available
Transport hazard class(es)	No information available
Subsidiary Risk:	No information available
Packing group	No information available
Precautionary Statements - Response	No information available
Special Provisions	No information available
	15. REGULATORY INFORMATION

International Inventories

Component	CAS No	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	China IECSC	Australia (AICS)	EINECS-No.
Aluminum	7429-90-5	PresentACTIV E	Present KE-00881	Present	Present -	Present	Present	Present 231-072-3

Product code: A1548

Product name: ALUMINUM, 12 IN. X 25 FT., 0.00094 IN. (0.024 MM) THICK, FOIL

U.S. Regulations

Aluminum

Massachusetts RTK: Present New Jersey RTK Hazardous Substance List: 0054 New Jersey (EHS) List: 0054 500 lb TPQ New Jersey - Discharge Prevention - List of Hazardous Substances: Present Pennsylvania RTK: Environmental hazard Present Pennsylvania RTK - Environmental Hazard List Present Minnesota - Hazardous Substance List: Present California Directors List of Hazardous Substances: Present

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Component	CAS No	Carcinogen	Developmental Toxicity	Male	Female
		_		Reproductive	Reproductive
				Toxicity	Toxicity:
Aluminum	7429-90-5	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Component	CAS No	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Aluminum	7429-90-5	None	None	None		1.0 % de minimis concentration

U.S. TSCA

Component		TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Aluminum	7429-90-5	Not Applicable	Not Applicable

Canada

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:	Not a dangerous product according to HPR classification criteria.

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

DSL/NDSL

Component	CAS No	Canada (DSL)	Canada (NDSL)	
Product code: A1548		t name: ALUMINUM, 12 IN. X 0.00094 IN. (0.024 MM) THICK,		Page 10/12

Aluminum	7429-90-5	Present	Not Listed
Component		CAS No	CEPA Schedule I - Toxic Substances
Aluminum		7429-90-5	Not listed
Component		CAS No	CEPA - 2010 Greenhouse Gases Subject
			to Mandatory Reporting
Aluminum		7429-90-5	Not listed

EU Classification

EU GHS - SV - CLP 1272/2008

Component	CAS No	EU GHS - SV - CLP (1272/2008)
Aluminum	7429-90-5	Flammable solids - Flam. Sol. 1: H228
		Flammable solid.; Substances and
		mixtures which in contact with water
		emit flammable gases - Water-react. 2:
		H261 In contact with water releases
		flammable gases.013-002-00-1 (for
		aluminum powder)

EU - CLP (1272/2008)

<u>**R-phrase(s)**</u> not determined (not applicable)

S -phrase(s)

none

Component	CAS No		Concentration Limits:	Safety Phrases
Aluminum	7429-90-5	F; R11-15	No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger: Not dangerous

16. OTHER INFORMATION

Preparation Date: Revision date Prepared by:	09/05/2019 09/05/2019 Sonia Owen	
Disclaimer:	All chemicals may pose unknown hazards and should be used with a Safety Data Sheet (SDS) applies only to the material as packaged. I is combined with other materials, deteriorates, or becomes contamin pose hazards not mentioned in this SDS. The physical properties rep SDS are obtained from the literature and do not constitute product s Information contained herein does not constitute a warranty, whethe implied, as to the safety, merchantability or fitness of the goods for a purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes responsibility for results obtained or for incidental or consequential d including lost profits, arising from the use of these data. No warranty infringement of any patent, copyright or trademark is made or implied	f this product nated, it may ported in this pecifications. r expressed or a particular no lamages, r against
Product code: A1548	Product name: ALUMINUM, 12 IN. X 25 FT., 0.00094 IN. (0.024 MM) THICK, FOIL	Page 11/12

the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet