

SAFETY DATA SHEET

Preparation Date: 12/05/2016

Revision date 5/10/2019

Revision Number: G2

1. IDENTIFICATION

Product identifier

Product code: AL218
Product Name: ALUMINA, ACTIVATED, 80-325 MESH, CHROMATOGRAPHIC GRADE

Other means of identification

Synonyms: Aluminum oxide
CAS #: 1344-28-1
RTECS # BD1200000
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: No information available.
Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp
14422 South San Pedro St.
Gardena, CA 90248
(310) 516-8000

Order Online At: <https://www.spectrumchemical.com>
Emergency telephone number Chemtrec 1-800-424-9300
Contact Person: Tom Tyner (USA - West Coast)
Contact Person: Ibad Tirmiz (USA - East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Not classified

Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Not available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight-%
Aluminum Oxide	1344-28-1	100

4. FIRST AID MEASURES

First aid measures

- General Advice:** National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222.
- Skin Contact:** Wash off immediately with soap and plenty of water removing all contaminated clothing and shoes. Get medical attention if irritation develops. Consult a physician if necessary.
- Eye Contact:** Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms persist, call a physician.
- Inhalation:** Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Obtain medical attention.
- Ingestion:** Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

- Symptoms**
- May cause skin irritation
 - May cause eye irritation
 - May cause respiratory irritation
 - May cause digestive (gastrointestinal) tract irritation

Indication of any immediate medical attention and special treatment needed

- Notes to Physician:** Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

- Suitable Extinguishing Media:** The product is not flammable. If it is involved in a fire, extinguish the fire using an agent suitable for the type of surrounding fire.

- Unsuitable Extinguishing Media:** No information available.

Specific hazards arising from the chemical

- Hazardous combustion products** No information available.

- Specific hazards** No information available.

Special Protective Actions for Firefighters

Specific Methods: No information available

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Avoid dust formation.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Cover with plastic sheet to prevent spreading.

Methods for cleaning up Sweep up and shovel into suitable containers for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Avoid dust formation. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid dust formation. Do not ingest. Do not breathe dust. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

Incompatible Materials:

Oxidizing agents
Acids

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Component	CAS No	OSHA	NIOSH	ACGIH	AIHA WEEL
Aluminum Oxide	1344-28-1	15 mg/m ³ TWA	None	1 mg/m ³	None

Product code: AL218

Product name: ALUMINA,
ACTIVATED, 80-325 MESH,
CHROMATOGRAPHIC GRADE

Page 3 / 11

		5 mg/m ³ TWA		TWA(respirable particulate)(aluminum insoluble compounds)	
--	--	-------------------------	--	---	--

Canada

Component	CAS No	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Aluminum Oxide	1344-28-1	10 mg/m ³ TWA	None	1.0 mg/m ³ TWA (respirable) (aluminum insoluble compounds)	None

Australia and Mexico

Component	CAS No	Australia	Mexico
Aluminum Oxide	1344-28-1	10 mg/m ³ TWA	10 mg/m ³ TWA

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Goggles or Safety glasses with side-shields.

Skin and body protection: Long sleeved clothing
apron
Gloves

Respiratory protection: Effective dust mask. Use a dust respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentration of dust (dust clouds) , inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to use an approved/certified respirator or equivalent.

Hygiene measures: Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:
Solid

Appearance:
Powder.

Color:
White.

Odor:
Odorless.

Taste
No information available.

Formula
Al₂O₃

Molecular/Formula weight (g/mole):
101.96

Flammability (solid, gas)
Non-flammable

Flashpoint (°C/°F):
No information available

Flash Point Tested according to:

Autoignition Temperature (°C/°F):

Product code: AL218

Product name: ALUMINA,
ACTIVATED, 80-325 MESH,
CHROMATOGRAPHIC GRADE

Page 4 / 11

Not available	No information available	Lower Explosion Limit (%): No information available
Upper Explosion Limit (%): No information available	Melting point/range(°C/°F): 2000-2072°C/ 3632-3761.6°F	Decomposition temperature(°C/°F): No information available
Boiling point/range(°C/°F): 2977-2980°C/ 5390.6-5396°F	Bulk density: No information available	Density (g/cm3): No information available
Specific gravity: 3.4-4.00	pH No information available	Vapor pressure @ 20°C (kPa): No information available
Evaporation rate: No information available	Vapor density: No information available	VOC content (g/L): No information available
Odor threshold (ppm): No information available	Partition coefficient (n-octanol/water): No information available	Viscosity: No information available
Miscibility: No information available	Solubility: Insoluble in water Difficult solubility in mineral acids and strong alkali	

10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents

Reactive with acids

Chlorine trifluoride reacts violently with Aluminum oxide producing a flame. Ethylene Oxide may polymerize violently when in contact with Aluminum oxide. Reacts with hot chlorinated rubber

Chemical stability

Stability: Moisture Sensitive. Hygroscopic. Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Avoid dust formation. Incompatible materials.

Incompatible Materials: Oxidizing agents
Acids

Hazardous decomposition products: No information available.

Other Information

Corrosivity: Non-corrosive in presence of glass.

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:
Inhalation. Ingestion.

Product code: AL218

Product name: ALUMINA,
ACTIVATED, 80-325 MESH,
CHROMATOGRAPHIC GRADE

Page 5 / 11

Acute Toxicity

Component Information

Aluminum Oxide	
CAS No	1344-28-1

LD50/oral/rat = > 5000 mg/kg Oral LD50 Rat
LD50/oral/mouse = No information available
LD50/dermal/rabbit = No information available
LD50/dermal/rat = > 5000 mg/kg Oral LD50
LC50/inhalation/rat = No information available
LC50/inhalation/mouse = No information available
Other LD50 or LC50 information = No information available

Product Information

LD50/oral/rat =
Value - Acute Tox = > 5000 mg/kg

LD50/oral/mouse =
Value - Acute Tox Oral = No information available

LD50/dermal/rabbit
Value - Acute Tox = No information available

LD50/dermal/rat
VALUE - Acute Tox Dermal = No information available

LC50/inhalation/rat
VALUE-Vapor = No information available
VALUE-Gas = No information available
VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse
VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: May cause skin irritation. May cause skin irritation by mechanical action.
Eye Contact: May cause eye irritation. May cause irritation of the eyes by mechanical action.
Inhalation May cause respiratory tract irritation.
Ingestion May cause digestive (gastrointestinal) tract irritation.
Aspiration hazard No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Prolonged or repeated inhalation may cause emphysema, pneumothorax, and may produce small pulmonary radiographic opacities, but are usually not

fibrogenic. Some epidemiologic studies have shown excess nonmalignant pulmonary fibrosis or fibrotic changes in the lungs while other have not. May result in high levels of aluminum fibers in the lungs. Also, some reports attribute aluminum oxide exposure as causing pneumoconiosis. However, workers exposed to powdered alumina in the china industry for more than 15 years had no radiological signs of pneumoconiosis. Studies of persons chronically exposed to Aluminum Oxide dust have found a dose-dependent increase of aluminum concentrations in the blood and urine, indicating that systemic distribution of aluminum can occur from dust inhalation. Animal studies showed that the retention of aluminum in the lungs of rats depended on the exposure pattern, with more dust being retained with longer exposure to lower concentrations than from shorter times with higher doses. Ingestion or Inhalation: Aluminum can accumulate in the bone with consequent increased bone fragility and fractures. This could be due to inhibition of parathyroid hormone.

Sensitization: No information available.

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic.

Component	CAS No	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Aluminum Oxide	1344-28-1	Not listed	A4 - Not Classifiable as a Human Carcinogen (listed as Aluminum insoluble compounds)	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects: No information available

Developmental Effects: No information available

Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Target Organs: No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.

Persistence and degradability: No information available

Bioaccumulative potential: No information available.

Mobility in soil No information available
Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:
Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:
Empty containers should be taken for local recycling, recovery or waste disposal

Component	CAS No	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Aluminum Oxide	1344-28-1	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class No information available
Subsidiary Class No information available
Packing group: No information available
Emergency Response Guide Number No information available
Marine Pollutant No data available
DOT RQ (lbs): No information available
Special Provisions No Information available
Symbol(s): No information available
Description: No information available

TDG (Canada)

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class No information available
Subsidiary Risk: No information available
Packing Group: No information available
Marine Pollutant No Information available
Description: No information available

ADR

UN Number Not regulated
Proper Shipping Name: No information available
Transport hazard class(es) No information available
Packing group No information available
Subsidiary Risk: No information available

IMDG

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Marine Pollutant No information available

RID

UN Number Not Regulated
Proper Shipping Name: No information available
Transport hazard class(es) No information available
Subsidiary Risk: No information available
Packing group No information available

ICAO (air)

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class No information available
Subsidiary Risk: No information available
Packing Group: No information available

IATA

UN Number Not Regulated
Proper Shipping Name: No information available
Transport hazard class(es) No information available
Subsidiary Risk: No information available
Packing group No information available
Precautionary Statements - Response No information available
Special Provisions No information available

15. REGULATORY INFORMATION**International Inventories**

Component	CAS No	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	China IECSC	Australia (AICS)	EINECS-No.
<i>Aluminum Oxide</i>	1344-28-1	Present ACTIV E	Present KE-01012	Present	Present (1)-23	Present	Present	Present 215-691-6

U.S. Regulations*Aluminum Oxide*

Massachusetts RTK: Present
New Jersey RTK Hazardous Substance List: sn 2891
New Jersey (EHS) List: sn 2891 500 lb TPQ
New Jersey - Discharge Prevention - List of Hazardous Substances: Present
Pennsylvania RTK: Environmental hazard
Pennsylvania RTK - Environmental Hazard List Present
Minnesota - Hazardous Substance List: Present
California Directors List of Hazardous Substances: Present

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.**Chemicals Known to the State of California to Cause Cancer:**

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Product code: AL218

Product name: ALUMINA,
 ACTIVATED, 80-325 MESH,
 CHROMATOGRAPHIC GRADE

Page 9 / 11

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Component	CAS No	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Aluminum Oxide	1344-28-1	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Component	CAS No	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Aluminum Oxide	1344-28-1	None	None	None	None	1.0 % de minimis concentration

U.S. TSCA

Component	CAS No	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Aluminum Oxide	1344-28-1	Not Applicable	Not Applicable

Canada**WHMIS 2015 - GHS Classifications**

WHMIS 2015 Hazard Classification Information: Not a dangerous product according to HPR classification criteria.

Component Aluminum Oxide 1344-28-1 (100)	WHMIS 2015 Hazard Classification Not a dangerous product according to HPR classification criteria
--	--

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

DSL/NDSL

Component	CAS No	Canada (DSL)	Canada (NDSL)
Aluminum Oxide	1344-28-1	Present	Not Listed

Component	CAS No	CEPA Schedule I - Toxic Substances
Aluminum Oxide	1344-28-1	Not listed
Component	CAS No	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Aluminum Oxide	1344-28-1	Not listed

EU Classification**EU GHS - SV - CLP 1272/2008**

Component	CAS No	EU GHS - SV - CLP (1272/2008)
Aluminum Oxide	1344-28-1	

Product code: AL218

Product name: ALUMINA,
ACTIVATED, 80-325 MESH,
CHROMATOGRAPHIC GRADE

Page 10 / 11

EU - CLP (1272/2008)

R-phrase(s)

not determined (not applicable)

S -phrase(s)

none

Component	CAS No	Classification	Concentration Limits:	Safety Phrases
Aluminum Oxide	1344-28-1		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

None

16. OTHER INFORMATION

Preparation Date: 12/05/2016
Revision date 5/10/2019
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet