



SAFETY DATA SHEET

Preparation Date: No data available Product identifier	Revision Date: 01/30/2015	Revision Number: G
Product code: Product Name:	AL230 POTASSIUM ALUM, GRANULAR, USP	
Other means of identification		
Synonyms:	Aluminum Potassium Sulfate Dodecahydrate; Sulfurio	Acid, Aluminum Potassium
CAS #.	Salt, Dodecahydrate 7784-24-9	
CAS #: RTECS #	W\$5690000	
CI#:	Not available	
Recommended use of the chem	ical and restrictions on use	
Recommended use:	No information available.	
Uses advised against	No information available	
Supplier:	Spectrum Chemicals and Laboratory Products, Inc.	
	14422 South San Pedro St.	
	Gardena, CA 90248	
Onder Online At-	(310) 516-8000	
Order Online At:	https://www.spectrumchemical.com	
Emergency telephone number	Chemtrec 1-800-424-9300	
Contact Person:	Martin LaBenz (West Coast)	
Contact Person:	Ibad Tirmiz (East Coast)	
	2. HAZARDS IDENTIFICATION	
Classification		
This chemical is not considered hazar	dous by the 2012 OSHA Hazard Communication Standard (29	CFR 1910.1200)
Not a dangerous substance or mixture	according to the Globally Harmonized System (GHS)	·
C		
<u>Label elements</u>		
Not classified		

Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards Not available

Product code: AL230 Product name: POTASSIUM ALUM, 1/11

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	Trade Secret
Aluminum Potassium Sulfate	7784-24-9	100	*
7784-24-9			

4. FIRST AID MEASURES

First aid measures

General Advice: Poison information centers in each State capital city can provide additional

assistance for scheduled poisons (13 1126)

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. Get medical attention if irritation develops. Consult a physician if necessary.

Eye Contact: Flush eye with water for 15 minutes. Get medical attention if irritation occurs. If symptoms

persist, call a physician.

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms Health injuries are not known or expected under normal use.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Carbon dioxide (CO2). Dry chemical. Water spray. Alcohol-

resistant foam.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products: Aluminum oxides, Potassium oxides, Sulfur oxides

Specific hazards: May be combustible at high temperatures

Fine dust dispersed in air in sufficient concentrations, and in

the presence of an ignition source is a potential dust

explosion hazard

Special Protective Actions for Firefighters

Product code: AL230 Product name: POTASSIUM ALUM, 2/11

Specific Methods: No information available.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes

and clothing. Avoid dust formation. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Remove all sources of ignition.

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering

drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containmentStop leak if you can do it without risk. Cover with plastic sheet to prevent spreading.

Methods for cleaning up

Sweep up and shovel into suitable containers for disposal. Clean contaminated

surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Avoid dust formation. Keep away from incompatible materials.

Safe Handling Advice:

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Avoid dust formation. Do not ingest. Do not breathe vapours/dust. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

Incompatible Materials:

Alkalis. Metals. Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Jintou Statos				
Components	OSHA	NIOSH	ACGIH	AIHA WHEEL
	None	None	None	None
Aluminum Potassium Sulfate - 7784-				
24-9				

Canada

Components	Alberta	British Columbia	Ontario	Quebec
			•	

Product code: AL230 Product name: POTASSIUM ALUM, GRANULAR, USP 3 / 11

	None	None	None	None
Aluminum Potassium Sulfate - 7784-				
24-9				

Australia and Mexico

Components	Australia	Mexico
Aluminum Potassium Sulfate	None	None
7784-24-9		

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

4/11

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Safety glasses. Safety glasses with side-shields.

Skin and body protection: Long sleeved clothing. Chemical resistant apron. Gloves.

Respiratory protection: Effective dust mask. Wear respirator with dust filter..

Hygiene measures: Avoid contact with skin, eyes and clothing. Wash hands before breaks and

immediately after handling the product. When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Product code: AL230 Product name: POTASSIUM ALUM,

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:Appearance:Color:Solid.Crystals. Granular.White.

Odor: Taste Molecular/Formula weight:

Odorless. Sweetish. Astringent. 474.39

Formula: Flash point (°C): Flashpoint (°C/°F):

AIK(SO4)2•12H2O No data available No information available.

Flash Point Tested according to: Lower Explosion Limit (%): Upper Explosion Limit (%):

Not available No information available No information available

Autoignition Temperature (°C/°F): pH: Melting point/range(°C/°F):

No information available No information available 92.5°C/198.5°F

Boiling point/range(°C/°F): Decomposition temperature(°C/°F): Bulk density:

Specific gravity: Density (g/cm3): Vapor pressure @ 20°C (kPa):

1.757 No information available No information available

Evaporation rate: Vapor density: VOC content (g/L):
No information available

16.4

No information available

Odor threshold (ppm): Partition coefficient Viscosity:

No information available (n-octanol/water): No information available

No information available

Miscibility: Solubility:

No information available Easily soluble in hot water

Freely soluble in Glycerin Insoluble in Acetone Insoluble in alcohol

Partially soluble in cold water

Solubility in Water: 1g dissolves in 7.2ml water; 1g dissolves in 0.3ml boiling water

10. STABILITY AND REACTIVITY

Reactivity

Reactive with alkalis Reactive with metals

Reactive with oxidizing agents Becomes anhydrous at about 200°C

Chemical stability

Stability: Stable under recommended storage conditions

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Ignition sources. Incompatible materials. Avoid dust formation. Dust may form

explosive mixture in air. Fine dust dispersed in air in sufficient concentrations, and in

the presence of an ignition source is a potential dust explosion hazard.

Incompatible Materials: Alkalis. Metals. Oxidizing agents.

Hazardous decomposition products: Aluminum oxide. Oxides of potassium. Sulfur oxides.

Other Information

Product code: AL230 Product name: POTASSIUM ALUM, 5 / 11

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Ingestion. Inhalation.

Acute Toxicity

Component Information

Aluminum Potassium Sulfate - 7784-24-9

LD50/oral/rat = No information available

LD50/oral/mouse = No information available

LD50/dermal/rat = No information available

LD50/dermal/rabbit = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No infomation available

Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = No information available

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available

VALUE-Gas = No information available

VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available

VALUE - Gas = No information available

VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

Inhalation May cause irritation of respiratory tract.

Product code: AL230 Product name: POTASSIUM ALUM, 6 / 11

Ingestion Health injuries are not known or expected under normal use. Symptoms may range

from mild abdominal cramping and nausea, to severe vomiting and hemorrhagic gastroenteritis depending on the concentration and amount ingested. Ingestion may also produce a feeling of dryness and puckering of the mucous membranes of the mouth and throat. May also affect behavior (lethargy, confusion, ataxia, seizures), liver, blood (changes in serum composition, normocytic anemia), urinary system (kidneys), metabolism (metabolic acidosis). Note: The above health effects were extrapolated from those of Alum. and Potassium Alum, anhydrous.

Aspiration hazard No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity No information available

Sensitization: No information available

Mutagenic Effects: May affect genetic material

Carcinogenic effects: Not considered carcinogenic

Components	ACGIH - Carcinogens	IARC	NTP	OSHA HCS - Carcinogens	Australia - Prohibited Carcinogenic Substances	Australia - Notifiable Carcinogenic Substances
Aluminum Potassium Sulfate	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

Reproductive toxicity No data is available

Reproductive Effects: May cause adverse developmental effects based on animal data. May cause

adverse reproductive effects based on animal data.

Developmental Effects:No information available **Teratogenic Effects:**No information available

Specific Target Organ Toxicity

STOT - single exposure
STOT - repeated exposure
Target Organs:

No information available
No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.

Persistence and degradability: No information available

Bioaccumulative potential: No information available

Mobility: No information available

Product code: AL230 Product name: POTASSIUM ALUM, 7/11

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Aluminum Potassium Sulfate	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated

Proper Shipping Name: No information available No information available **Hazard Class: Subsidiary Risk:** No information available

Packing Group: None

ERG No: No information available

Marine Pollutant No data available

No information available DOT RQ (lbs):

TDG (Canada)

Not Regulated UN-No:

Proper Shipping Name: No information available **Hazard Class:** No information available Subsidiary Risk: No information available **Packing Group:** No information available **Description:** No information available

ADR

Not Regulated UN-No:

No information available **Proper Shipping Name:** No information available **Hazard Class: Packing Group:** No information available **Subsidiary Risk:** No information available **Classification Code:** No information available Description: No information available **CEFIC Tremcard No:** No information available

IMO / IMDG

UN-No: Not Regulated

Proper Shipping Name: No information available **Hazard Class:** No information available No information available **Subsidiary Risk: Packing Group:** No information available **Description:** No information available **IMDG Page:** No information available **Marine Pollutant** No information available No information available MFAG: **Maximum Quantity:**

Product code: AL230 Product name: POTASSIUM ALUM,

No information available

GRANULAR, USP

8/11

14. TRANSPORT INFORMATION

RID

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Classification Code:
Description:
No information available

ICAO

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available

IATA

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available

15. REGULATORY INFORMATION

International Inventories

Components	U.S. TSCA	KOREA KECL		Japan ENCS	CHINA	Australia	EINECS-No.
			(PICCS)			(AICS)	
Aluminum Potassium Sulfate	Not Listed	Not present	Present	Present (1)-25	Present	Present	Not present

U.S. Regulations

Aluminum Potassium Sulfate

FDA - Food Additives Generally Recognized as Safe (GRAS): 21 CFR 182.1129

FDA - 21 CFR - Total Food Additives 133.102 133.106 133.111 133.141 133.165 133.181 133.183 133.195 137.105 182.1129 182.90

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Aluminum Potassium Sulfate	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Product code: AL230 Product name: POTASSIUM ALUM, 9 / 11

	Substances and their	Hazardous	Section 302 Extremely Hazardous Substances and RQs	Chemical Category	Section 313 - Reporting de minimis
Aluminum Potassium Sulfate	None	None	None	None	None

U.S. TSCA

•	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Aluminum Potassium Sulfate	Not Applicable	Not Applicable

Canada

WHMIS hazard class:

D2B Toxic materials

Aluminum Potassium Sulfate

D2B

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

Components		Canada (NDSL)
Aluminum Potassium Sulfate	Not Listed	Not Listed

Components	CEPA Schedule I - Toxic Substances	CEPA - 2010 Greenhouse Gases Subject to Manditory
		Reporting
Aluminum Potassium Sulfate	Not listed	Not listed

EU Classification

R-phrase(s)

R36 - Irritating to eyes. R38 - Irritating to skin.

S -phrase(s)

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S37 - Wear suitable gloves.

Components	Classification	Concentration Limits:	Safety Phrases
Aluminum Potassium Sulfate		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

None.

Product code: AL230 Product name: POTASSIUM ALUM, 10 / 11

16. OTHER INFORMATION

01/30/2015 **Revision Date:** Prepared by: Sonia Owen

All chemicals may pose unknown hazards and should be used with caution. This Disclaimer:

Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable. Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet

Product code: AL230 Product name: POTASSIUM ALUM, 11/11