



# SAFETY DATA SHEET

Preparation Date: 5/23/2016 Revision Date: 5/23/2016 Revision Number: G1

1. IDENTIFICATION

**Product identifier** 

Product code: BE128

Product Name: BENZALDEHYDE, NF

Other means of identification

Synonyms: Benzene carbaldehyde

Benzenecarbonal Benzoic aldehyde Phenylmethanal

CAS #: 100-52-7
RTECS # CU4375000
CI#: Not available

Recommended use of the chemical and restrictions on use

**Recommended use:** Chemical intermediate. Solvent.

Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp

14422 South San Pedro St.

Gardena, CA 90248 (310) 516-8000

Order Online At: https://www.spectrumchemical.com

Emergency telephone numberChemtrec 1-800-424-9300Contact Person:Martin LaBenz (West Coast)Contact Person:Ibad Tirmiz (East Coast)

### 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2B
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 4

#### Label elements

Product code: BE128 Product name: BENZALDEHYDE. NF 1 / 12

#### Warning

#### Hazard statements

Harmful if swallowed

Causes skin irritation

Causes eye irritation

May cause an allergic skin reaction

May cause respiratory irritation. May cause drowsiness or dizziness

Combustible liquid



#### Hazards not otherwise classified (HNOC)

Not Applicable

#### Other hazards

Not available

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Contaminated work clothing must not be allowed out of the workplace

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Wear protective gloves

#### **Precautionary Statements - Response**

In case of fire: Use CO2, dry chemical, or foam to extinguish.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water

Take off contaminated clothing and wash it before reuse If skin irritation or rash occurs: Get medical advice/attention

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Benzaldehyde	100-52-7	100
100-52-7		

Product code: BE128 Product name: BENZALDEHYDE, NF 2 / 12

#### 4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222. First aider needs to protect himself. Ensure that medical personnel are aware

of the material(s) involved and take precautions to protect themselves.

**Skin Contact:** Wash off immediately with soap and plenty of water removing all contaminated clothing and

shoes. Get medical attention. If skin irritation persists, call a physician.

Eye Contact: Flush eyes with water for 15 minutes. Get medical attention.

**Inhalation:** Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

**Ingestion:** Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Obtain medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms Causes eye irritation. Causes skin irritation. Irritating to respiratory system. May cause

digestive (gastrointestinal) tract irritation. Abdominal pain. May cause dyspepsia. May cause nausea. May cause coughing and shortness of breath. Respiratory depression. Central nervous system effects. Dizziness. Drowsiness. Somnolence. May cause seizures. May affect behavior/central nervous system (tremor, convulsions). Headache. Fainting. May affect the liver. It may affect the blood. It may affect the kidneys. Increase in urine volume. May cause an

allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically

**Protection of first-aiders** 

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

#### 5. FIRE-FIGHTING MEASURES

**Extinguishing Media** 

Suitable Extinguishing Media: Carbon dioxide (CO2). Dry chemical. Water spray mist or

foam.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products: Carbon Monoxide; Carbon Dioxide

Specific hazards: Combustible material

May be ignited by heat, sparks or flames

Container explosion may occur under fire conditions or when

heated

**Special Protective Actions for Firefighters** 

Specific Methods: No information available.

**Special Protective Equipment for Firefighters:** As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

Product code: BE128 Product name: BENZALDEHYDE. NF 3 / 12

#### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Do not touch

damaged containers or spilled material unless wearing appropriate protective clothing. Avoid contact with skin, eyes and clothing. Use personal protective equipment. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. All equipment used when handling the product must be

grounded.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Prevent entry into waterways, sewers, basements or confined areas.

### Methods and material for containment and cleaning up

**Methods for containment**Stop leak if you can do it without risk. Absorb spill with inert material (e.g. vermiculite,

dry sand or earth). In case of large spill, dike if needed. Dike far ahead of liquid spill

for later disposal.

Methods for cleaning up

Use appropriate tools to put the spilled material in a suitable chemical waste disposal

container. Use only non-sparking tools. Clean contaminated surface thoroughly.

#### 7. HANDLING AND STORAGE

### Precautions for safe handling

#### **Technical Measures/Precautions:**

Provide sufficient air exchange and/or exhaust in work rooms. Remove all sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from incompatible materials.

#### Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Do not ingest. Do not breathe vapors or spray mist. Handle in accordance with good industrial hygiene and safety practice.

# Conditions for safe storage, including any incompatibilities

### **Technical Measures/Storage Conditions:**

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials. Store in a segrated and approved area. Protect from light. Sensitive to light. Store in light-resistant containers. Store under inert gas. Flush with nitrogen.

#### **Incompatible Materials:**

Oxidizing agents. Strong bases. Strong acids. Amines.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

### National occupational exposure limits

U.S Occupational Exposure Limits: Not determined

#### **United States**

Components	OSHA	NIOSH	ACGIH	AIHA WHEEL
Benzaldehyde	None	None	None	= 2 ppm TWA
100-52-7				= 4 ppm STEL

#### Canada

Canada Occupational Exposure Limits: Not determined

Product code: BE128 Product name: BENZALDEHYDE. NF 4 / 12

Components	Alberta	British Columbia	Ontario	Quebec
Benzaldehyde	None	None	4 ppm STEL	None
100-52-7			17 mg/m <sup>3</sup> STEL	

### **Australia and Mexico**

Occupational Exposure Limits for Australia and Mexico: Not determined

Components	Australia	Mexico
Benzaldehyde	None	None
100-52-7		

### Appropriate engineering controls

Engineering measures to reduce exposure: Ensure adequate ventilation. Provide exhaust ventilation or

other engineering controls to keep the airborne

concentrations of vapors and mist below their respective

threshold limit value.

### Individual protection measures, such as personal protective equipment

**Personal Protective Equipment** 

**Eye protection:** Goggles

**Skin and body protection:** Long sleeved clothing. Chemical resistant apron. Gloves.

**Respiratory protection:** Vapor respirator. Be sure to use an approved/certified respirator or equivalent.

**Hygiene measures:** Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke.

Wash hands before breaks and immediately after handling the product.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Product code: BE128 Product name: BENZALDEHYDE, NF 5 / 12

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Appearance: Colors

Liquid Oily. Colorless to pale yellow.

Odor:TasteFormula:Bitter almond.No information availableC7H6O

Molecular/Formula weight:Flammability:Flashpoint (°C/°F):106.12Combustible63 °C/145.4 °F

73.9 °C/165 °F

Flash Point Tested according to: Autoignition Temperature (°C/°F): Lower Explosion Limit (%):

Closed cup 190-192 °C/374-377.6 °F 1.4

Open cup

Upper Explosion Limit (%): pH: Melting point/range(°C/°F):

8.5 No information available -26 °C/-14.8 °F

Decomposition temperature(°C/°F): Boiling point/range(°C/°F): Bulk density:

No information available 179 °C/354.2 °F No information available

Density (g/cm3): Specific gravity: Vapor pressure @ 20°C (kPa):

No information available 1.04-1.05 0.017 @ 25 deg. C.

Evaporation rate: Vapor density: VOC content (g/L):
No information available 3.66 No information available

Odor threshold (ppm): Partition coefficient Viscosity:

0.042 (n-octanol/water): No information available

1.48

Miscibility: Solubility:

Miscible with Ether Slightly soluble in water

Miscible with alcohol Solubility in Water: 6.55 g/l @ 25 °C

Soluble in liquid ammonia

### 10. STABILITY AND REACTIVITY

Reactivity

Reacts violently with oxidizers

Benzaldehyde will react violently with 90% performic acid Reactive with oxidizing agents, strong acids, and strong bases.

**Chemical stability** 

Stability: Stable under recommended storage conditions. Oxidizes in air to Benzoic acid. Sensitive to

light. Becomes yellowish on keeping.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

**Conditions to avoid:** Heat. Ignition sources. Exposure to light. Exposure to air. Incompatible materials.

**Incompatible Materials:** Oxidizing agents. Strong bases. Strong acids. Amines.

Hazardous decomposition products: Carbon monoxide. Carbon dioxide.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

Product code: BE128 Product name: BENZALDEHYDE. NF 6 / 12

#### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

### **Principal Routes of Exposure:**

Skin. Eyes. Ingestion. Inhalation.

### **Acute Toxicity**

#### **Component Information**

Benzaldehyde - 100-52-7

LD50/oral/rat = 1292 mg/kg Oral LD50 Rat LD50/oral/mouse = 2020 mg/kg (RTECS) 800-1600 (EU Chemical Bureau IUCLID dataset)

LD50/dermal/rabbit = >1250 mg/kg Dermal LD50Rabbit

LD50/dermal/rat = No information available
LC50/inhalation/rat = No information available
LC50/inhalation/mouse = No infomation available

Other LD50 or LC50information = 1000 mg/kg oral LD50 Guinea pig

#### **Product Information**

LD50/oral/rat =

VALUE- Acute Tox Oral = 1292mg/kg

LD50/oral/mouse =

Value - Acute Tox Oral = 2020mg/kg

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = >1250mg/kg

LD50/dermal/rat

**VALUE -Acute Tox Dermal =** No information available

LC50/inhalation/rat

VALUE-Vapor = No information available
VALUE-Gas = No information available
VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

**Symptoms** 

**Skin Contact:** Causes skin irritation. It may be absorbed through the skin.

**Eye Contact:** Causes eye irritation.

**Inhalation** Causes respiratory tract irritation.. May affect behavior/central nervous system. May

cause central nervous system depression. Inhalation of vapors may cause

drowsiness and dizziness. Symptoms may include coughing and shortness of breath.

May affect behavior/central nervous system (somnolence). It may affect behavior/central nervous system (convulsions/seizures). Inhalation of high concentrations may cause central nervous system effects characterized by headache, dizziness, lightheadness, fainting, unconciousness, coma.

Product code: BE128 Product name: BENZALDEHYDE. NF 7/12

**Ingestion** May cause digestive (gastointestinal) tract irritation. May cause nausea. May cause

abdominal pain. May cause dyspepsia. May aftect behavior/central nervous system (somnolence, tremor). May affect behavior/central nervous system (coma). May affect respiration (respiratory depression). May cause increase in urine volume.

Aspiration hazard No information available

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Chronic Toxicity** Skin: Sensitizer. May cause allergic skin reaction (allergic contact dermatitis).

Prolonged or repeated ingestion or inhalation may affect the liver. Prolonged or repeated inhalation may affect the blood (changes in red blood cell count). Prolonged or repeated inhalation may affect the blood (changes in white blood cell count). Prolonged or repeated inhalation may cause central nervous system effects. Prolonged or repeated inhalation may cause respiratory depression and dyspnea (shortness of breath and difficulty breathing). Prolonged or repeated ingestion may

affect the kidneys.

**Sensitization:** May cause sensitization by skin contact

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic

Components	IARC	ACGIH -	NTP	OSHA HCS -	Australia - Notifiable	Australia - Prohibited
·		Carcinogens		Carcinogens	Carcinogenic	Carcinogenic
					Substances	Substances
Benzaldehyde	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

#### ACGIH (American Conference of Governmental Industrial Hygienists)

Reproductive toxicity No data is available

Reproductive Effects:

Developmental Effects:

Teratogenic Effects:

No information available
No information available

**Specific Target Organ Toxicity** 

**STOT - single exposure STOT - repeated exposure**Respiratory system. central nervous system.
No information available

Target Organs: Skin.

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

**Ecotoxicity effects:** Aquatic environment.

Product code: BE128 Product name: BENZALDEHYDE, NF 8 / 12

Benzaldehyde - 100-52-7

Freshwater Fish Species Data: 12.69 mg/L LC50 Oncorhynchus mykiss 96 h static 1

0.8-1.44 mg/L LC50 Lepomis macrochirus 96 h flow-through 1 6.8-8.53 mg/L LC50 Pimephales promelas 96 h flow-through 1 10.6-11.8 mg/L LC50 Oncorhynchus mykiss 96 h flow-through 1

7.5 mg/L LC50 Lepomis macrochirus 96 h static 1

Water Flea Data: 50 mg/L EC50 Daphnia magna 24 h

Persistence and degradability: No information available

Bioaccumulative potential: No information available

Mobility: No information available

### 13. DISPOSAL CONSIDERATIONS

### **Disposal Methods**

### Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

### Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Benzaldehyde	None	None	None	None

## 14. TRANSPORT INFORMATION

DOT

UN-No: UN1990 Proper Shipping Name: Benzaldehyde

Hazard Class:

Subsidiary Risk: No information available

Packing Group: III ERG No: 129

Marine PollutantNo data availableDOT RQ (lbs):No information availableSpecial ProvisionsNo Information available

Symbol(s): +

TDG (Canada)

UN-No: UN1990 Benzaldehyde

Hazard Class: 9

Subsidiary Risk: No information available

Packing Group:

Marine Pollutant No Information available

**ADR** 

UN-No: UN1990 Proper Shipping Name: Benzaldehyde

Hazard Class: 9

Product code: BE128 Product name: BENZALDEHYDE. NF 9 / 12

### 14. TRANSPORT INFORMATION

Packing Group:

Subsidiary Risk: No information available

**IMO / IMDG** 

UN-No: UN1990 Proper Shipping Name: Benzaldehyde

Hazard Class: 9

Subsidiary Risk: No information available

Packing Group:

Marine Pollutant No information available

EMS: F-A

**RID** 

UN-No: UN1990 Benzaldehyde

Hazard Class: 9

Subsidiary Risk: No information available

Packing Group:

**ICAO** 

UN-No: UN1990
Proper Shipping Name: Benzaldehyde

Hazard Class: 9

Subsidiary Risk: No information available

Packing Group:

**IATA** 

UN-No: UN1990 Proper Shipping Name: Benzaldehyde

Hazard Class: 9

Subsidiary Risk: No information available

Packing Group: III ERG Code: 9N

Special Provisions No information available

### 15. REGULATORY INFORMATION

#### **International Inventories**

Components	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Benzaldehyde	Present	Present KE- 02713	Present	Present (3)- 1142	Present	Present	Present 202-860-4

### **U.S. Regulations**

Benzaldehyde

Massachusetts RTK: Present

New Jersey RTK Hazardous Substance List: 0196

Pennsylvania RTK: Present

Minnesota - Hazardous Substance List: Present

FDA - Food Additives Generally Recognized as Safe (GRAS): 21 CFR 182.60

FDA - 21 CFR - Total Food Additives 182.60

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Product code: BE128 Product name: BENZALDEHYDE, NF 10 / 12

### Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	Carcinogen	Developmental Toxicity	Male Reproductive	Female Reproductive
			Toxicity	Toxicity:
Benzaldehyde	Not Listed	Not Listed	Not Listed	Not Listed

#### **CERCLA/SARA**

Components	<b>CERCLA - Hazardous</b>	Section 302 Extremely	Section 302 Extremely	Section 313 -	Section 313 - Reporting
-	Substances and their	Hazardous	Hazardous	Chemical Category	de minimis
	Reportable Quantities	Substances and TPQs	Substances and RQs	•	
Benzaldehyde	None	None	None	None	None

#### U.S. TSCA

<u>-</u>	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Benzaldehyde	Not Applicable	09/30/199106/30/1998

#### Canada

### WHMIS hazard class:

D2B Toxic materials B3 Combustible liquid

### Benzaldehyde

B3 D2B

### **Canada Controlled Products Regulation:**

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Components	WHMIS Ingredient Disclosure List -
Benzaldehyde	1 %

### Inventory

Components	Canada (DSL)	Canada (NDSL)
Benzaldehyde	Present	Not Listed

Components	CEPA Schedule I - Toxic Substances
Benzaldehyde	Not listed

Components	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Benzaldehyde	Not listed

# **EU Classification**

### R-phrase(s)

R22 - Harmful if swallowed.

Product code: BE128 Product name: BENZALDEHYDE, NF 11 / 12

### S -phrase(s)

S 2 - Keep out of the reach of children.

S24 - Avoid contact with skin.

Components	Classification	Concentration Limits:	Safety Phrases
Benzaldehyde	Xn; R22	No information	S2 S24

#### The product is classified in accordance with Annex VI to Directive 67/548/EEC

#### Indication of danger:

Xn - Harmful.



# **16. OTHER INFORMATION**

Preparation Date:5/23/2016Revision Date:5/23/2016Prepared by:Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

**End of Safety Data Sheet** 

Product code: BE128 Product name: BENZALDEHYDE. NF 12 / 12