spectrum®



SAFETY DATA SHEET

Preparation Date: 3/24/2015	Revision Date: 7/9/2018	Revision Number: G3		
1. IDENTIFICATION				
Product identifier				
Product code: Product Name:	C2773 METACRESOL, USP			
Other means of identification Synonyms:	1-Hydroxy-3-methylbenzene; 3-Cresol; 3-Hyc 3-Methylphenol; m-Cresole; m-Cresylic acid; m-Kresol; m-Methylphenol; m-Oxytoluene; m phenol, 3-methyl-; Metacresol	m-Hydroxytoluene;		
CAS #: RTECS # CI#:	108-39-4 GO6125000 Not available			
Recommended use of the chem				
Recommended use: Uses advised against	No information available. No information available			
Supplier:	Spectrum Chemical Mfg. Corp 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000			
Order Online At: Emergency telephone number Contact Person: Contact Person:	https://www.spectrumchemical.com Chemtrec 1-800-424-9300 Martin LaBenz (West Coast) Ibad Tirmiz (East Coast)			

2. HAZARDS IDENTIFICATION

Classification


This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 3
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Flammable liquids	Category 4

Label elements

Danger



Hazards not otherwise classified (HNOC) Not Applicable

Other hazards

Not available

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection Contaminated work clothing must not be allowed out of the workplace Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep cool

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician In case of fire: Use CO2, dry chemical, or foam to extinguish. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. Call a POISON CENTER or doctor/physician if you feel unwell. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Rinse mouth Do NOT induce vomiting

Precautionary Statements - Storage Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
m-Cresol	108-39-4	100

	4. FIRST AID MEASURES
First aid measures	
General Advice:	National Capital Poison Center in the United States can provide assistance if yo have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. First aider needs to protect himself.
Skin Contact:	Wash off immediately with soap and plenty of water. Continue flushing with plenty of wate for at least 15 minutes. Remove all contaminated clothes and shoes. Immediate medical attention is required. Call a physician immediately.
Eye Contact:	Flush eyes with water for 15 minutes. Immediate medical attention is required. Call a physician immediately.
Inhalation:	Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. WARNING! It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled or ingested material is toxic, infectious or corrosive. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. Call a physician immediately.
Ingestion:	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Immediate medical attention is required. Call a physician or Poison Control Center immediately.
Most important symptoms ar	nd effects, both acute and delayed
Symptoms	Severe skin and eye irritation or burns Characteristic odor of phenol on the breath May cause gastrointestinal (digestive) tract burns Can burn mouth, throat, and stomach Abdominal pain May cause diarrhea May cause and headache Pallor Sweating May cause methemoglobinemia and cyanosis Shallow respiration Dyspnea (Shortness of breath and difficulty breathing) Coughing and wheezing May cause build-up of fluid in the lungs (pulmonary edema) May cause central nervous system effects May affect the liver It may affect the kidneys May cause allergic contact dermatitis
Indication of any immediate	medical attention and special treatment needed

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media Suitable Extinguishing Media: Carbon dioxide (CO2). Dry chemical. Water spray mist or foam. **Unsuitable Extinguishing Media:** A solid water stream may be inefficient. Specific hazards arising from the chemical Carbon Monoxide, Carbon Dioxide. **Hazardous Combustion Products:** Specific hazards: Combustible material. May be ignited by heat, sparks or flames. Container explosion may occur under fire conditions or when heated. Special Protective Actions for Firefighters **Specific Methods:** Water mist may be used to cool closed containers. For larger fires, use water spray or fog. Cool containers with flooding quantities of water until well after fire is out. As in any fire, wear self-contained breathing apparatus **Special Protective Equipment for Firefighters:** pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions:	Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded.			
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas.			
Methods and material for containment and cleaning up				
Methods for containment	Stop leak if you can do it without risk. Absorb spill with inert material (e.g. vermiculite, dry sand or earth). In case of large spill, dike if needed. Dike far ahead of liquid spill for later disposal.			
Methods for cleaning up	Use appropriate tools to put the spilled material in a suitable chemical waste disposal container. Use only non-sparking tools. Clean contaminated surface thoroughly.			

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Remove all sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Do not ingest. Do not breathe vapors or spray mist. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Hygroscopic. Protect from moisture. Protect from light. Sensitive to light. Store in light-resistant containers. Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials. Store in a segregated and approved area.

Incompatible Materials:

Strong oxidizing agents Acids Bases Aluminum aluminum alloys Copper alloys Copper

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WEEL
m-Cresol	108-39-4	None	2.3 ppm TWA 10 mg/m³ TWA	20 mg/m ³ TWA inhalable fraction and	None
			-	vapor	

Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
m-Cresol	108-39-4	5 ppm TWA 22 mg/m³ TWA	10 mg/m³ TWA	None	None

Australia and Mexico

Components	CAS-No.	Australia	Mexico
m-Cresol	108-39-4	None	None

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Gog	gles Face-shield
---------------------	------------------

Skin and body protection: Chemical resistant protective suit

Product code: C2773 Product name: METACRESOL, USP

Gloves Boots

Respiratory protection: Vapor respirator. Be sure to use an approved/certified respirator or equivalent.

Avoid contact with skin, eyes and clothing. When using, do not eat, drink or Hygiene measures: smoke. Wash hands and face before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid

Odor: Phenolic. Coal tar. Sweet, tarry.

Molecular/Formula weight: 108.14

Flashpoint (°C/°F): 86°C/186.8°F

Lower Explosion Limit (%): 1.1%

Decomposition temperature(°C/°F): Boiling point/range(°C/°F): No information available

Density (g/cm3): No information available

Vapor pressure @ 20°C (kPa): 0.0147 kPa @ 25°C

VOC content (g/L): No information available

Viscosity: No information available

No information available

Reactivity

Appearance: No information available.

Taste No information available.

Flammability: No information available

Flash Point Tested according to: Not available

Upper Explosion Limit (%): No information available

202°C/395.6°F

Specific gravity: 1.034 @ 20°C

Evaporation rate: No information available

Odor threshold (ppm): No information available

Miscibility: Miscible in Chloroform Miscible with alcohol Miscible with Ether Miscible with Acetone

Color: Colorless to pale yellow.

Formula: C7-H8-O

Flash point (°C): 86

Autoignition Temperature (°C/°F): 558°C/1036.4°F

Melting point/range(°C/°F): 11.5°C/52.7°F

Bulk density: No information available

pH: No information available

Vapor density: 3.72

Partition coefficient (n-octanol/water): 1.96

Solubility: Partially soluble in water Solubility in water: 22700 mg/L @ 25°C

10. STABILITY AND REACTIVITY

Chemical stability Stability: Stable under recommended storage conditions. Hygroscopic. Sensitive to light. Exposure to light accelerates decomposition. Possibility of Hazardous Reactions: Hazardous polymerization does not occur Conditions to avoid: Heat. Ignition sources. Exposure to light. Exposure to moist air. Exposure to moisture. Incompatible materials. Incompatible Materials: Strong oxidizing agents Product code: C2773 Product name: METACRESOL, USP

	Acids Bases Aluminum aluminum alloys Copper alloys Copper
Hazardous decomposition products:	No information available.
Other Information Corrosivity:	No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure: Ingestion. Inhalation. Skin.

Acute Toxicity

Component Information

m-Cresol
CAS-No. 108-39-4
LD50/oral/rat = 242 mg/kg Oral LD50 Rat
LD50/oral/mouse = No information available
LD50/dermal/rabbit = 1860 mg/kg Dermal LD50Rabbit (LOLI; EU Commission IUCLID dataset)
620 mg/kg (RTECS)
2050-2830 mg/kg (EU Commission IUCLID dataset)
LD50/dermal/rat = No information available
LC50/inhalation/rat = >710 mg/m ³ Inhalation LC50 Rat 1 h LC50/inhalation/mouse = No information available
Other LD50 or LC50information = No information available
Product Information
LD50/oral/rat =
VALUE- Acute Tox Oral = 242 mg/kg
VALUE Addie Tox Ofdie 242 mightig
LD50/oral/mouse =
Value - Acute Tox Oral = No information available
LD50/dermal/rabbit
VALUE-Acute Tox Dermal = 620 mg/kg
LD50/dermal/rat
VALUE -Acute Tox Dermal = 1100 mg/kg
LC50/inhalation/rat
VALUE-Vapor = No information available VALUE-Gas = No information available
VALUE-Gas = No information available VALUE-Dust/Mist = $>710 \text{ mg/m}^3$ (1-hr)

LC50/Inhalation/mouse VALUE-Vapor = No information available VALUE - Gas = No information available VALUE - Dust/Mist = No information available

Symptoms

Skin Contact:	Causes severe irritation and burns. Skin contact with cresols has resulted blanching, skin peeling, blistering, tingling and burning sensation, eryther reddening), localized anesthesia (numbness), and occasionally, ochrono darkening of the skin. It is also absorbed through the skin. It is rapidly at through the skin. When absorbed through the skin it can cause central m system effects (somnolence, tetany, tremors, convulsions/seizures, sed produce systemic effects such facial peripheral neuritis, methemoglobim pulmonary edema, damage to internal organs, including loss of kidney f and necrosis of the liver and kidneys, lungs, pancreas, spleen, heart. Se even fatal poisoning may result if large areas of the skin are wet with cre- is not removed immediately. Hypersensitivity may also occur.	ema (skin osis, a bsorbed nervous ation) and emia, function erious or
Eye Contact:	Severe eye irritation. Causes eye burns.	
Inhalation	Irritating to respiratory system. It is extremely destructive to the tissue of mucous membrane and upper respiratory tract. Inhalation may result in inflammation, and edema of the larynx and bronchi, chemical pneumoning pulmonary edema. Symptoms may include burning sensation, coughing wheezing, laryngitis, shortness of breath, headache, nausea.	spasm, tis, and
Ingestion	Irritating to mouth, throat and stomach. Corrosive to the mouth, throat, a stomach. Causes digestive or gastrointestinal tract burns. Can cause buin mouth and throat. White necrotic lesions in mouth, esophagus, and st headache, nausea, vomiting, abdominal pain, peritonitis, nausea, vomiti diarrhea, dyspnea, pallor, sweating, central nervous system disturbance (somnolence, convulsions, headache, dizziness), tinnitus. Acute ingestic lead to shock with cardiovascular disturbances (weak irregular pulse, tach hypotension), dyspnea, shallow respirations, cyanosis, pallor, profound t temperature, possible fleeting excitement and confusion followed by unconsciousness. Other symptoms of acute ingestion may include stent breathing, mucous rales, rhonchi, salivation or frothing at nose and mou other signs of pulmonary edema, characteristic odor of phenol on the brimpairment of kidney function (renal necrosis, nephritis, acute renal failud scanty, dark-colored urine (oliguria, anuria), hematuria), moderately sevinsufficiency), impairment of liver function, Methemoglobinemia, Heinz b hemolytic anemia, hyperbilirubinemia. Death from respiratory, circulatory cardiac failure may occur.	urning pain tomach, ing, bloody es on may chycardia, fall in body torous torous tth and eath, ure with rere renal pody
Aspiration hazard	No information available.	
Delayed and immediate effec	ts as well as chronic effects from short and long-term exposure	
Chronic Toxicity	Prolonged or repeated exposure by ingestion, skin absorption, or inhalar cause kidney and liver damage, weight loss and may also affect the skir gastrointestinal tract, lungs, and central nervous system/nervous system Symptoms may include vertigo, fainting, fatigue, insomnia, nervousness mental disturbances, headache, cough, muscle aches and pain, difficult swallowing, excess salivation, diarrhea, nausea, vomiting, lack of appeti anorexia, pallor, partial paralysis, ochronosis, albuminuria, and dark urin hepatitis, fatty liver degeneration.Prolonged or repeated inhalation may hypertensionProlonged skin contact may cause allergic dermatitis.	n, n. s, tremors, y ite or ne,
Sensitization:	May cause sensitization by skin contact.	
Product code: C2773	Product name: METACRESOL, USP	8/14

Mutagenic Effects:

May affect genetic material based on animal test data No human data found

Carcinogenic effects:	Not classifiable as a human carcinogen.							
Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances	
m-Cresol	108-39-4	Not listed	A4 Not Classifiable as a Human Carcinogen	Not listed	Not listed	Not listed	Not listed	

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity	No data is available
Reproductive Effects:	No information on reproductive toxicity effects on humans was found Reproductive effects of cresols administered to rats and mice in diet were limited to mild to moderate unterine atrophy and lengthening of estrus cycle at the highest dose levels tested (>2000 mg/kg/day). No adverse effects on sperm motility or concentration were observed.
Developmental Effects:	No information on developmental toxicity effects on humans was found Developmental studies that treated rats and rabbits by oral gavage during gestation observed fetal effects (skeletal variations and delayed ossification) at dose levels that also cause maternal toxicity.
Teratogenic Effects:	No information available
Specific Target Organ Toxicity	
STOT - single exposure	lungs. Respiratory system.

STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Target Organs:	Central nervous system. Liver. Kidneys. Lungs. Respiratory system. Skin. Eyes.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects:	Aquatic environment.
<i>m-Cresol - 108-39-4</i> Freshwater Fish Species Data: Water Flea Data:	55.9 mg/L LC50 Pimephales promelas 96 h flow-through 1 8.9 mg/L LC50 Oncorhynchus mykiss 96 h flow-through 1 23.12 mg/L LC50 Poecilia reticulata 96 h semi-static 1 15.9 mg/L LC50 Brachydanio rerio 96 h static 1 10 - 13.6 mg/L LC50 Lepomis macrochirus 96 h 1 18.8 mg/L LC50 Daphnia magna 48 h
Persistence and degradability:	Readily biodegradable
Bioaccumulative potential:	Potential for bioconcentration in aquatic organisms is low.
Mobility:	No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
m-Cresol	108-39-4	None	None	None	None

14. TRANSPORT INFORMATION

DOT UN-No: Proper Shipping Name: Hazard Class: Subsidiary Class Packing group: Emergency Response Guide Number Marine Pollutant DOT RQ (lbs): Special Provisions Symbol(s):	Not Regulated Cresols, liquid 6.1 No information available No information available No information available No data available 100 lbs./45.4 kg No Information available [DOT]: (R3) - Identifies a material that is a hazardous substance that has a
Description:	reportable quantity (RQ) of 100 pounds (45.4 Kilograms). UN2076,Cresols, liquid ,6.1,(8),PG II
TDG (Canada) UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: Marine Pollutant Description:	UN2076 Cresols, liquid 6.1 (8) II No Information available UN2076,CRESOLS, LIQUID,6.1(8),PG II
ADR UN-No: Proper Shipping Name: Hazard Class: Packing Group: Subsidiary Risk: Description:	UN2076 Cresols, liquid 6.1 II 8 UN2076 Cresols, liquid,6.1(8),II
IMO / IMDG UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: Marine Pollutant EMS:	UN2076 Cresols, liquid 6.1 8 II No information available F-A

RID	
UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: Description:	UN2076 Cresols, liquid 6.1 8 II UN2076 Cresols, liquid,6.1(8),II
ICAO	
UN-No:	UN2076
Proper Shipping Name:	Cresols, liquid
Hazard Class:	6.1
Subsidiary Risk:	8
Packing Group:	II
Description:	UN2076,Cresols, liquid,6.1(8),PG II
ΙΑΤΑ	
UN-No:	UN2076
Proper Shipping Name:	Cresols, liquid
Hazard Class:	6.1
Subsidiary Risk:	8
Packing Group:	II
ERG Code:	6C
Special Provisions	No information available
Description:	UN2076,Cresols, liquid,6.1(8),PG II

15. REGULATORY INFORMATION

International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
m-Cresol	108-39-4	PresentACTIV E	Present KE-24793	Present	Present (4)-57,(3)-499	Present	Present	Present 203-577-9

U.S. Regulations

m-Cresol
Massachusetts RTK: Present
New Jersey RTK Hazardous Substance List: 1161
New Jersey (EHS) List: 1161 500 lb TPQ
New Jersey - Discharge Prevention - List of Hazardous Substances: Present
Pennsylvania RTK: Environmental Hazard
Pennsylvania RTK - Environmental Hazard List Present
New York Release Reporting - List of Hazardous Substances: 1000 lb RQ
1 lb RQ
Louisana Reportable Quantity List for Pollutants: 100lbfinal RQ
45.4kgfinal RQ
California Directors List of Hazardous Substances: Present
FDA - 21 CFR - Total Food Additives 175.300, 177.2410

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

CAS-No.	Carcinogen	Developmental Toxicity	Male	Female
	_		Reproductive	Reproductive

				Toxicity	Toxicity:
m-Cresol	108-39-4	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
m-Cresol		100 lb final RQ 45.4 kg final RQ	None	None		1.0 % de minimis concentration

U.S. TSCA

Components		TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	
m-Cresol	108-39-4	Not Applicable	Not Applicable

Canada

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Component m-Cresol 108-39-4 (100) WHMIS 2015 Hazard Classification

Flammable liquids - Category 4: H227 Combustible liquid.; Acute toxicity - Oral - Category 3: H301 Toxic if swallowed.; Health Hazard Not Otherwise Classified - Category 1: Causes severe damage to the respiratory tract; Skin corrosion/irritation - Category 1: H314 Causes severe skin burns and eye damage.; Serious Eye Damage/Eye Irritation - Category 1: H318 Causes serious eye damage.

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

WHMIS 1988 Hazard Class

B3 Combustible liquid D1A Very toxic materials E Corrosive material

Components	WHMIS 1988
m-Cresol	B3,D1A,E

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Components	WHMIS Ingredient Disclosure List -
m-Cresol	1 %

Inventory

Components CA	AS-No. 0	Canada (DSL)	Canada (NDSL)
m-Cresol 108	D8-39-4	Present	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances	
m-Cresol	108-39-4	Not listed	
Components		CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting	
m-Cresol	108-39-4	Not listed	

EU Classification

EU GHS - SV - CLP 1272/2008

Components	CAS-No.	EU GHS - SV - CLP (1272/2008)
m-Cresol	108-39-4	Acute toxicity - Oral - Acute Tox. 3:
		H301 Toxic if swallowed. (Minimum
		classification); Acute toxicity - Dermal -
		Acute Tox. 3: H311 Toxic in contact
		with skin. (Minimum classification);
		Skin corrosion/irritation - Skin Corr.
		1B: H314 Causes severe skin burns
		and eye damage.604-004-00-9

EU - CLP (1272/2008)

R-phrase(s)

R34 - Causes burns.

R24/25 - Toxic in contact with skin and if swallowed.

S -phrase(s)

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). S 1/2 - Keep locked up and out of the reach of children.

S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
m-Cresol	108-39-4	T; R24/25 C; R34	5%<=C T; R24/25 1%<=C<5% Xn; R21/22 5%<=C C; R34 1%<=C<5% Xi; R36/38	S: (1/2)-36/37/38-45

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

- T Toxic
- C Corrosive.



16. OTHER INFORMATION

Preparation Date:	3/24/2015
Revision Date:	7/9/2018
Prepared by:	Sonia Owen
Disclaimer:	All chemicals may pose unknown Safety Data Sheet (SDS) applies is combined with other materials pose hazards not mentioned in the SDS are obtained from the literat Information contained herein doe implied, as to the safety, mercha

in hazards and should be used with caution. This s only to the material as packaged. If this product s, deteriorates, or becomes contaminated, it may this SDS. The physical properties reported in this ature and do not constitute product specifications. es not constitute a warranty, whether expressed or antability or fitness of the goods for a particular

purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet