# SAFETY DATA SHEET SPECTIUM®



Revision date 31-January-2022

**Revision Number** 2

## 1. Identification

**Product identifier** 

Product Name ETHER, FOR ANESTHESIA, USP

Other means of identification

Product Code(s) E1059

UN/ID no UN1155

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use No information available

Restrictions on use No information available

Details of the supplier of the safety data sheet

**Supplier Address** 

Spectrum Chemical Mfg. Corp. 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

# 2. Hazard(s) identification

#### Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 1

## Hazards not otherwise classified (HNOC)

May form explosive peroxides

## Label elements

Danger

#### Hazard statements

Harmful if swallowed Causes skin irritation

Causes serious eye irritation

May cause cancer

May cause respiratory irritation

May cause drowsiness or dizziness

Extremely flammable liquid and vapor



Appearance Clear Physical state Liquid Odor No information available

## **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/.?/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Wear protective gloves/eye protection/face protection

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

Rinse mouth

In case of fire: Use CO2, dry chemical, or foam to extinguish

## **Precautionary Statements - Storage**

Store locked up.

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other information

No information available.

# 3. Composition/information on ingredients

#### Substance

Not applicable.

#### Mixture

Chemical name	CAS No	Weight-%	Trade secret
Ethyl Ether	60-29-7	80 - 100	*
Ethyl Alcohol 200 Proof	64-17-5	1 - <3	*
Butylated Hydroxytoluene	128-37-0	<0.1	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. First-aid measures

#### **Description of first aid measures**

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical

attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get medical attention if irritation develops and persists.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

**Symptoms** May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

Indication of any immediate medical attention and special treatment needed

## 5. Fire-fighting measures

**Suitable Extinguishing Media** 

Large Fire

Dry chemical. Carbon dioxide (CO2). water spray. Alcohol resistant foam.

CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire

extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Carbon Monoxide, Carbon Dioxide.

**Explosion data** 

Sensitivity to mechanical impact none.

Sensitivity to static discharge yes.

Special protective equipment for fire-fighters

**Personal precautions** 

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

## Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

# 7. Handling and storage

#### Precautions for safe handling

Advice on safe handling Use personal protection ed

Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

## Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children.

## 8. Exposure controls/personal protection

#### Control parameters

## **Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Ether	No data available	400 ppm TWA	-
60-29-7		1200 mg/m³ TWA	
Ethyl Alcohol 200 Proof	No data available	1000 ppm TWA	3300 ppm IDLH
64-17-5		1900 mg/m³ TWA	

#### **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Hand protection** Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

# 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid
Appearance Color
Color Colorless

Odor No information available
Odor threshold No information available

Property Values Remarks • Method

no data available None known pН Melting point / freezing point -116 °C / -176.8 °F None known 34 °C / 93.2 °F Boiling point / boiling range None known -45 °C / -49 °F Flash point CC (closed cup) **Evaporation rate** no data available None known Flammability (solid, gas) no data available None known Flammability Limit in Air None known

Upper flammability or explosive 48%

limits

Lower flammability or explosive 2%

limits
Vapor pressure 59

Vapor pressure59None knownVapor density2.6None knownRelative density0.71None knownWater solubilitySlightly soluble in waterNone knownSolubility(ies)Miscible with many organic solventsNone knownPartition coefficientNo data availableNone known

Partition coefficient
Autoignition temperature
Decomposition temperature
None known
None known
None known
None known
None known
None known

Kinematic viscosityno data availableNone knownDynamic viscosityNo data availableNone known

Other information

Explosive properties

Oxidizing properties

No information available

**VOC Content (%)** 99+ % .?

Liquid Density No information available

Bulk density No information available

## 10. Stability and reactivity

**Reactivity** No information available.

**Chemical stability** Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat, flames and sparks.

**Incompatible materials** Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products None known based on information supplied.

## 11. Toxicological information

#### Information on likely routes of exposure

Product Information .

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May cause drowsiness or dizziness.

**Eye contact** Specific test data for the substance or mixture is not available. Irritating to eyes. (based on

components). Causes serious eye irritation.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on

components).

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Redness. May cause redness and tearing of the eyes. Inhalation of high vapor

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

**Acute toxicity** 

**Numerical measures of toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document .

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl Ether	= 1215 mg/kg (Rat)	= 20 mL/kg (Rabbit) > 20	= 32000 ppm (Rat) 4 h
60-29-7		mL/kg(Rabbit)	
Ethyl Alcohol 200 Proof 64-17-5	= 7060 mg/kg (Rat)	-	124.7 mg/L (Rat)4 h
Butylated Hydroxytoluene 128-37-0	890 mg/kg (Rat)	-	-

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** Classification based on data available for ingredients. The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol 200 Proof	-	Monograph 100E [2012]	-	-
64-17-5		in alcoholic beverages		
		Monograph 96 [2010] in		
		alcoholic beverages		
Butylated Hydroxytoluene	-	Group 3 - Not classifiable	-	-
128-37-0		- Supplement 7 [1987]		
		Monograph 40 [1986]		

Legend

Reproductive toxicity No information available.

STOT - single exposure STOT - repeated exposure May cause respiratory irritation. May cause drowsiness or dizziness.

No information available.

Target organ effects

liver, respiratory system, Eyes, Skin, central nervous system, blood, Reproductive System.

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

# 12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethyl Ether 60-29-7	-	LC50: =2560mg/L (96h, Pimephales promelas) LC50: >10000mg/L (96h, Lepomis macrochirus)	-	EC50: =165mg/L (24h, Daphnia magna)
Ethyl Alcohol 200 Proof 64-17-5	-	LC50: 12.0 - 16.0mL/L (96h, Oncorhynchus mykiss) LC50: 13400 - 15100mg/L (96h, Pimephales promelas) LC50: >100mg/L (96h, Pimephales promelas)	-	LC50: 9268 - 14221mg/L (48h, Daphnia magna) EC50: =10800mg/L (24h, Daphnia magna) EC50: =2mg/L (48h, Daphnia magna)
Butylated Hydroxytoluene 128-37-0	EC50: =6mg/L (72h, Pseudokirchneriella subcapitata) EC50: >0.42mg/L (72h, Desmodesmus subspicatus)	LC50: =5mg/L (48h, Oryzias latipes)	-	-

Persistence and degradability Bioaccumulation

No information available. Inherently biodegradable.

**Component Information** 

<u> </u>	
Chemical name	Partition coefficient
Ethyl Ether	0.82
60-29-7	
Ethyl Alcohol 200 Proof	-0.32
64-17-5	
Butylated Hydroxytoluene	4.17
128-37-0	

Other adverse effects

No information available.

## 13. Disposal considerations

#### Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld

containers.

## 14. Transport information

DOT

UN/ID no UN1155
Proper Shipping Name: UN1155
Diethyl ether

Hazard class 3 Packing group:

Special Provisions T11, TP2

Marine Pollutant Severe Marine Pollutant Description: Severe Marine Pollutant UN1155, Diethyl ether, 3, I

**Emergency Response Guide** 127

Number

**TDG** 

UN-No: UN1155
Proper Shipping Name: UN1155
Diethyl ether

Hazard class 3 Packing Group:

**Description:** UN1155, Diethyl ether, 3, I

**MEX** 

UN-No UN1155
Proper Shipping Name UN1155
Diethyl ether

Hazard class 3
Packing Group

**Description** UN1155, Diethyl ether, 3, I

ICAO (air)

UN-No: UN1155
Proper Shipping Name: UN1155
Diethyl ether

Hazard class 3 Packing Group: 1

**Description:** UN1155, Diethyl ether, 3, I

<u>IATA</u>

UN number UN1155
Proper Shipping Name: UN1155
Diethyl ether

Transport hazard class(es) 3
Packing group

**Description:** UN1155, Diethyl ether, 3, I

**IMDG** 

UN number UN1155
Proper shipping name Diethyl ether

Transport hazard class(es) 3
Packing group | I
EmS-No | F-E, S-D

Marine pollutant NP1

**Description** UN1155, Diethyl ether, 3, I, (-45°C c.c.)

RID

UN number UN1155
Proper Shipping Name: UN1155
Diethyl ether

Transport hazard class(es) 3
Packing group | I
Classification code F1

**Description:** UN1155, Diethyl ether, 3, I

Labels

<u>ADR</u>

UN number 1155 Proper Shipping Name: Diethyl ether

Transport hazard class(es) 3
Packing group |
Classification code | F1
Tunnel restriction code | (D/E)

**Description:** 1155, Diethyl ether, 3, I, (D/E)

Labels 3

**ADN** 

UN/ID No UN1155
Proper shipping name Diethyl ether

Transport hazard class(es) 3
Packing Group |
Classification code F1

**Description** UN1155, Diethyl ether, 3, I

Hazard label(s) 3
Limited quantity (LQ) 0
ventilation VE01
Equipment Requirements PP, EX, A

## 15. Regulatory information

#### **International Inventories**

TSCA Complies

DSL/NDSL Complies EINECS/ELINCS Complies

ENCS This product complies with ENCS: IECSC This product complies with China:

KECL Complies PICCS Complies

AICS All the constituents of this material are listed on the Australian Inventory of Chemical

Substances (AICS).

Leaend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

## SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Ethyl Ether	100 lb final RQ	-
60-29-7	45.4 kg final RQ	

## **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65	
Ethyl Alcohol 200 Proof - 64-17-5	developmental toxicity	
	carcinogen	

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl Ether 60-29-7	0701	Present	Environmental hazard
Ethyl Alcohol 200 Proof 64-17-5	0844	Present	Present
Butylated Hydroxytoluene 128-37-0	0814	Present	Present

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## 16. Other information

NFPA

Health hazards 2 Flammability 4

Instability 0

Physical and chemical properties -

**HMIS** 

Health hazards 2 \*

Flammability 4
Physical hazards 0

Personal protection X

Chronic Hazard Star Legend

\* = Chronic Health Hazard

# Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
TWA TWA (time-weighted average) STEL

Ceiling Maximum limit value

STEL (Short Term Exposure Limit)

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 31-January-2022 Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**