

SAFETY DATA SHEET

Preparation Date: 12/15/2015

Revision date 1/15/2019

Revision Number: G3

1. Identification

Product identifier

Product code: HP572
Product Name: N,N-DIMETHYLFORMAMIDE, EXCEEDS A.C.S. SPECIFICATIONS, HPLC GRADE

Other means of identification

Synonyms: DMF
 DMFA
 Dimethyl formamide
 Dimethylformamide
 DN,N-Dimethyl formamide
 N,N-Dimethylmethanamide
 N-Formyldimethylamine
 Dimetilformamida (Spanish)
 Diméthylformamide (French)

CAS #: 68-12-2
RTECS # LQ2100000
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: Solvent.
Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp
 14422 South San Pedro St.
 Gardena, CA 90248
 (310) 516-8000

Order Online At: <https://www.spectrumchemical.com>

Emergency telephone number Chemtrec 1-800-424-9300

Contact Person: Tom Tyner (USA - West Coast)

Contact Person: Ibad Tirmiz (USA - East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Gases)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2

Product code: HP572

Product name:
 N,N-DIMETHYLFORMAMIDE,
 EXCEEDS A.C.S. SPECIFICATIONS,
 HPLC GRADE

Page

Reproductive toxicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 1
Flammable liquids	Category 3

Label elements

Danger

Hazard statements
Harmful if swallowed
Toxic if inhaled
Causes serious eye irritation
May damage fertility or the unborn child
Causes damage to organs through prolonged or repeated exposure
Flammable liquid and vapor



Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

May be harmful in contact with skin
Causes mild skin irritation

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Use only outdoors or in a well-ventilated area
Wear protective gloves/protective clothing/eye protection/face protection
Do not breathe dust/fume/gas/mist/vapors/spray
Keep away from heat/sparks/open flames/hot surfaces. — No smoking
Keep container tightly closed
Ground/bond container and receiving equipment
Use explosion-proof electrical/ventilating/lighting/.../equipment
Use only non-sparking tools
Take precautionary measures against static discharge
Keep cool

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
In case of fire: Use CO2, dry chemical, or foam to extinguish.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Product code: HP572

Product name:
N,N-DIMETHYLFORMAMIDE,
EXCEEDS A.C.S. SPECIFICATIONS,
HPLC GRADE

Page

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
Call a POISON CENTER or doctor/physician. IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
Rinse mouth

Precautionary Statements - Storage

Store locked up
Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight-%
N,N-Dimethylformamide	68-12-2	100

4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothing and shoes. Get medical attention. If skin irritation persists, call a physician.

Eye Contact: Flush eyes with water for 15 minutes. Get medical attention.

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Obtain medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms
Causes serious eye irritation
Causes conjunctival irritation
Mild skin irritation
Lacrimation
Dyspnea (Difficulty breathing and shortness of breath)
Ingestion may cause vomiting and nausea
Abdominal pain
May cause methemoglobinemia and cyanosis
Central nervous system effects
May cause cardiovascular effects
May cause loss of appetite
It may affect the kidneys
May affect the liver

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

Product code: HP572

Product name:
N,N-DIMETHYLFORMAMIDE,
EXCEEDS A.C.S. SPECIFICATIONS,
HPLC GRADE

Page

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media:

Carbon dioxide (CO₂). Dry chemical. Alcohol-resistant foam. Water spray.

Unsuitable Extinguishing Media:

Do not use a solid (straight) water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Hazardous combustion products

Carbon Monoxide, Carbon Dioxide. Nitrogen oxides (NO_x). Dimethylamine.

Specific hazards

Flammable. May be ignited by heat, sparks or flames. Vapor may travel considerable distance to source of ignition and flash back. Vapors may form explosive mixtures with air. Most vapors are heavier than air. They will spread along the ground and collect in low or confined areas (sewers, basements, tanks). Container explosion may occur under fire conditions or when heated.

Special Protective Actions for Firefighters

Specific Methods:

No information available

Special Protective Equipment for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions:

Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal protective equipment. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use spark-proof tools and explosion-proof equipment. In case of large spill, water spray or vapor suppressing foam may be used to reduce vapors, but may not prevent ignition in closed spaces.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment

Stop leak if you can do it without risk. Absorb spill with inert material (e.g. vermiculite, dry sand or earth). In case of large spill, dike if needed. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up

Use appropriate tools to put the spilled material in a suitable chemical waste disposal container. Use only non-sparking tools. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Remove all sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not breathe vapors or spray mist. Do not ingest. When using do not smoke. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Keep away from heat and sources of ignition. Store in a segregated and approved area. Store away from incompatible materials.

Incompatible Materials:

Oxidizing agents
Reducing agents
Acids
Alkali Metals
Sodium
Bromine
Phosphorous trioxide
Chlorine
Sodium borohydride
Sodium tetrahydroborate
Sodium hydride
Ethylene bromide
Hexachlorobenzene
Cyanuric chloride
Lithium azide
Triethylaluminum
chlorinated hydrocarbons
Diisocyanatomethane
Methylene diisocyanate
halogenated hydrocarbons
Nitrates
Carbon tetrachloride
alkylaluminum compounds
Sodium hydroborate and heat
Sulfinyl chloride and traces of zinc or iron
2,4,6-Trichloro-1,3,5-triazine
2,5-dimethylpyrrole and phosphorus oxychloride

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

Product code: HP572

Product name:
N,N-DIMETHYLFORMAMIDE,
EXCEEDS A.C.S. SPECIFICATIONS,
HPLC GRADE

Page

United States

Component	CAS No	OSHA	NIOSH	ACGIH	AIHA WEEL
N,N-Dimethylformamide	68-12-2	10 ppm TWA 30 mg/m ³ TWA	10 ppm TWA 30 mg/m ³ TWA	5 ppm TWA	None

Canada

Component	CAS No	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
N,N-Dimethylformamide	68-12-2	10 ppm TWA 30 mg/m ³ TWA	10 ppm TWA	None	None

Australia and Mexico

Component	CAS No	Australia	Mexico
N,N-Dimethylformamide	68-12-2	10 ppm TWA 30 mg/m ³ TWA	10 ppm TWA 30 mg/m ³ TWA 20 ppm STEL 60 mg/m ³ STEL

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection:

Goggles

Skin and body protection:

Chemical resistant apron
Long sleeved clothing
Gloves

Respiratory protection:

Respiratory protection is not necessary for normal handling. Good room ventilation or use of local exhaust (fume hood) is sufficient. Use a vapor respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapor, inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to use an approved/certified respirator or equivalent.

Hygiene measures:

Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:

Liquid

Appearance:

No information available.

Color:

Colorless. Light yellow.

Odor:

Amine-like. Fishy.

Taste

No information available.

Formula

C₃H₇N-O or HCON(CH₃)₂

Product code: HP572

Product name:
N,N-DIMETHYLFORMAMIDE,
EXCEEDS A.C.S. SPECIFICATIONS,
HPLC GRADE

Page

Molecular/Formula weight (g/mole): 73.09	Flammability (solid, gas) no data available	Flashpoint (°C/°F): 57.778 °C/136 °F 67 °C/152.6 °F
Flash Point Tested according to: Closed cup Open cup	Autoignition Temperature (°C/°F): 445 °C/833 °F	Lower Explosion Limit (%): 2.2%
Upper Explosion Limit (%): 15.2%	Melting point/range(°C/°F): -61 °C/-77.8 °F	Decomposition temperature(°C/°F): No information available
Boiling point/range(°C/°F): 153 °C/307.4 °F @ 760 mm Hg	Bulk density: No information available	Density (g/cm3): 0.9445-0.95 @ 25 °C
Specific gravity: 0.949	pH No information available	Vapor pressure @ 20°C (kPa): 0.3466
Evaporation rate: No information available	Vapor density: 2.51	VOC content (g/L): No information available
Odor threshold (ppm): 100	Partition coefficient (n-octanol/water): -1.01	Viscosity: No information available
Miscibility: Miscible with water Miscible with many organic solvents	Solubility: Soluble in Ether Soluble in Chloroform Soluble in Benzene Soluble in hot alcohol Soluble in Acetone	

10. STABILITY AND REACTIVITY

Reactivity

Dimethylformamide forms explosive reactions with: Bromine, Potassium permanganate, Lithium azide, Triethylaluminum and heat, and Uranium perchlorate
 Reacts vigorously with oxidizing agents
 Reactive with reducing agents
 Reactive with acids

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Ignition sources. Incompatible materials.

Incompatible Materials:
 Oxidizing agents
 Reducing agents
 Acids
 Alkali Metals
 Sodium
 Bromine
 Phosphorous trioxide
 Chlorine
 Sodium borohydride
 Sodium tetrahydroborate
 Sodium hydride

Product code: HP572

Product name:
 N,N-DIMETHYLFORMAMIDE,
 EXCEEDS A.C.S. SPECIFICATIONS,
 HPLC GRADE

Page

Ethylene bromide
 Hexachlorobenzene
 Cyanuric chloride
 Lithium azide
 Triethylaluminum
 chlorinated hydrocarbons
 Diisocyanatomethane
 Methylene diisocyanate
 halogenated hydrocarbons
 Nitrates
 Carbon tetrachloride
 alkylaluminum compounds
 Sodium hydroborate and heat
 Sulfinyl chloride and traces of zinc or iron
 2,4,6-Trichloro-1,3,5-triazine
 2,5-dimethylpyrrole and phosphorus oxychloride

Hazardous decomposition products:

When heated to decomposition it emits toxic fumes. Carbon monoxide. Nitrogen oxides (NOx). Dimethylamine.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: Pure Dimethylformamide is essentially noncorrosive to metals. However, copper, tin and their alloys should be avoided

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:
 Ingestion. Skin. Inhalation.

Acute Toxicity

Component Information

N,N-Dimethylformamide	
CAS No	68-12-2

LD50/oral/rat = 2800 mg/kg Oral LD50 Rat; 2000 mg/kg Oral LD50 Rat
LD50/oral/mouse = 2900 mg/kg (RTECS)
 3750 mg/kg (RTECS)
LD50/dermal/rabbit = 4720 mg/kg (RTECS)
LD50/dermal/rat = 1100 mg/kg Dermal LD50; > 3.2 g/kg Dermal LD50
LC50/inhalation/rat = 3421 ppm 1 h (RTECS)
 1948 ppm 4 h (RTECS)
LC50/inhalation/mouse = 9.4 g/m³ 2 h (RTECS)
Other LD50 or LC50 information = 5000 mg/kg Oral LD50 Rabbit (LOLI)

Product Information

LD50/oral/rat =
Value - Acute Tox = 2000 mg/kg

Product code: HP572

Product name:
 N,N-DIMETHYLFORMAMIDE,
 EXCEEDS A.C.S. SPECIFICATIONS,
 HPLC GRADE

Page

LD50/oral/mouse =
Value - Acute Tox Oral = 2900 mg/kg

LD50/dermal/rabbit
Value - Acute Tox = 4720 mg/kg

LD50/dermal/rat
VALUE - Acute Tox Dermal = 1100 mg/kg

LC50/inhalation/rat
VALUE-Vapor = No information available
VALUE-Gas = 1948 ppm (4-hr)
VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse
VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = 9400 mg/m³ 2 hr

Symptoms

Skin Contact: May cause skin irritation. Mild skin irritation. It can be absorbed through the skin. May be harmful in contact with skin. It may facilitate the absorption of other dissolved substances. Absorption through the skin may cause systemic effects similar to those of inhalation or ingestion.

Eye Contact: Causes eye irritation. Severe eye irritation. Causes conjunctivitis. Lachrymator (substance which increases the flow of tears).

Inhalation Toxic by inhalation. May cause irritation of respiratory tract. Symptoms may include coughing and wheezing. Can cause dyspnea (shortness of breath and difficulty breathing). Causes lacrimation. May cause conjunctival irritation. May cause loss of appetite. May cause nausea, vomiting. May cause abdominal pain. May cause diarrhea or constipation. May cause cyanosis. May cause methemoglobinemia (the formation of methemoglobin in the blood which causes deficient oxygenation of the blood due to decreased available hemoglobin). Methemoglobinemia can lead to cyanosis (bluish skin and lips due to deficient oxygenation of the blood), and can result in fatigue, dizziness, lightheadedness, headache, mental impairment, incoordination, muscular weakness, convulsions/seizures, tachycardia or bradycardia (slow or fast heart beat), hypertension, dysrhythmias, dyspnea (shortness of breath and labored breathing), loss of consciousness, and death. Arterial blood with elevated methemoglobin levels has a characteristic chocolate-brown color as compared to normal bright red oxygen containing arterial blood. Severe methemoglobinemia is characterized by bradycardia or tachycardia (slow or fast heart beat), dysrhythmias, seizures, coma and death. May cause carboxyhemoglobinemia (the binding of hemoglobin to carbon monoxide in place of oxygen - also known as carbon monoxide poisoning). May affect the brain. It may affect behavior/central nervous system (convulsions/seizures). May affect behavior/central nervous system (somnolence). May affect behavior/central nervous system (central nervous system depression, headache, confusion, fatigue, irritability, muscle weakness, coma). It may affect the cardiovascular system (bradycardia, hypotension). May affect the kidneys. It may affect the liver (hepatotoxin - enlarged liver, elevated liver enzymes, jaundice). It may affect the blood (changes in serum composition). Exposure to dimethylformamide can cause ethanol intolerance. When occupationally exposed

Product code: HP572

Product name:
N,N-DIMETHYLFORMAMIDE,
EXCEEDS A.C.S. SPECIFICATIONS,
HPLC GRADE

Page

workers also ingest ethanol, it can cause flushing of the face and neck, abnormal taste (dysgeusia), and palpitations.

Ingestion

Harmful if swallowed. Ingestion may cause nausea, vomiting. May cause abdominal pain. May cause loss of appetite. May affect liver. May affect urinary system (kidneys). It may affect the blood (leukocytosis). May affect behavior/central nervous system (somnolence, ataxia, tetany, general anesthetic, muscle weakness). May affect the cardiovascular system (hypertension).

Aspiration hazard

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity

Prolonged or repeated ingestion may affect metabolism (cause anorexia, weight loss). Prolonged or repeated ingestion may affect the liver, and kidneys. Prolonged or repeated inhalation may affect the cardiovascular system (degenerative changes in the myocardium). Prolonged or repeated inhalation may cause central nervous system effects. Prolonged or repeated inhalation may cause loss of appetite. Prolonged or repeated inhalation may affect metabolism (weight loss). Prolonged or repeated inhalation may affect the brain. Prolonged or repeated inhalation may affect the kidneys. Prolonged or repeated inhalation may affect the liver. Prolonged or repeated skin absorption may affect the liver and kidneys. Prolonged or repeated exposure may affect the autonomic nervous system. Chronic intensive skin contact may cause dermatitis. Prolonged or repeated inhalation or ingestion may affect the blood (decrease in platelets and longer blood coagulation times, leukopenia, lymphocytosis, anemia, polycythemia).

Sensitization:

No information available.

Mutagenic Effects:

May affect genetic material
 Mutagenic effects in mammalian somatic cells
 Experiments with animal lymphocytes have shown mutagenic effects
 Mutations in microorganisms
 Experiments with bacteria have shown mutagenic effects

Carcinogenic effects:

Probably carcinogenic to humans.

Component	CAS No	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
N,N-Dimethylformamide	68-12-2	Group 2A- Probably carcinogenic to humans - Monograph 115 [2018] was on Group 3	A3 Confirmed Animal Carcinogen with Unknown Relevance to Humans	Not listed	Present	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Product code: HP572

Product name:
 N,N-DIMETHYLFORMAMIDE,
 EXCEEDS A.C.S. SPECIFICATIONS,
 HPLC GRADE

Page

Reproductive toxicity May damage fertility or the unborn child

Reproductive Effects: May cause adverse reproductive effects
May impair fertility

Developmental Effects: Experiments have shown reproductive toxicity effects on laboratory animals
May cause harm to the unborn child

Teratogenic Effects: May cause adverse developmental effects based on animal data
No information available

Specific Target Organ Toxicity

STOT - single exposure No information available.
STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.
Target Organs: Liver. Kidneys. Cardiovascular system. Nervous system. Central nervous system.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: Aquatic environment.

N,N-Dimethylformamide - 68-12-2

Algae/aquatic plants EC50: >500mg/L (96h, *Desmodesmus subspicatus*)
Fish LC50: =6300mg/L (96h, *Lepomis macrochirus*) LC50: =9800mg/L (96h, *Oncorhynchus mykiss*) LC50: =10410mg/L (96h, *Pimephales promelas*)
Crustacea EC50: =7500mg/L (48h, *Daphnia magna*) EC50: =8485mg/L (48h, *Daphnia magna*) EC50: 6800 - 13900mg/L (48h, *Daphnia magna*)

Persistence and degradability: No information available

Bioaccumulative potential: No information available.

Mobility in soil No information available
Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:
Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:
Empty containers should be taken for local recycling, recovery or waste disposal

Component	CAS No	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
N,N-Dimethylformamide	68-12-2	None	None	None	None

14. TRANSPORT INFORMATION

DOT
UN-No: UN2265

Product code: HP572

Product name:
N,N-DIMETHYLFORMAMIDE,
EXCEEDS A.C.S. SPECIFICATIONS,
HPLC GRADE

Page

Proper Shipping Name: N,N-Dimethylformamide
Hazard Class 3
Subsidiary Class No information available
Packing group: III
Emergency Response Guide Number 129
Marine Pollutant No data available
DOT RQ (lbs): No information available
Special Provisions B1, IB3, T2, TP2
Symbol(s): [DOT]: (R3) - Identifies a material that is a hazardous substance that has a reportable quantity (RQ) of 100 pounds (45.4 Kilograms).
Description: UN2265, N,N-Dimethylformamide, 3, III

TDG (Canada)

UN-No: UN2265
Proper Shipping Name: N,N-Dimethylformamide
Hazard Class 3
Subsidiary Risk: No information available
Packing Group: III
Marine Pollutant No Information available
Description: UN2265, N,N-Dimethylformamide, 3, III

ADR

UN Number UN2265
Proper Shipping Name: N,N-Dimethyl-formamide
Transport hazard class(es) 3
Packing group III
Subsidiary Risk: No information available
Description: UN2265, N,N-Dimethyl-formamide, 3, III

IMDG

UN-No: UN2265
Proper Shipping Name: N,N-Dimethylformamide
Hazard Class: 3
Subsidiary Risk: No information available
Packing Group: III
Marine Pollutant No information available
EMS: F-E
Description UN2265, N,N-Dimethylformamide, 3, III

RID

UN Number UN2265
Proper Shipping Name: N,N-Dimethylformamide
Transport hazard class(es) 3
Subsidiary Risk: 3
Packing group III
Description: UN2265, N,N-Dimethylformamide, 3, III

ICAO (air)

UN-No: UN2265
Proper Shipping Name: N,N-Dimethylformamide
Hazard Class 3
Subsidiary Risk: No information available
Packing Group: III
Description: UN2265, N,N-Dimethylformamide, 3, III

Product code: HP572

Product name:
N,N-DIMETHYLFORMAMIDE,
EXCEEDS A.C.S. SPECIFICATIONS,
HPLC GRADE

Page

IATA

UN Number UN2265
Proper Shipping Name: N,N-Dimethylformamide
Transport hazard class(es) 3
Subsidiary Risk: No information available
Packing group III
Precautionary Statements - Response 3L
Special Provisions No information available
Description: UN2265, N,N-Dimethylformamide, 3, III

15. REGULATORY INFORMATION

International Inventories

Component	CAS No	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	China IECS	Australia AICS	EINECS-No.
<i>N,N-Dimethylformamide</i>	68-12-2	PresentACTIVE	Present KE-11411	Present	Present (2)-680	Present	Present	Present 200-679-5

U.S. Regulations*N,N-Dimethylformamide*

Massachusetts RTK: Present
New Jersey RTK Hazardous Substance List: 0759
New Jersey (EHS) List: 0759 500 lb TPQ
New Jersey - Discharge Prevention - List of Hazardous Substances: Present
Pennsylvania RTK: Present
Minnesota - Hazardous Substance List: Present
New York Release Reporting - List of Hazardous Substances:
 1 lb RQ
Louisiana Reportable Quantity List for Pollutants: 100lbfinal RQ
 45.4kgfinal RQ
California Directors List of Hazardous Substances: Present

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.**Chemicals Known to the State of California to Cause Cancer:**

 **WARNING:** This product can expose you to chemicals including (see table below) which is (are) known to the State of California to cause cancer. For more information go to www.p65warnings.ca.gov.

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Component	CAS No	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
<i>N,N-Dimethylformamide</i>	68-12-2	carcinogen	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Component	CAS No	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
<i>N,N-Dimethylformamide</i>	68-12-2	100 lb final RQ 45.4 kg final RQ	None	None	None	1.0 % de minimis concentration

Product code: HP572

Product name:
 N,N-DIMETHYLFORMAMIDE,
 EXCEEDS A.C.S. SPECIFICATIONS,
 HPLC GRADE

Page

U.S. TSCA

Component	CAS No	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
N,N-Dimethylformamide	68-12-2	Not Applicable	Not Applicable

Canada

WHMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Component
N,N-Dimethylformamide
68-12-2 (100)

WHMIS 2015 Hazard Classification
Flammable liquids - Category 3: H226 Flammable liquid and vapour.; Acute toxicity - Inhalation - Category 4: H332 Harmful if inhaled.; Serious Eye Damage/Eye Irritation - Category 2A: H319 Causes serious eye irritation.; Reproductive Toxicity - Category 1: H360 May damage fertility or the unborn child.; Specific target organ toxicity - Repeated exposure - Category 1: H372 Causes damage to organs through prolonged or repeated exposure.

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

DSL/NDSL

Component	CAS No	Canada (DSL)	Canada (NDSL)
N,N-Dimethylformamide	68-12-2	Present	Not Listed

Component	CAS No	CEPA Schedule I - Toxic Substances
N,N-Dimethylformamide	68-12-2	Not listed
Component	CAS No	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
N,N-Dimethylformamide	68-12-2	Not listed

EU Classification

EU GHS - SV - CLP 1272/2008

Component	CAS No	EU GHS - SV - CLP (1272/2008)
N,N-Dimethylformamide	68-12-2	Acute toxicity - Dermal - Acute Tox. 4: H312 Harmful in contact with skin. (Minimum classification); Acute toxicity - Inhalation - Acute Tox. 4: H332 Harmful if inhaled. (Minimum classification); Serious Eye Damage/Eye Irritation - Eye Irrit. 2: H319 Causes serious eye irritation.; Reproductive Toxicity - Repr. 1B: H360D May damage the unborn child. (Hazard statements H360 and H361 indicate a general concern for effects on both fertility and development: May damage/Suspected of damaging fertility or the unborn child; According

Product code: HP572

Product name:
N,N-DIMETHYLFORMAMIDE,
EXCEEDS A.C.S. SPECIFICATIONS,
HPLC GRADE

Page

		to the criteria, the general hazard statement can be replaced by the hazard statement indicating the specific effect of concern in accordance with section 1.1.2.1.2; When the other differentiation is not mentioned, this is due to evidence proving no such effect, inconclusive data or no data and the obligations in Article 4(3) shall apply for that differentiation)616-001-00-X
--	--	---

EU - CLP (1272/2008)

R-phrase(s)

R36 - Irritating to eyes
R61 - May cause harm to the unborn child
R20/21 - Harmful by inhalation and in contact with skin

S -phrase(s)


S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)
S53 - Avoid exposure - obtain special instructions before use

Component	CAS No	Classification	Concentration Limits:	Safety Phrases
N,N-Dimethylformamide	68-12-2	Xn; R20/21 Xi; R36 Repr.Cat.2; R61	No information	S53 S45

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

Xn - Harmful
Xi - Irritant



16. OTHER INFORMATION

Preparation Date: 12/15/2015
Revision date: 1/15/2019
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no

Product code: HP572

Product name:
N,N-DIMETHYLFORMAMIDE,
EXCEEDS A.C.S. SPECIFICATIONS,
HPLC GRADE

Page

responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet

Product code: HP572

Product name:
N,N-DIMETHYLFORMAMIDE,
EXCEEDS A.C.S. SPECIFICATIONS,
HPLC GRADE

Page