# SAFETY DATA SHEET SPECTRUM®



Revision date 02-February-2022

Revision Number 3

## 1. Identification

**Product identifier** 

Product Name ETHYL ACETATE, EXCEEDS A.C.S. SPECIFICATIONS, HPLC GRADE

Other means of identification

Product Code(s) HP602

UN/ID no UN1173

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use or

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier AddressDistributorSpectrum Chemical Mfg. Corp.Distributed by:14422 South San Pedro St.TekniScience

Gardena, CA 90248 2425 Édouard Michelin Blvd.
(310) 516-8000 Terrebonne, Qc Canada J6Y 4P2
Telephone: 1-800-267-9799

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

# 2. Hazard(s) identification

## Classification

Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 2

## Hazards not otherwise classified (HNOC)

Not applicable

## Label elements

#### Danger

# Hazard statements

Causes serious eye irritation May cause respiratory irritation May cause drowsiness or dizziness Highly flammable liquid and vapor



Appearance clear Physical state Liquid Odor Ether-like and Fruity

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/.?/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/eye protection/face protection

Keep cool

## **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

In case of fire: Use CO2, dry chemical, or foam to extinguish

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up.

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other information

No information available.

# 3. Composition/information on ingredients

## Substance

Chemical name	CAS No	Weight-%	Trade secret
Ethyl Acetate	141-78-6	100	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. First-aid measures

#### **Description of first aid measures**

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eve contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

> eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

**Symptoms** May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Note to physicians

# 5. Fire-fighting measures

Dry chemical. Carbon dioxide (CO2). water spray. Alcohol resistant foam. Suitable Extinguishing Media Large Fire

CAUTION: Use of water spray when fighting fire may be inefficient.

Do not scatter spilled material with high pressure water streams. Unsuitable extinguishing media

Specific hazards arising from the

chemical

risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire

extinguishing water must be disposed of in accordance with local regulations.

Carbon Monoxide, Carbon Dioxide. **Hazardous combustion products** 

**Explosion data** 

Sensitivity to mechanical impact none.

Sensitivity to static discharge yes.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

> section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor **Methods for containment** 

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff

water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Take precautionary measures against static discharges. Dam up. Soak up with inert Methods for cleaning up

absorbent material. Pick up and transfer to properly labeled containers.

# 7. Handling and storage

## Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat,

hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In

case of insufficient ventilation, wear suitable respiratory equipment.

## Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national

regulations. Store in accordance with local regulations.

# 8. Exposure controls/personal protection

#### Control parameters

**Exposure Limits** 

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Acetate	No data available	400 ppm TWA	-
141-78-6		1400 mg/m³ TWA	

#### Appropriate engineering controls

**Engineering controls** Showers

> Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Skin and body protection

Antistatic boots.

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

Do not eat, drink or smoke when using this product. Contaminated work clothing should not General hygiene considerations

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

None known

None known

# 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid
Appearance clear
Color Colorless

Odor Ether-like and Fruity
Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pН no data available None known -83 °C / -117.4 °F Melting point / freezing point None known 77 °C / 170.6 °F Boiling point / boiling range None known -4.4 °C / 24.1 °F None known Flash point **Evaporation rate** 6.2 (butyl acetate = 1) None known None known Flammability (solid, gas) no data available None known Flammability Limit in Air

**Upper flammability or explosive** 11%

limits

Lower flammability or explosive 2%

limits

Vapor pressure10 @ 20°C (kPa)None knownVapor density3.04None knownRelative density0.9None knownWater solubilitySoluble in waterNone knownSolubility(ies)Soluble in EtherNone known

Soluble in hot alcohol Soluble in Acetone Soluble in Benzene

Partition coefficient 0.73

Autoignition temperature426.6 °C / 799.9 °FNone knownDecomposition temperatureNone knownKinematic viscosityno data availableNone known

Kinematic viscosity

Dynamic viscosity

Dynamic viscosity No data available

Other information

Explosive propertiesNo information availableOxidizing propertiesNo information availableSoftening pointNo information available

Molecular weight 88.11

VOC Content (%)

Liquid Density

Bulk density

No information available
No information available
No information available

# 10. Stability and reactivity

**Reactivity** No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions 
None under normal processing.

**Conditions to avoid** Heat, flames and sparks.

**Incompatible materials**None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

# 11. Toxicological information

#### Information on likely routes of exposure

Product Information

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May cause drowsiness or dizziness.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

**Skin contact** Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may

cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

**Acute toxicity** 

**Numerical measures of toxicity** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl Acetate	= 5620 mg/kg (Rat)	> 18000 mg/kg (Rabbit) > 20	= 4000 ppm (Rat) 4 h
141-78-6		mL/kg(Rabbit)	

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization

No information available.

Germ cell mutagenicity

No information available.

Reproductive toxicity No information available.

STOT - single exposure

May cause respiratory irritation. May cause drowsiness or dizziness. No information available.

STOT - repeated exposure Target organ effects

respiratory system, Eyes, Skin.

Aspiration hazard

No information available.

Other adverse effects

No information available.

Interactive effects

No information available.

# 12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Ethyl Acetate	EC50: =3300mg/L (48h,	LC50: 220 - 250mg/L	-	EC50: =560mg/L (48h,
141-78-6	Desmodesmus	(96h, Pimephales		Daphnia magna)
	subspicatus)	promelas) LC50: 352 -		
		500mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: =484mg/L (96h,		
		Oncorhynchus mykiss)		

Persistence and degradability Bioaccumulation

No information available. Inherently biodegradable.

**Component Information** 

Chemical name	Partition coefficient
Ethyl Acetate	0.6
141-78-6	

Other adverse effects No information available.

# 13. Disposal considerations

## Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld

containers.

# 14. Transport information

DOT

UN/ID no UN1173
Proper Shipping Name: Ethyl acetate

Hazard class 3 Packing group: II

Special Provisions IB2, T4, TP1

Marine Pollutant Severe Marine Pollutant

Description: UN1173, Ethyl acetate, 3, II

129

**Emergency Response Guide** 

Number

**TDG** 

UN-No: UN1173
Proper Shipping Name: Ethyl acetate

Hazard class 3
Packing Group:

**Description:** UN1173, Ethyl acetate, 3, II

MEX

UN-No UN1173
Proper Shipping Name Ethyl acetate

Hazard class 3 Packing Group II

**Description** UN1173, Ethyl acetate, 3, II

ICAO (air)

UN-No: UN1173
Proper Shipping Name: Ethyl acetate

Hazard class 3
Packing Group:

**Description:** UN1173, Ethyl acetate, 3, II

IATA

UN number UN1173
Proper Shipping Name: Ethyl acetate

Transport hazard class(es) 3
Packing group ||

**Description:** UN1173, Ethyl acetate, 3, II

**IMDG** 

UN number UN1173
Proper shipping name Ethyl acetate

Transport hazard class(es)

Packing group

EmS-No

Marine pollutant

3

F-E, S-D

NP1

**Description** UN1173, Ethyl acetate, 3, II, (-4.4°C c.c.)

RID

UN number UN1173
Proper Shipping Name: Ethyl acetate

Transport hazard class(es) 3
Packing group II
Classification code F1

**Description:** UN1173, Ethyl acetate, 3, II

Labels 3

**ADR** 

UN number 1173

Proper Shipping Name: Ethyl acetate

Transport hazard class(es)

Packing group

Classification code

Tunnel restriction code

(D/E)

**Description:** 1173, Ethyl acetate, 3, II, (D/E)

Labels 3

**ADN** 

UN/ID No UN1173
Proper shipping name Ethyl acetate

Transport hazard class(es) 3
Packing Group || Classification code || F1

**Description** UN1173, Ethyl acetate, 3, II

Hazard label(s) 3
Limited quantity (LQ) 1 L
ventilation VE01
Equipment Requirements PP, EX, A

# 15. Regulatory information

## **International Inventories**

TSCA Complies

DSL/NDSL Complies EINECS/ELINCS Complies

**ENCS IECSC**This product complies with ENCS:
This product complies with China:

KECL Complies PICCS Complies

AICS All the constituents of this material are listed on the Australian Inventory of Chemical

Substances (AICS).

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

## SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Ethyl Acetate	5000 lb final RQ	-
141-78-6	2270 kg final RQ	

## **US State Regulations**

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## **U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl Acetate	0841	Present	Environmental hazard
141-78-6			

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## 16. Other information

**NFPA** 

Health hazards 2 Flammability 3

Instability 0

Physical and chemical properties -

**HMIS** 

Health hazards 2 Flammability 3 Physical hazards 0 Personal protection X

# Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL

Ceiling Maximum limit value

STEL (Short Term Exposure Limit)

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 02-February-2022 Revision Note 02-February-2022 No information available.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**