

SAFETY DATA SHEET

Preparation Date: 9/10/2015

Revision Date: 9/12/2018

Revision Number: G2

1. IDENTIFICATION

Product identifier

Product code: HP842
Product Name: TETRAHYDROFURAN, WITHOUT STABILIZERFOR UVEXCEEDS A.C.S. SPECIFICATIONS, HPLC GRADE

Other means of identification

Synonyms: 1,4-Epoxybutane
Butane, 1,4-epoxy-
Butane, alpha,delta-oxide
Cyclotetramethylene oxide
Diethylene oxide
Furanidine
Oxacyclopentane
Oxolane
Tetrahydrofuranne (French)
Tétrahydrofurane (French)
TFH (French)
Tetramethylene oxide
Tetrahidrofurano (Spanish)

CAS #: 109-99-9
RTECS # LU5950000
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: Solvent.
Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp
14422 South San Pedro St.
Gardena, CA 90248
(310) 516-8000

Order Online At: <https://www.spectrumchemical.com>

Emergency telephone number Chemtrec 1-800-424-9300

Contact Person: Martin LaBenz (West Coast)

Contact Person: Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Product code: HP842

Product name:
TETRAHYDROFURAN, WITHOUT
STABILIZERFOR UVEXCEEDS A.C.S.
SPECIFICATIONS, HPLC GRADE

1 / 14

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 1
Flammable liquids	Category 2

Label elements

Danger

Hazard statements

Harmful if swallowed
 Causes skin irritation
 Causes serious eye irritation
 May cause respiratory irritation. May cause drowsiness or dizziness
 Causes damage to organs through prolonged or repeated exposure
 Highly flammable liquid and vapor



Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Not available

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Do not breathe dust/fume/gas/mist/vapors/spray
 Use only outdoors or in a well-ventilated area
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking
 Keep container tightly closed
 Ground/bond container and receiving equipment
 Use explosion-proof electrical/ventilating/lighting/.../equipment
 Use only non-sparking tools
 Take precautionary measures against static discharge
 Keep cool
 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Get medical advice/attention if you feel unwell
 In case of fire: Use CO₂, dry chemical, or foam to extinguish.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
 If skin irritation occurs: Get medical advice/attention
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse
 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
 Rinse mouth

Product code: HP842

Product name:
 TETRAHYDROFURAN, WITHOUT
 STABILIZER FOR UV EXCEEDS A.C.S.
 SPECIFICATIONS, HPLC GRADE

2 / 14

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed
Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Tetrahydrofuran	109-99-9	100

4. FIRST AID MEASURES

First aid measures

- General Advice:** National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222.
- Skin Contact:** Wash off immediately with soap and plenty of water removing all contaminated clothing and shoes. Get medical attention if irritation develops. If skin irritation persists, call a physician.
- Eye Contact:** Flush eyes with water for 15 minutes. Get medical attention.
- Inhalation:** Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.
- Ingestion:** Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

- Symptoms**
- Causes serious eye irritation
 - Causes skin irritation
 - Irritating to respiratory system
 - Inhalation of vapors may cause dizziness or suffocation
 - Inhalation of high concentrations may cause loss of consciousness (anesthesia)
 - Central nervous system effects
 - May cause nausea, headache, vomiting
 - May cause loss of appetite
 - It may affect the kidneys
 - May affect the liver
 - It may affect the heart
 - It may affect the thymus gland
 - It may affect the spleen

Indication of any immediate medical attention and special treatment needed

- Notes to Physician:** Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Product code: HP842

Product name:
TETRAHYDROFURAN, WITHOUT
STABILIZER FOR UV EXCEEDS A.C.S.
SPECIFICATIONS, HPLC GRADE

3 / 14

Suitable Extinguishing Media: Carbon dioxide (CO2). Dry chemical. Water spray mist or foam.

Unsuitable Extinguishing Media: Do not use a solid (straight) water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Hazardous Combustion Products: Carbon Monoxide, Carbon Dioxide.

Specific hazards: Highly flammable. May be ignited by heat, sparks or flames. Container explosion may occur under fire conditions or when heated. Vapor may travel considerable distance to source of ignition and flash back. Vapors may form explosive mixtures with air. Most vapors are heavier than air. They will spread along the ground and collect in low or confined areas (sewers, basements, tanks). Fire may produce irritating, corrosive and/or toxic gases.

Special Protective Actions for Firefighters

Specific Methods: Water mist may be used to cool closed containers. For larger fires, use water spray or fog. Cool containers with flooding quantities of water until well after fire is out.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes and clothing. Use personal protective equipment. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use spark-proof tools and explosion-proof equipment. In case of large spill, water spray or vapor suppressing foam may be used to reduce vapors, but may not prevent ignition in closed spaces.

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not let this chemical enter the environment. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Absorb spill with inert material (e.g. vermiculite, dry sand or earth). In case of large spill, dike if needed. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up Use appropriate tools to put the spilled material in a suitable chemical waste disposal container. Use only non-sparking tools. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Product code: HP842

Product name:
TETRAHYDROFURAN, WITHOUT
STABILIZER FOR UV EXCEEDS A.C.S.
SPECIFICATIONS, HPLC GRADE

4 / 14

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Remove all sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not breathe vapors or spray mist. Do not ingest. When using do not smoke. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Keep away from heat and sources of ignition. Store in a segregated and approved area. Store away from incompatible materials. Protect from light.

Incompatible Materials:

Oxidizing agents
Acids
Bases

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WEEL
Tetrahydrofuran	109-99-9	200 ppm TWA 590 mg/m ³ TWA	200 ppm TWA 590 mg/m ³ TWA 250 ppm STEL 735 mg/m ³ STEL	100 ppm STEL 50 ppm TWA	None

Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Tetrahydrofuran	109-99-9	50 ppm TWA 147 mg/m ³ TWA 100 ppm STEL 295 mg/m ³ STEL	50 ppm TWA 100 ppm STEL	100 ppm STEL	None

Australia and Mexico

Components	CAS-No.	Australia	Mexico
Tetrahydrofuran	109-99-9	100 ppm TWA 295 mg/m ³ TWA	200 ppm TWA 590 mg/m ³ TWA 250 ppm STEL 735 mg/m ³ STEL

Appropriate engineering controls

Product code: HP842

Product name:
TETRAHYDROFURAN, WITHOUT
STABILIZER FOR UV EXCEEDS A.C.S.
SPECIFICATIONS, HPLC GRADE

5 / 14

Engineering measures to reduce exposure:

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment**Personal Protective Equipment**

Eye protection:	Goggles Safety glasses with side-shields.
Skin and body protection:	Chemical resistant apron Long sleeved clothing Gloves
Respiratory protection:	Vapor respirator. Be sure to use an approved/certified respirator or equivalent.
Hygiene measures:	Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid	Appearance: No information available.	Color: Colorless. Water-white.
Odor: Ether-like. Fruity.	Taste: Pungent.	Formula: C4-H8-O
Molecular/Formula weight (g/mole): 72.11	Flammability: No information available	Flash point (°C): -14.5 deg. C.
Flashpoint (°C/°F): -14.5 °C/5.9 °F -20 °C/-4 °F	Flash Point Tested according to: Closed cup Open cup	Autoignition Temperature (°C/°F): 321 °C/609.8 °F
Lower Explosion Limit (%): 2%	Upper Explosion Limit (%): 11.8%	Melting point/range(°C/°F): -108.44 °C/-163.19 °F
Decomposition temperature(°C/°F): No information available	Boiling point/range(°C/°F): 65-66 °C/149-151 °F	Bulk density: No information available
Density (g/cm3): 0.8833 @ 25 °C	Specific gravity: 0.8892	pH: No information available
Vapor pressure @ 20°C (kPa): 19.3	Evaporation rate: No information available	Vapor density: 2.5
VOC content (g/L): No information available	Odor threshold (ppm): 20-50	Partition coefficient (n-octanol/water): 0.46
Viscosity: No information available	Miscibility: Miscible with water Miscible with ketones Miscible with ethers Miscible with esters Miscible with alcohols	

Product code: HP842

Product name:
TETRAHYDROFURAN, WITHOUT
STABILIZER FOR UV EXCEEDS A.C.S.
SPECIFICATIONS, HPLC GRADE

6 / 14

Miscible with hydrocarbons

Solubility:

Very soluble in Acetone
Very soluble in Benzene
Very soluble in Dimethyl Sulfoxide
Very soluble in chloroform
Very soluble in Ethanol
Solubility in Water: 30%

10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents, acids, and bases
Can form explosive peroxides upon exposure to air or light. It may be an explosion hazard when the peroxides are concentrated due to evaporation
Reacts vigorously with Bromine, Calcium hydride + heat
Reacts with lithium aluminum hydride and other lithium-aluminum alloys causing fire or explosion

Chemical stability

Stability: It does not contain a stabilizer (inhibitor). Can form explosive peroxides upon exposure to air or light. It may be an explosion hazard when the peroxides are concentrated due to evaporation. Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Ignition sources. Incompatible materials. Exposure to air. Exposure to light.

Incompatible Materials: Oxidizing agents
Acids
Bases

Hazardous decomposition products: Carbon monoxide. Carbon dioxide.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:
Ingestion. Skin. Inhalation.

Acute Toxicity

Component Information

Tetrahydrofuran	
CAS-No.	109-99-9

LD50/oral/rat = 1650 mg/kg Oral LD50 Rat

LD50/oral/mouse = 2000-2500 mg/kg

LD50/dermal/rabbit = No information available

LD50/dermal/rat = No information available

LC50/inhalation/rat = 180-243 mg/L Inhalation LC50 Rat 1 h

Product code: HPS42

33.9-66 mg/L Inhalation LC50 Rat 4 h

21000 ppm Inhalation LC50 Rat 3 h

LC50/inhalation/mouse = No information available

Other LD50 or LC50 information = 2300-2600 mg/kg Oral LD50 Guinea pig

Product name:
TETRAHYDROFURAN, WITHOUT
STABILIZER FOR UV EXCEEDS A.C.S.
SPECIFICATIONS, HPLC GRADE

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = 1650 mg/kg

LD50/oral/mouse =

Value - Acute Tox Oral = 2000 mg/kg

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available

VALUE-Gas = 21000 ppm (3-hr)

VALUE-Dust/Mist = 53.9 mg/l (4-hr.)

LC50/Inhalation/mouse

VALUE-Vapor = No information available

VALUE - Gas = No information available

VALUE - Dust/Mist = No information available

Symptoms

Skin Contact:

Irritating to skin. It can be absorbed through the skin.

Eye Contact:

Causes eye irritation.

Inhalation

Irritating to respiratory system. Exposure to high concentrations may cause headache, nausea, vomiting. May cause abdominal pain. May cause loss of appetite. It may affect respiration (respiratory stimulation). Can cause dyspnea (shortness of breath and difficulty breathing). It may affect behavior/central nervous system (ataxia, general anesthetic, drowsiness). Inhalation of high concentrations of vapors may cause dizziness or suffocation. Inhalation of high concentrations of vapor may cause anesthetic effects. It may affect behavior/central nervous system (convulsions/seizures). May cause muscle weakness. May affect peripheral nervous system (flaccid paralysis without anesthesia (usually neuromuscular blockage)). May affect behavior/central nervous system (loss of consciousness, coma). May affect the kidneys.

Ingestion

Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May affect respiration (respiratory depression). May affect behavior/central nervous system (ataxia). May cause loss of appetite. May cause muscle weakness.

Aspiration hazard

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity

Prolonged or repeated skin contact may cause dermatitis, and dryness and cracking of the skin. Prolonged or repeated inhalation can irritate the lungs. Prolonged or repeated inhalation may affect the kidneys. Prolonged or repeated inhalation may affect the liver. Prolonged or repeated inhalation may cause bronchitis with coughing, phlegm, and/or shortness of breath. Prolonged or

Product code: HP842

Product name:
TETRAHYDROFURAN, WITHOUT
STABILIZER FOR UVEXCEEDS A.C.S.
SPECIFICATIONS, HPLC GRADE

8 / 14

repeated inhalation may cause loss of appetite. Prolonged or repeated inhalation may affect metabolism (weight loss). Prolonged or repeated inhalation may affect the spleen. Prolonged or repeated inhalation may affect the heart. Prolonged or repeated inhalation may affect the thymus gland. Prolonged or repeated inhalation may affect the blood (changes in white blood cell count). Prolonged or repeated ingestion may cause weight loss. Prolonged or repeated ingestion may cause loss of appetite. Prolonged or repeated ingestion may affect the blood (changes in white blood cell count). Prolonged or repeated inhalation may affect the blood (changes in red blood cell count). Prolonged or repeated ingestion may affect the blood (changes in clotting factors). Prolonged or repeated ingestion may affect the liver, and kidneys.

Sensitization: No information available.

Mutagenic Effects: Mutations in microorganisms
Experiments with bacteria have shown mutagenic effects

Carcinogenic effects: May cause cancer based on animal test data. Confirmed Animal Carcinogen with Unknown Relevance to Humans.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Tetrahydrofuran	109-99-9	Group 2B - Possibly carcinogenic to humans - Monograph 119 [in preparation]	A3 Confirmed Animal Carcinogen with Unknown Relevance to Humans	Not listed	Present	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects: No information available

Developmental Effects: There is limited evidence limited evidence that Tetrahydrofuran is a developmental toxin or teratogen in animals

No information on developmental toxicity effects on humans was found

Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure STOT - single exposure. Respiratory system. central nervous system.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.

Target Organs: Skin. Respiratory system. Liver. Kidneys.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product code: HP842

Product name:
TETRAHYDROFURAN, WITHOUT
STABILIZERFOR UVEXCEEDS A.C.S.
SPECIFICATIONS, HPLC GRADE

9 / 14

Ecotoxicity effects: Aquatic environment.

Tetrahydrofuran - 109-99-9

Freshwater Fish Species Data: 1970 - 2360 mg/L LC50 Pimephales promelas 96 h flow-through 1 2700 - 3600 mg/L LC50 Pimephales promelas 96 h static 1

Water Flea Data: 5930 mg/L EC50 Daphnia magna 24 h

Persistence and degradability: No information available

Bioaccumulative potential: Potential for bioconcentration in aquatic organisms is low.

Mobility: It is expected to have very high mobility based on estimated Koc.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:
Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:
Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Tetrahydrofuran	109-99-9	None	None	None	U213 ignitable waste

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated

Proper Shipping Name: Tetrahydrofuran

Hazard Class: 3

Subsidiary Class: No information available

Packing group: No information available

Emergency Response Guide Number: No information available

Marine Pollutant: No data available

DOT RQ (lbs): No information available

Special Provisions: No Information available

Symbol(s): [DOT]: (R4) - Identifies a material that is a hazardous substance that has a reportable quantity (RQ) of 1000 pounds (454 Kilograms).

Description: UN2056, Tetrahydrofuran ,3,,PG II

TDG (Canada)

UN-No: UN2056

Proper Shipping Name: Tetrahydrofuran

Hazard Class: 3

Subsidiary Risk: No information available

Packing Group: II

Marine Pollutant: No Information available

Description: TETRAHYDROFURAN,3,UN2056,PG II

ADR

UN-No: UN2056

Product code: HP842

Product name:
TETRAHYDROFURAN, WITHOUT
STABILIZER FOR UV EXCEEDS A.C.S.
SPECIFICATIONS, HPLC GRADE

10 / 14

Proper Shipping Name: Tetrahydrofuran
Hazard Class: 3
Packing Group: II
Subsidiary Risk: No information available
Description: UN2056 Tetrahydrofuran,3,II

IMO / IMDG

UN-No: UN2056
Proper Shipping Name: Tetrahydrofuran
Hazard Class: 3
Subsidiary Risk: No information available
Packing Group: II
Marine Pollutant No information available
EMS: F-E

RID

UN-No: UN2056
Proper Shipping Name: Tetrahydrofuran
Hazard Class: 3
Subsidiary Risk: 3
Packing Group: II
Description: UN2056 Tetrahydrofuran,3,II,RID

ICAO

UN-No: UN2056
Proper Shipping Name: Tetrahydrofuran
Hazard Class: 3
Subsidiary Risk: No information available
Packing Group: II
Description: Tetrahydrofuran,3,UN2056,PG II

IATA

UN-No: UN2056
Proper Shipping Name: Tetrahydrofuran
Hazard Class: 3
Subsidiary Risk: No information available
Packing Group: II
ERG Code: 3H
Special Provisions No information available
Description: UN2056,Tetrahydrofuran,3,PG II

15. REGULATORY INFORMATION

International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
<i>Tetrahydrofuran</i>	109-99-9	PresentACTIVE	Present KE-33454	Present	Present (5)-53	Present	Present	Present 203-726-8

U.S. Regulations

Tetrahydrofuran

Massachusetts RTK: Present
New Jersey RTK Hazardous Substance List: 1823
New Jersey - Discharge Prevention - List of Hazardous Substances: Present

Product code: HP842

Product name:
 TETRAHYDROFURAN, WITHOUT
 STABILIZERFOR UVEXCEEDS A.C.S.
 SPECIFICATIONS, HPLC GRADE

Pennsylvania RTK: Environmental hazard
Pennsylvania RTK - Environmental Hazard List Present
Minnesota - Hazardous Substance List: Present
New York Release Reporting - List of Hazardous Substances:
 1000 lb RQ
 100 lb RQ
Louisiana Reportable Quantity List for Pollutants: 1000lbfinal RQ
 454kgfinal RQ
California Directors List of Hazardous Substances: Present

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Tetrahydrofuran	109-99-9	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Tetrahydrofuran	109-99-9	1000 lb final RQ 454 kg final RQ	None	None	None	None

U.S. TSCA

Components	CAS-No.	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Tetrahydrofuran	109-99-9	Not Applicable	03/11/199406/30/1998

Canada

WHMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Component
 Tetrahydrofuran
 109-99-9 (100)

WHMIS 2015 Hazard Classification
 Flammable liquids - Category 2: H225 Highly flammable liquid and vapour.; Serious Eye Damage/Eye Irritation - Category 2: H319 Causes serious eye irritation.; Specific target organ toxicity - Single exposure - Category 3: H335 May cause respiratory irritation.

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

Components	WHMIS Ingredient Disclosure List -
Tetrahydrofuran	1 %

Inventory

Product code: HP842

Product name:
 TETRAHYDROFURAN, WITHOUT
 STABILIZERFOR UVEXCEEDS A.C.S.
 SPECIFICATIONS, HPLC GRADE

12 / 14

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
Tetrahydrofuran	109-99-9	Present	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Tetrahydrofuran	109-99-9	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Tetrahydrofuran	109-99-9	Not listed

EU Classification

EU GHS - SV - CLP 1272/2008

Components	CAS-No.	EU GHS - SV - CLP (1272/2008)
Tetrahydrofuran	109-99-9	Flammable liquids - Flam. Liq. 2: H225 Highly flammable liquid and vapour.; Serious Eye Damage/Eye Irritation - Eye Irrit. 2: H319 Causes serious eye irritation. (C >= 25 %); Carcinogenicity - Carc. 2: H351 Suspected of causing cancer.; Specific target organ toxicity - Single exposure - STOT SE 3: H335 May cause respiratory irritation. (C >= 25 %); Supplemental Hazards: EUH019 May form explosive peroxides.603-025-00-0 Serious Eye Damage/Eye Irritation - Eye Irrit. 2: H319 Causes serious eye irritation. (C >= 25 %); Specific target organ toxicity - Single exposure - STOT SE 3: H335 May cause respiratory irritation. (C >= 25 %) 603-025-00-0

EU - CLP (1272/2008)

R-phrase(s)

R11 - Highly flammable.
R19 - May form explosive peroxides.
R36/37 - Irritating to eyes and respiratory system.

S -phrase(s)

S 2 - Keep out of the reach of children.
S16 - Keep away from sources of ignition - No smoking.
S29 - Do not empty into drains.
S33 - Take precautionary measures against static discharges.
S36 - Wear suitable protective clothing.
S37 - Wear suitable gloves.
S46 - If swallowed, seek medical advice immediately and show this container or label.

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
Tetrahydrofuran	109-99-9	F; R11-19 Carc.Cat.3; R40 Xi; R36/37	25%<=C Xi; R36/37	S: (2)-13-16-29-33-36-37-46

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Product code: HP842

Product name:
TETRAHYDROFURAN, WITHOUT
STABILIZERFOR UVEXCEEDS A.C.S.
SPECIFICATIONS, HPLC GRADE

13 / 14

Indication of danger:

F - Highly flammable.

Xi - Irritant.

Xi



F

**16. OTHER INFORMATION**

Preparation Date: 9/10/2015
Revision Date: 9/12/2018
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet