



Material Safety Data Sheet

NFPA	HMIS	Personal Protective Equipment						
	<table><tr><td>Health Hazard</td><td>1</td></tr><tr><td>Fire Hazard</td><td>3</td></tr><tr><td>Reactivity</td><td>0</td></tr></table>	Health Hazard	1	Fire Hazard	3	Reactivity	0	 See Section 15.
Health Hazard	1							
Fire Hazard	3							
Reactivity	0							

Section 1. Chemical Product and Company Identification			Page Number: 1	
Common Name/ Trade Name		Palladium on Charcoal (5-10%)	Catalog Number(s).	P1004, P1006
Manufacturer		SPECTRUM CHEMICAL MFG. CORP. 14422 S. SAN PEDRO STREET GARDENA, CA 90248	CAS#	Mixture.
Commercial Name(s)		Not available.	RTECS	Not applicable.
Synonym		Not available.	TSCA	TSCA 8(b) inventory: Palladium; Charcoal
Chemical Name		Not applicable.	CI#	Not applicable.
Chemical Family		(Inert material.)	<u>IN CASE OF EMERGENCY</u> <u>CHEMTREC (24hr) 800-424-9300</u> CALL (310) 516-8000	
Chemical Formula		Not applicable.		
Supplier		SPECTRUM CHEMICAL MFG. CORP. 14422 S. SAN PEDRO STREET GARDENA, CA 90248		

Section 2. Composition and Information on Ingredients					
		Exposure Limits			
Name	CAS #	TWA (mg/m ³)	STEL (mg/m ³)	CEIL (mg/m ³)	% by Weight
1) Palladium	7440-05-3				5-10
2) Charcoal	7440-44-0	3.5			90-95
Toxicological Data on Ingredients Palladium LD50: Not available. LC50: Not available. Charcoal LD50: Not available. LC50: Not available.					

Section 3. Hazards Identification	
Potential Acute Health Effects	Slightly hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation.
Potential Chronic Health Effects	CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance is toxic to lungs, mucous membranes. Repeated or prolonged exposure to the substance can produce target organs damage.

Continued on Next Page

Section 4. First Aid Measures

Eye Contact	No known effect on eye contact, rinse with water for a few minutes.
Skin Contact	After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cover the irritated skin with an emollient. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.
Serious Skin Contact	Not available.
Inhalation	Allow the victim to rest in a well ventilated area. Seek immediate medical attention.
Serious Inhalation	Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.
Ingestion	Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.
Serious Ingestion	Not available.

Section 5. Fire and Explosion Data

Flammability of the Product	Flammable.
Auto-Ignition Temperature	Not available.
Flash Points	Not available.
Flammable Limits	Not available.
Products of Combustion	Some metallic oxides.
Fire Hazards in Presence of Various Substances	Not available.
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.
Fire Fighting Media and Instructions	Flammable solid. SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray or fog. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosion.
Special Remarks on Fire Hazards	Material in powder form, capable of creating a dust explosion. (Charcoal)
Special Remarks on Explosion Hazards	Not available.

Section 6. Accidental Release Measures

Small Spill	Use appropriate tools to put the spilled solid in a convenient waste disposal container.
Large Spill	Spontaneously combustible solid. Stop leak if without risk. Absorb with an inert material and put the spilled material in an appropriate waste disposal. Obtain advice on use of water as spilled material may react with it. Do not touch spilled material. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Cover with wet earth, sand or other non-combustible material. Call for assistance on disposal. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

Section 7. Handling and Storage

Precautions	Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not breathe dust.
Storage	Flammable materials should be stored in a separate safety storage cabinet or room. Keep away from heat. Keep away from sources of ignition. Keep container tightly closed. Keep in a cool, well-ventilated place. Ground all equipment containing material. Keep container dry. Keep in a cool place.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.
Personal Protection	Safety glasses. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.
Exposure Limits	Charcoal TWA: 3.5 (mg/m ³) from ACGIH (TLV) Consult local authorities for acceptable exposure limits.

Section 9. Physical and Chemical Properties

Physical state and appearance	Solid.	Odor	Not available.
Molecular Weight	Not applicable.	Taste	Not available.
pH (1% soln/water)	Not applicable.	Color	Dark.
Boiling Point	Not available.		
Melting Point	3500°C (6332°F) based on data for: Charcoal. Weighted average: 3354.16°C (6069.5°F)		
Critical Temperature	Not available.		
Specific Gravity	Weighted average: 3.71 (Water = 1)		
Vapor Pressure	Not applicable.		
Vapor Density	Not available.		
Volatility	Not available.		
Odor Threshold	Not available.		
Water/Oil Dist. Coeff.	Not available.		
Ionicity (in Water)	Not available.		
Dispersion Properties	Not available.		
Solubility	Insoluble in cold water.		

Section 10. Stability and Reactivity Data

Stability	The product is stable.
Instability Temperature	Not available.
Conditions of Instability	Not available.
Incompatibility with various substances	Not available.
Corrosivity	Non-corrosive in presence of glass.
Special Remarks on Reactivity	Not available.
Special Remarks on Corrosivity	Not available.
Polymerization	No.

Section 11. Toxicological Information

Routes of Entry	Not available.
Toxicity to Animals	LD50: Not available. LC50: Not available.
Chronic Effects on Humans	The substance is toxic to lungs, mucous membranes.
Other Toxic Effects on Humans	Slightly hazardous in case of skin contact (irritant), of ingestion, of inhalation.
Special Remarks on Toxicity to Animals	Not available.
Special Remarks on Chronic Effects on Humans	Not available.
Special Remarks on other Toxic Effects on Humans	Nuisance dust. (Charcoal)

Section 12. Ecological Information

Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	The product itself and its products of degradation are not toxic.
Special Remarks on the Products of Biodegradation	Not available.

Section 13. Disposal Considerations

Waste Disposal

Section 14. Transport Information**DOT Classification** CLASS 4.2: Spontaneously combustible substance.**Identification** : Carbon, activated (Charcoal) : UN1362 PG: III**Special Provisions for Transport** Not available.**DOT (Pictograms)****Section 15. Other Regulatory Information and Pictograms****Federal and State Regulations** TSCA 8(b) inventory: Palladium; Charcoal

California Proposition 65 Warnings California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: No products were found.

California prop. 65: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: No products were found.

Other Regulations OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).**Other Classifications** **WHMIS (Canada)** CLASS D-2A: Material causing other toxic effects (VERY TOXIC).**DSCL (EEC)** This product is not classified according to the EU regulations.**HMIS (U.S.A.)**

Health Hazard	1
Fire Hazard	3
Reactivity	0
Personal Protection	E

National Fire Protection Association (U.S.A.)

Health



Flammability

Reactivity

Specific hazard

WHMIS (Canada) (Pictograms)**DSCL (Europe) (Pictograms)****TDG (Canada) (Pictograms)**

Continued on Next Page

**ADR (Europe)
(Pictograms)**



Protective Equipment



Gloves.



Lab coat.



Dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.



Safety glasses.

Section 16. Other Information

MSDS Code P3020

References Not available.

Other Special Considerations Not available.

Validated by Sonia Owen on 8/11/2006.

Verified by Sonia Owen.

Printed 9/13/2006.

CALL (310) 516-8000

Notice to Reader

All chemicals may pose unknown hazards and should be used with caution. This Material Safety Data Sheet (MSDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this MSDS is based on technical data judged to be reliable, Spectrum Quality Products, Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.