



Material Safety Data Sheet

NFPA	HMIS	Personal Protective Equipment
100	Health Hazard Fire Hazard 0	
	Reactivity 0	See Section 15.

Section 1. Chem	ical Product and Company Identification		Page Number: 1
Common Name/ Trade Name	Aluminum ICP Standard	Catalog Number(s).	PM105
		CAS#	Mixture.
Manufacturer	SPECTRUM QUALITY PRODUCTS INC.	RTECS	Not applicable.
	14422 S. SAN PEDRO STREET GARDENA, CA 90248	TSCA	TSCA 8(b) inventory: Aluminum; Hydrochloric acid; Water
Commercial Name(s)	Not available.	CI#	Not applicable.
Synonym	Not available.	DI CACE OF	
Chemical Name	Not applicable.		EMERGENCY 2 (24hr) 800-424-9300
Chemical Family	Acid.	CALL (310) 5	16-8000
Chemical Formula	Not applicable.		
Supplier	SPECTRUM QUALITY PRODUCTS INC. 14422 S. SAN PEDRO STREET GARDENA, CA 90248		

			Exposure Limits			
Name		CAS#	TWA (mg/m³)	STEL (mg/m³)	CEIL (mg/m³)	% by Weight
Aluminum Hydrogen chloride Water		7429-90-5 7647-01-0 7732-18-5	10 7.5		5	0.1 1.85 98.1
Toxicological Data on Ingredients	Aluminum LD50: Not available. LC50: Not available. Hydrogen chloride LD50: Not available. LC50: Not available.		•			

Aluminum ICP Standard Page Number: 2

Section 3. Hazards Identification

Potential Acute Health Effects Hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (corrosive, permeator). Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath.

Potential Chronic Health Effects

Non-corrosive for skin. Non-irritating to the eyes. Non-hazardous in case of ingestion. Non-hazardous in case of inhalation.

CARCINOGENIC EFFECTS: Not available. **MUTAGENIC EFFECTS**: Not available. TERATOGENIC EFFECTS: Not available. **DEVELOPMENTAL TOXICITY**: Not available.

The substance is toxic to lungs, mucous membranes.

Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection.

Section 4. First A	id Measures
Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
Skin Contact	In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
Serious Skin Contact	Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Serious Inhalation	Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. WARNING: It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek immediate medical attention.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.
Serious Ingestion	Not available.

Section 5. Fire and E.	xplosion Data
Flammability of the Product	Non-flammable.
Auto-Ignition Temperature	Not applicable.
Flash Points	Not applicable.
Flammable Limits	Not applicable.
Products of Combustion	Not available.
Fire Hazards in Presence of Various Substances	Not applicable.
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.
Fire Fighting Media and Instructions	Not applicable.
Special Remarks on Fire Hazards	Not available.
Continued on Next	Page

Continuea on Next Page

Aluminum ICP Stand	dard		Page Number: 3
Special Remarks on Explosion Hazards	Not available.		
Section 6. Accidental	Release Measures		
Small Spill	Absorb with an inert material and put the spille Neutralize the residue with a dilute solution of so		l in an appropriate waste disposal. If necessary: bonate.
Large Spill	Corrosive liquid. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of sodium carbonate. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.		
Section 7. Handling a	and Storage		
Precautions	water to this product. Wear suitable protective respiratory equipment. If ingested, seek medical a away from incompatibles such as alkalis. May corrode metallic surfaces. Store in a metallic	clothing advice imr	es/ vapor/spray. Avoid contact with skin. Never add. In case of insufficient ventilation, wear suitable mediately and show the container or the label. Keep d fiberboard drum using a strong polyethylene inner
Storage	package. Keep container tightly closed. Keep container in a conta	cool, well-	ventilated area.
Soction 9 Evaccura	Controls/Personal Protection		
-			
Engineering Controls			eep the airborne concentrations of vapors below their stations and safety showers are proximal to the
Personal Protection	Face shield. Full suit. Vapor respirator. Be sure Boots.	to use ar	approved/certified respirator or equivalent. Gloves.
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should lused to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a special BEFORE handling this product.		
Exposure Limits	Aluminum TWA: 10 Hydrogen chloride TWA: 5 CEIL: 5 from OSHA (PEL) [United States] TWA: 7.5 CEIL: 7 from OSHA (PEL) [United States]		
	Consult local authorities for acceptable exposure lin	nits.	
Section 9. Physical a	nd Chemical Properties		
Physical state and appearance	Liquid.	Odor	Not available.
Molecular Weight	Not applicable.	Taste	Not available.
pH (1% soln/water)	Acidic.	Color	Clear Colorless.
Boiling Point	The lowest known value is 100°C (212°F) (Water).		
Melting Point	Not available.		
	Not available.		
Critical Temperature			
	Weighted average: 1 (Water = 1)		
Critical Temperature Specific Gravity Vapor Pressure	Weighted average: 1 (Water = 1) The highest known value is 2.3 kPa (@ 20°C) (Water = 1)	ter).	
Specific Gravity			

Aluminum ICP Standard Page Nul		Page Number: 4
Odor Threshold	Not available.	
Water/Oil Dist. Coeff.	The product is insoluble in water and oil.	
Ionicity (in Water)	Not available.	
Dispersion Properties	Is not dispersed in cold water, hot water. See solubility in methanol.	
Solubility	Soluble in methanol. Insoluble in cold water, hot water, diethyl ether, n-octanol.	

Section 10. Stability	and Reactivity Data
Stability	The product is stable.
Instability Temperature	Not available.
Conditions of Instability	Not available.
Incompatibility with various substances	Highly reactive with alkalis. Slightly reactive to reactive with metals.
Corrosivity	Highly corrosive in presence of aluminum, of zinc, of copper. Corrosive in presence of steel. Slightly corrosive in presence of stainless steel(304), of stainless steel(316). Non-corrosive in presence of glass.
Special Remarks on Reactivity	Reacts violently with water especially when water is added to the product. (Hydrogen chloride)
Special Remarks on Corrosivity	Highly corrosive. Incompatible with copper alloys. (Hydrogen chloride)
Polymerization	Will not occur.

Section 11. Toxicolo	ogical Information
Routes of Entry	Eye contact. Inhalation. Ingestion.
Toxicity to Animals	LD50: Not available. LC50: Not available.
Chronic Effects on Humans	Not available.
Other Toxic Effects on Humans	Hazardous in case of skin contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (permeator).
Special Remarks on Toxicity to Animals	Not available.
Special Remarks on Chronic Effects on Humans	Not available.
Special Remarks on other Toxic Effects on Humans	Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract. (Hydrogen chloride)

Section 12. Ecologic	cal Information
Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	The products of degradation are less toxic than the product itself.

Continued on Next Page

Aluminum ICP Standard

Special Remarks on the Products of Biodegradation Not available.

Section 13. Disposal Considerations

Waste Disposal

Section 14. Transport Information

DOT Classification

Class 8: Corrosive material

Identification

: Corrosive liquid, acidic, inorganic, n.o.s. (Aluminum, Hydrochloric Acid Solution) UNNA: UN3264 PG: III

Special Provisions for Transport Not available.

DOT (Pictograms)



Section 15. Other Regulatory Information and Pictograms

Federal and State Regulations Pennsylvania RTK: Aluminum; Hydrochloric acid Massachusetts RTK: Aluminum; Hydrochloric acid TSCA 8(b) inventory: Aluminum; Hydrochloric acid; Water

SARA 302/304/311/312 extremely hazardous substances: Hydrochloric acid SARA 313 toxic chemical notification and release reporting: Hydrochloric acid 5%

CERCLA: Hazardous substances.: Hydrochloric acid;

California Proposition 65

Warnings

Other Regulations OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

Other Classifications

WHMIS (Canada) CLASS D-2A: Material causing other toxic effects (VERY TOXIC). CLASS E: Corrosive liquid.


DSCL (EEC) R36/38- Irritating to eyes and skin.

HMIS (U.S.A.)

Health Hazard	1
Fire Hazard	0
Reactivity	0
Personal Protection	

National Fire Protection Association (U.S.A.)

Health



Page Number: 5

WHMIS (Canada) (Pictograms)





DSCL (Europe) (Pictograms)



Continued on Next Page

Aluminum ICP Standard

TDG (Canada) (Pictograms)



ADR (Europe) (Pictograms)



Protective Equipment



Gloves.



Full suit.



Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.



Face shield.

Section 16. Other Information

MSDS Code PALUM

References Not available.

Other Special Not available.

Validated by Sonia Owen on 8/11/2006.

Verified by Sonia Owen.

Page Number: 6

Printed 9/8/2006.

CALL (310) 516-8000

Notice to Reader

Considerations

All chemicals may pose unknown hazards and should be used with caution. This Material Safety Data Sheet (MSDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this MSDS is based on technical data judged to be reliable, Spectrum Quality Products, Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.