

SAFETY DATA SHEET

Preparation Date: 12/22/2014

Revision Date: 08/22/2018

Revision Number: G3

1. IDENTIFICATION

Product identifier

Product code: PO110
Product Name: POLYETHYLENE GLYCOL 400, NF

Other means of identification

Synonyms: PEG 400
PEG-8
Poly(oxy-1,2-ethanediyl).alpha.-hydro-.omega.-hydroxy-
CAS #: 25322-68-3
RTECS # TQ3675000
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: Lubricant. In pharmaceuticals.
Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp
14422 South San Pedro St.
Gardena, CA 90248
(310) 516-8000

Order Online At: <https://www.spectrumchemical.com>
Emergency telephone number Chemtrec 1-800-424-9300
Contact Person: Martin LaBenz (West Coast)
Contact Person: Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Not classified

Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Not available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Polyethylene Glycol 400	25322-68-3	100

4. FIRST AID MEASURES

First aid measures

- General Advice:** National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222.
- Skin Contact:** Wash off immediately with soap and plenty of water removing all contaminated clothing and shoes. Get medical attention if irritation develops.
- Eye Contact:** Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms persist, call a physician.
- Inhalation:** Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
- Ingestion:** Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms May cause eye/skin irritation

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Carbon dioxide (CO₂). Dry chemical. Water spray mist or foam.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products: Carbon Monoxide, Carbon Dioxide.

Specific hazards: May be combustible at high temperatures. May be ignited by heat, sparks or flames.

Special Protective Actions for Firefighters

Specific Methods: No information available.

Special Protective Equipment for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Remove all sources of ignition.

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. In case of large spill, dike if needed. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up Use appropriate tools to put the spilled material in a suitable chemical waste disposal container. Absorb spill with inert material (e.g. vermiculite, dry sand or earth). Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. All equipment used when handling the product must be grounded. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Do not ingest. Do not breathe vapors or spray mist. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store under nitrogen. Flushed with nitrogen. Store away from incompatible materials.

Incompatible Materials:

Strong oxidizing agents
Acids
Bases

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WEEL
Polyethylene Glycol 400	25322-68-3	None	None	None	10 mg/m ³ TWA

Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Polyethylene Glycol 400	25322-68-3	None	None	None	None

Australia and Mexico

Components	CAS-No.	Australia	Mexico
Polyethylene Glycol 400	25322-68-3	None	None

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Goggles or Safety glasses with side-shields

Skin and body protection: Long sleeved clothing
Chemical resistant apron
Gloves

Respiratory protection: Respiratory protection is not necessary for normal handling. Good room ventilation or use of local exhaust (fume hood) is sufficient. Use a vapor respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapor, inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to use an approved/certified respirator or equivalent.

Hygiene measures: Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:
Liquid

Appearance:
Clear.

Color:
Colorless.

Odor:
No information available.

Taste:
No information available.

Formula:
H(OCH₂CH₂)_nOH

Molecular/Formula weight (g/mole):
400 (380-420)

Flammability:
No information available

Flashpoint (°C/°F):
227 °C/441 °F

Flash Point Tested according to:
Closed cup

Autoignition Temperature (°C/°F):
No information available

Lower Explosion Limit (%):
No information available

Upper Explosion Limit (%):
No information available

Melting point/range(°C/°F):
Freezing point: 4-8 °C/39-46 °F

Decomposition temperature(°C/°F):
No information available

Boiling point/range(°C/°F):
No information available

Bulk density:
No information available

Density (g/cm³):
No information available

Specific gravity:
1.11-1.14

pH:
No information available

Vapor pressure @ 20°C (kPa):
No information available

Product code: PO110

Product name: POLYETHYLENE
GLYCOL 400, NF

4 / 11

Evaporation rate:
No information available

Vapor density:
No information available

VOC content (g/L):
No information available

Odor threshold (ppm):
No information available

**Partition coefficient
(n-octanol/water):**
No information available

Viscosity:
No information available

Miscibility:
No information available

Solubility:
Soluble in Water
Slightly soluble in aliphatic
hydrocarbons
Readily soluble in aromatic
hydrocarbons

10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents
Reacts with strong bases
Reactive with acids

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Ignition sources. Incompatible materials.

Incompatible Materials: Strong oxidizing agents
Acids
Bases

Hazardous decomposition products: Carbon monoxide. Carbon dioxide.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Skin. Ingestion. Eyes.

Acute Toxicity

Component Information

Polyethylene Glycol 400

CAS-No. 25322-68-3

LD50/oral/rat = 22 g/kg Oral LD50 Rat; 28 g/kg Oral LD50 Rat (LOLI)
30200 mg/kg (RTECS)

Product code: PO110

Product name: POLYETHYLENE
GLYCOL 400, NF

5 / 11

LD50/oral/mouse = 28915 mg/kg
LD50/dermal/rabbit = >20 g/kg Dermal LD50Rabbit
LD50/dermal/rat = No information available
LC50/inhalation/rat = No information available
LC50/inhalation/mouse = No information available
Other LD50 or LC50information = 15700 mg/kg LD50 oral Guinea Pig
26800 mg/kg LD50 oral Rabbit

Product Information

LD50/oral/rat =
VALUE- Acute Tox Oral = 22000 mg/kg

LD50/oral/mouse =
Value - Acute Tox Oral = 28915 mg/kg

LD50/dermal/rabbit
VALUE-Acute Tox Dermal = > 20000 mg/kg

LD50/dermal/rat
VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat
VALUE-Vapor = No information available
VALUE-Gas = No information available
VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse
VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

Inhalation May cause irritation of respiratory tract. At room temperature, vapors are minimal due to low vapor pressure. With good ventilation, a single exposure is not expected to cause adverse effects. If the material is heated or misted, or used in an area that is poorly ventilated, vapor or mist may accumulate and concentrations may be attained that are sufficient to cause respiratory tract irritation.

Ingestion Low hazard. Health injuries are not known or expected under normal use. May affect urinary system (kidneys).

Aspiration hazard No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Prolonged or repeated ingestion may affect the kidneys.

Sensitization: No information available.

Mutagenic Effects: No information available

Carcinogenic effects: No information available.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Polyethylene Glycol 400	25322-68-3	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects: No information available

Developmental Effects: No information available

Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Target Organs: No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: Aquatic environment.

Polyethylene Glycol 400 - 25322-68-3

Freshwater Fish Species Data: >5000 mg/l LC50 24 hr Gold Fish

Persistence and degradability: No information available

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Polyethylene Glycol 400	25322-68-3	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No:	Not Regulated
Proper Shipping Name:	No information available
Hazard Class:	No information available
Subsidiary Class	No information available
Packing group:	No information available
Emergency Response Guide Number	No information available
Marine Pollutant	No data available
DOT RQ (lbs):	No information available
Special Provisions	No Information available
Symbol(s):	No information available
Description:	No information available

TDG (Canada)

UN-No:	Not regulated
Proper Shipping Name:	No information available
Hazard Class:	No information available
Subsidiary Risk:	No information available
Packing Group:	No information available
Marine Pollutant	No Information available
Description:	No information available

ADR

UN-No:	Not regulated
Proper Shipping Name:	No information available
Hazard Class:	No information available
Packing Group:	No information available
Subsidiary Risk:	No information available

IMO / IMDG

UN-No:	Not regulated
Proper Shipping Name:	No information available
Hazard Class:	No information available
Subsidiary Risk:	No information available
Packing Group:	No information available
Marine Pollutant	No information available

RID

UN-No:	Not regulated
Proper Shipping Name:	No information available
Hazard Class:	No information available
Subsidiary Risk:	No information available
Packing Group:	No information available

ICAO

UN-No:	Not regulated
Proper Shipping Name:	No information available
Hazard Class:	Not regulated
Subsidiary Risk:	No information available
Packing Group:	No information available

IATA

UN-No:	Not regulated
Proper Shipping Name:	No information available
Hazard Class:	No information available
Subsidiary Risk:	No information available
Packing Group:	No information available
ERG Code:	No information available

Special Provisions

No information available

15. REGULATORY INFORMATION

International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Polyethylene Glycol 400	25322-68-3	PresentACTIVE	Present KE-20228	Present	Present (7)-129	Present [21666]	Present	Not present

U.S. Regulations

Polyethylene Glycol 400


Minnesota - Hazardous Substance List: Present

FDA - Direct Food Additives 21 CFR 172.210, 21 CFR 172.820, 21 CFR 173.310, 21 CFR 173.340 (molecular weight 200-9500)


FDA - 21 CFR - Total Food Additives 172.210, 172.820, 173.310, 173.340, 175.105, 175.300, 176.180, 178.3750, 73.1 (molecular weight 200-9500)

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

 **WARNING:** This product can expose you to chemicals including (see table below) which is (are) known to the State of California to cause cancer. For more information go to www.p65warnings.ca.gov.

Chemicals Known to the State of California to Cause Reproductive Toxicity:

 **WARNING:** This product can expose you to chemicals including (see table below) which is (are) known to the State of California to cause birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Polyethylene Glycol 400	25322-68-3	May contain trace amounts of Ethylene oxide and 1,4-Dioxane (<= 10 ug/g)	May contain trace amounts of Ethylene oxide(<= 10 ug/g)	May contain trace amounts of Ethylene oxide(<= 10 ug/g)	May contain trace amounts of Ethylene oxide(<= 10 ug/g)

CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Polyethylene Glycol 400	25322-68-3	None	None	None	None	None

U.S. TSCA

Components	CAS-No.	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Polyethylene Glycol 400	25322-68-3	Not Applicable	Not Applicable

Canada

WHMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Not a dangerous product according to HPR classification criteria.

Product code: PO110

Product name: POLYETHYLENE GLYCOL 400, NF

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

WHMIS 1988 Hazard Class
Non-controlled

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
Polyethylene Glycol 400	25322-68-3	Present	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Polyethylene Glycol 400	25322-68-3	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Polyethylene Glycol 400	25322-68-3	Not listed

EU Classification

EU GHS - SV - CLP 1272/2008

Components	CAS-No.	EU GHS - SV - CLP (1272/2008)
Polyethylene Glycol 400	25322-68-3	

EU - CLP (1272/2008)

R-phrase(s)

not determined (not applicable)

S -phrase(s)

none

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
Polyethylene Glycol 400	25322-68-3		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

Not dangerous

16. OTHER INFORMATION

Preparation Date: 12/22/2014
Revision Date: 08/22/2018
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this

Product code: PO110

Product name: POLYETHYLENE
GLYCOL 400, NF

10 / 11

SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet