



Revision date 19-July-2021 Revision Number 2

1. Identification

Product identifier

Product Name SULFURIC ACID, 20 PERCENT (V/V) SOLUTION

Other means of identification

Product Code(s) S-670

UN/ID no UN2796

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use No information available

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Address

Spectrum Chemical Mfg. Corp. 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Danger

Hazard statements

Toxic if inhaled

Causes severe skin burns and eye damage

May be corrosive to metals



Appearance Clear Physical state Liquid Odor No information available

Precautionary Statements - Prevention

Use only outdoors or in a well-ventilated area

Do not breathe dusts or mists

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep only in original container

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up.

Store in corrosive resistant/ .? container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Trade secret
Water	7732-18-5	70.85	*
Sulfuric Acid	7664-93-9	29.15	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention. Immediate medical attention is required.

Eve contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do, Continue rinsing. Keep eve wide open

while rinsing. Do not rub affected area. Get immediate medical advice/attention.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get immediate medical advice/attention.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Get immediate medical

advice/attention.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Do not breathe vapor or mist. Use personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Burning sensation. Coughing and/ or wheezing. Difficulty in breathing. **Symptoms**

Indication of any immediate medical attention and special treatment needed

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Note to physicians

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. Fire-fighting measures

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

CAUTION: Use of water spray when fighting fire may be inefficient. Large Fire

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapors.

Explosion data

Sensitivity to mechanical impact none.

Sensitivity to static discharge none.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal **Personal precautions**

> protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Do not breathe vapor or mist.

Other information Refer to protective measures listed in Sections 7 and 8. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated

clothing and wash before reuse. Do not breathe vapor or mist.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children. Store away from other materials.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sulfuric Acid	No data available	1 mg/m³ TWA	-
7664-93-9		-	

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Respiratory protection Be sure to use an approved/certified respirator or equivalent.

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.

Do not breathe vapor or mist.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid **Appearance** Clear Color Colorless

Odor No information available **Odor threshold** No information available

Property Values Remarks • Method

None known pН < 0.5 no data available None known Melting point / freezing point Boiling point / boiling range no data available None known Flash point no data available None known **Evaporation rate** no data available None known Flammability (solid, gas) no data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available None known Vapor pressure Vapor density no data available None known None known Relative density 1.21 Water solubility Miscible in water None known Solubility(ies) no data available None known **Partition coefficient** No data available None known **Autoignition temperature** no data available None known **Decomposition temperature** None known

Kinematic viscosity no data available None known Dynamic viscosity No data available None known

Other information

Explosive properties No information available **Oxidizing properties** No information available No information available Softening point No information available Molecular weight **VOC Content (%)** No information available No information available **Liquid Density** No information available **Bulk density**

10. Stability and reactivity

Reactivity No information available.

Stable under normal conditions. Chemical stability

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Exposure to air or moisture over prolonged periods. Excessive heat.

Oxidizing agent. Acids. Bases. Incompatible materials

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking,

headache, dizziness, and weakness for several hours. Pulmonary edema may occur with

tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal. Toxic by inhalation.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

damage. (based on components). Corrosive to the eyes and may cause severe damage

including blindness. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing. Difficulty in

breathing.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 7,341.30 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5	3 (3.7)		
Sulfuric Acid	= 2140 mg/kg (Rat)	-	85 - 103 mg/m ³ (Rat) 1 h
7664-93-9			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes burns.

Serious eye damage/eye irritation Classification based on data available for ingredients. Risk of serious damage to eyes.

Causes burns.

Respiratory or skin sensitization Germ cell mutagenicityNo information available.
No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

	The second secon	e mere a amy migre amend and an		
Chemical name	ACGIH	IARC	NTP	OSHA
Sulfuric Acid	-	Group 1 - Monograph 54	-	-
7664-93-9		[1992] occupational		
		exposure to mists and		
		vapours from sulfuric acid		
		and other strong		
		inorganic acids		

Legend

Reproductive toxicity No information available.

STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Target organ effects respiratory system, Eyes, Skin, Teeth.

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects

No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Sulfuric Acid	-	LC50: >500mg/L (96h,	-	EC50: 29mg/L (24h,
7664-93-9		Brachydanio rerio)		Daphnia magna)

Persistence and degradability

Bioaccumulation

No information available. Inherently biodegradable.

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

DOT

UN/ID no UN2796

Proper Shipping Name: Battery fluid, acid

Hazard class
Packing group:

Special Provisions 386, A3, A7, B2, B15, IB2, N6, N34, T8, TP2

Marine Pollutant Severe Marine Pollutant

Description: UN2796, Battery fluid, acid, 8, II

Emergency Response Guide

Number

<u>TDG</u>

UN-No: UN2796

Proper Shipping Name: Battery fluid, acid

Hazard class 8
Packing Group:

Description: UN2796, Battery fluid, acid, 8, II

MEX

UN-No UN2796

Proper Shipping Name Sulphuric acid solution

Hazard class 8
Packing Group

Description UN2796, Sulphuric acid solution, 8, II

ICAO (air)

UN-No: UN2796

Proper Shipping Name: Battery fluid, acid

Hazard class 8
Packing Group:

Description: UN2796, Battery fluid, acid, 8, II

IATA

UN number UN2796

Proper Shipping Name: Battery fluid, acid

Transport hazard class(es) 8
Packing group | |

Description: UN2796, Battery fluid, acid, 8, II

IMDG

UN number UN2796

Proper shipping name Sulphuric acid solution

Transport hazard class(es) 8
Packing group II
EmS-No F-A, S-B
Marine pollutant NP1

Description UN2796, Sulphuric acid solution, 8, II

RID

UN number UN2796

Proper Shipping Name: Sulphuric acid solution

Transport hazard class(es) 8
Packing group II
Classification code C1

Description: UN2796, Sulphuric acid solution, 8, II

Labels 8

<u>ADR</u>

UN number 2796

Proper Shipping Name: Sulphuric acid solution

Transport hazard class(es) 8
Packing group II
Classification code C1
Tunnel restriction code (E)

Description: 2796, Sulphuric acid solution, 8, II, (E)

Labels 8

ADN

UN/ID No UN2796

Proper shipping name Sulphuric acid solution

Transport hazard class(es) 8
Packing Group || Classification code C1

Description UN2796, Sulphuric acid solution, 8, II

Hazard label(s) 8
Limited quantity (LQ) 1 L
Equipment Requirements PP, EP

15. Regulatory information

International Inventories

TSCA Complies

DSL/NDSL Complies EINECS/ELINCS Complies

ENCS This product complies with ENCS: **IECSC** This product complies with China:

KECL Complies Complies

AICS All the constituents of this material are listed on the Australian Inventory of Chemical

Substances (AICS).

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Sulfuric Acid - 7664-93-9	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Sulfuric Acid	1000 lb final RQ	-
7664-93-9	454 kg final RQ	

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

_		
	Chemical name	California Proposition 65
ſ	Sulfuric Acid - 7664-93-9	carcinogen

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA

Health hazards 3

Flammability 0

Instability 0

Physical and chemical properties -

HMIS

Health hazards 3 *

Flammability 0

Physical hazards 0

Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 19-July-2021

Revision NoteNo information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet