



SAFETY DATA SHEET

Preparation Date: 6/12/2017 Revision Date: 6/12/2017 Revision Number: G1

1. IDENTIFICATION

Product identifier

Product code: SI112

Product Name: SILICONE FLUID, 500

Other means of identification

Synonyms: Polydimethylsiloxane Trimethylsiloxy-Terminated

Silicone Fluid 200, 500 cSt

CAS #: 63148-62-9
RTECS # JT6484500
CI#: Not available

Recommended use of the chemical and restrictions on use
Recommended use:
Uses advised against
No information available

Supplier: Spectrum Chemical Mfg. Corp 14422 South San Pedro St.

Gardena, CA 90248 (310) 516-8000.

Order Online At: https://www.spectrumchemical.com
Chemtrec 1-800-424-9300

Emergency telephone numberChemtrec 1-800-424-9300Contact Person:Martin LaBenz (West Coast)Contact Person:Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Not classified

Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards
Not available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Product code: SI112 Product name: SILICONE FLUID, 500 1/10

Components	CAS-No.	Weight %
Polydimethylsiloxane	63148-62-9	100

4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call

1-800-222-1222.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothing and

shoes. Get medical attention if irritation develops.

Eye Contact: Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms

persist, call a physician.

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms May cause eye/skin irritation. Health injuries are not known or expected under normal use.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Carbon dioxide (CO2). Dry chemical. Water spray mist or

foam.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products: No information available.

Specific hazards: May be combustible at high temperatures. May be ignited

by heat, sparks or flames.

Special Protective Actions for Firefighters

Specific Methods: No information available.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

Product code: SI112 Product name: SILICONE FLUID, 500 2 / 10

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin,

eyes and clothing. Remove all sources of ignition.

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering

drains.

Methods and material for containment and cleaning up

Methods for containment Absorb spill with inert material (e.g. vermiculite, dry sand or earth).

Methods for cleaning up

Use appropriate tools to put the spilled material in a suitable chemical waste

disposal container. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe vapors or spray mist. Keep away from heat and sources of ignition. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed. Keep in a well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

Incompatible Materials:

Acids

Bases

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WHEEL
Polydimethylsiloxane	63148-62-9	None	None	None	None

Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Polydimethylsiloxane	63148-62-9	None	None	None	None

Australia and Mexico

Components	CAS-No.	Australia	Mexico
Polydimethylsiloxane	63148-62-9	None	None

Product code: SI112 Product name: SILICONE FLUID, 500 3 / 10

Appropriate engineering controls

Engineering measures to reduce exposure: Ensure adequate ventilation. Provide exhaust ventilation or

other engineering controls to keep the airborne

concentrations of vapors and mist below their respective

threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Goggles

Skin and body protection: Long sleeved clothing

Chemical resistant apron

Gloves

Respiratory protection: Respiratory protection is not necessary for normal handling. Good room

ventilation or use of local exhaust (fume hood) is sufficient. Use a vapor respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapor, inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to

use an approved/certified respirator or equivalent.

Hygiene measures: Avoid contact with skin, eyes and clothing. Wash hands before breaks and

immediately after handling the product. When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Appearance: Color:

Liquid No information available. Clear. Colorless.

Odor: Taste Formula:

Odorless. Tasteless. No information available

Molecular/Formula weight:Flammability:Flashpoint (°C/°F):No information availableNo information available>120 °C/>248 °F

Flash Point Tested according to: Autoignition Temperature (°C/°F): Lower Explosion Limit (%):

Closed cup No information available No information available

Upper Explosion Limit (%): Melting point/range(°C/°F): Decomposition temperature(°C/°F):

No information available
No information available
No information available

Boiling point/range(°C/°F): Bulk density: Density (g/cm3):

>65 °C/>149 °F No information available No information available

Specific gravity: pH: Vapor pressure @ 20°C (kPa):

0.97-0.98 No information available No information available

Evaporation rate: Vapor density: VOC content (g/L):

No information available

No information available

No information available

Odor threshold (ppm):Partition coefficientViscosity:No information available(n-octanol/water):500 cSt

o information available (n-octanol/water):

No information available

Product code: SI112 Product name: SILICONE FLUID, 500 4/10

Miscibility: Solubility:
No information available Insoluble in water

Extremely weter repeller

Extremely water repellant

10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents Reacts with strong bases Reactive with acids

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Ignition sources. Incompatible materials.

Incompatible Materials: Acids

Bases

Strong oxidizing agents

Hazardous decomposition

products:

When heated to decomposition it emits acrid smoke and irritating fumes.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Skin. Ingestion. Eyes.

Acute Toxicity

Component Information

Polydimethylsiloxane

CAS-No. 63148-62-9

LD50/oral/rat = > 24 g/kg Oral LD50 Rat; > 17 g/kg Oral LD50 Rat

LD50/oral/mouse = No information available

LD50/dermal/rabbit = > 2 g/kg Dermal LD50 Rabbit

LD50/dermal/rat = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No infomation available

Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = > 17000 mg/kg

Product code: SI112 Product name: SILICONE FLUID, 500 5/10

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = > 2000 mg/kg

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available VALUE-Gas = No information available VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

Inhalation May cause irritation of respiratory tract.

Ingestion Health injuries are not known or expected under normal use.

Aspiration hazard No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity No information available.

Sensitization: No information available.

Mutagenic Effects: No information available

Carcinogenic effects: No information available.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Polydimethylsiloxane	63148-62-9	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects: No information available
Developmental Effects: No information available
Teratogenic Effects: No information available

Specific Target Organ Toxicity

Product code: SI112 Product name: SILICONE FLUID, 500 6 / 10

STOT - single exposure STOT - repeated exposure Target Organs: No information available. No information available. No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.

Persistence and degradability: No information available

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Polydimethylsiloxane	63148-62-9				None

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Class
Packing group:
No information available

Number

Marine PollutantNo data availableDOT RQ (lbs):No information availableSpecial ProvisionsNo Information availableSymbol(s):No information availableDescription:No information available

TDG (Canada)

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Marine Pollutant
Description:
No information available

Product code: SI112 Product name: SILICONE FLUID, 500 7/10

ADR

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Packing Group:
Subsidiary Risk:
No information available
No information available
No information available

IMO / IMDG

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Marine Pollutant

No information available
No information available
No information available
No information available

RID

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
No information available
No information available
No information available
No information available

ICAO

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
No information available
No information available
No information available
No information available

IATA

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
ERG Code:
Special Provisions
No information available

15. REGULATORY INFORMATION

International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Polydimethylsiloxane	63148-62-9	Present XU	Present KE-31068	Present	Not present	Present	Present	Not present

U.S. Regulations

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male	Female
				Reproductive	Reproductive
				Toxicity	Toxicity:

Product code: SI112 Product name: SILICONE FLUID, 500 8 / 10

Polydimethylsiloxane I63148-62-9 Not Listed Not Listed Not Listed Not Listed

CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Polydimethylsiloxan e	63148-62-9	None	None	None	None	None

U.S. TSCA

Components		TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Polydimethylsiloxane	63148-62-9	Not Applicable	10/12/199306/30/1998

Canada

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Not a dangerous product according to HPR classification criteria.

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

WHMIS 1988 Hazard Class

Non-controlled

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)	
Polydimethylsiloxane	63148-62-9	Present	Not Listed	

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Polydimethylsiloxane	63148-62-9	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject
		to Mandatory Reporting
Polydimethylsiloxane	63148-62-9	Not listed

EU Classification

EU GHS - SV - CLP 172/2008

Components	CAS-No.	EU GHS - SV - CLP (172/2008)
Polydimethylsiloxane	63148-62-9	

EU - CLP (1272/2008)

R-phrase(s)

not determined (not applicable)

S -phrase(s)

Product code: SI112 Product name: SILICONE FLUID, 500 9 / 10

none

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
Polydimethylsiloxane	63148-62-9		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

Not dangerous

16. OTHER INFORMATION

Preparation Date:6/12/2017Revision Date:6/12/2017Prepared by:Sonia Owen

Disclaimer: All chemicals may pose unknown hazards and should be used with caution. This

Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the

completeness or accuracy of the information contained herein.

End of Safety Data Sheet

Product code: SI112 Product name: SILICONE FLUID, 500 10 / 10