SAFETY DATA SHEET spectrum®

Revision date 31-March-2021

1. Identification		
Product identifier		
Product Name	ISOPROPYL ALCOHOL, MEETS OR EXCEEDS A.C.S. SPECIFICATIONS, SPECTROSOLV (TM)	
Other means of identification		
Product Code(s)	SP693	
UN/ID no	UN1219	
Synonyms	None	
Recommended use of the chemical and restrictions on use		
Recommended use	No information available	
Restrictions on use	No information available	
Details of the supplier of the safety data sheet		
Supplier Address Spectrum Chemical Mfg. Corp. 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000		
Emergency telephone number		
Emergency Telephone	Chemtrec 1-800-424-9300	
2. Hazard(s) identification		

Classification

Serious eye damage/eye irritation	Category 2A
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Flammable liquids	Category 2

Hazards not otherwise classified (HNOC)

Not applicable


Label elements

Danger

Hazard statements Causes serious eye irritation



Revision Number 3



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating / lighting/ .? / equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower IF INHALED: Remove person to fresh air and keep comfortable for breathing In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store locked up. Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed. Causes mild skin irritation. Can burn with an invisible flame.

3. Composition/information on ingredients

Substance

Chemical name	CAS No	Weight-%	Trade secret
Isopropyl Alcohol	67-63-0	100	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.	
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.	
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.	
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effects, both acute and delayed		
Symptoms	May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Prolonged contact may cause redness and irritation.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
5. Fire-fighting measures		
Suitable Extinguishing Media Large Fire	Dry chemical. Carbon dioxide (CO2). water spray. Alcohol resistant foam. CAUTION: Use of water spray when fighting fire may be inefficient.	

Suitable Extinguishing Media Large Fire	Dry chemical. Carbon dioxide (CO2). water spray. Alcohol resistant foam. CAUTION: Use of water spray when fighting fire may be inefficient.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
Specific hazards arising from the chemical	risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	
Hazardous combustion products	Carbon Monoxide, Carbon Dioxide.	
Explosion data Sensitivity to mechanical impact none.		
Sensitivity to static discharge	yes.	
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautionsEvacuate personnel to safe areas. Use personal protective equipment as required. See
section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate
ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources
(no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take
precautionary measures against static discharges. All equipment used when handling the

	product must be grounded. Do not touch or walk through spilled material.
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
Methods and material for contain	ment and cleaning up
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Conditions Sensitive to light. Store in light-resistant containers. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol	No data available	400 ppm TWA	-
67-63-0		980 mg/m³ TWA	

Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

- **Eye/face protection** Tight sealing safety goggles.
- Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

9. Physical and chemical properties

Information on basic physical and chemical properties Physical state Liquid Appearance Clear Color Colorless Odor Pleasant Odor threshold No information available Property Values Remarks • Method pH no data available None known Melting point / freezing point -88.5 °C / -127.3 °F None known Boiling point / boiling range 78.3 °C / 172.9 °F None known Flash point 12 - 14 °C / 53.6 - 57.2 °F None known
Appearance Clear Color Colorless Odor Pleasant Odor threshold No information available Property Values Remarks • Method PH no data available None known Melting point / freezing point -88.5 °C / -127.3 °F None known Boiling point / boiling range 78.3 °C / 172.9 °F None known
Odor Pleasant Odor threshold Pleasant No information available Property Values PH no data available Melting point / freezing point -88.5 °C / -127.3 °F Boiling point / boiling range 78.3 °C / 172.9 °F
Odor thresholdNo information availableProperty pHValues no data availableRemarks • Method None knownMelting point / freezing point Boiling point / boiling range-88.5 °C / -127.3 °F 78.3 °C / 172.9 °FNone known None known
Property pHValues no data availableRemarks • Method None knownMelting point / freezing point Boiling point / boiling range-88.5 °C / -127.3 °F 78.3 °C / 172.9 °FNone known
Property pHValues no data availableRemarks • Method None knownMelting point / freezing point Boiling point / boiling range-88.5 °C / -127.3 °FNone known78.3 °C / 172.9 °FNone known
pHno data availableNone knownMelting point / freezing point-88.5 °C / -127.3 °FNone knownBoiling point / boiling range78.3 °C / 172.9 °FNone known
pHno data availableNone knownMelting point / freezing point-88.5 °C / -127.3 °FNone knownBoiling point / boiling range78.3 °C / 172.9 °FNone known
Boiling point / boiling range 78.3 °C / 172.9 °F None known
Boiling point / boiling range 78.3 °C / 172.9 °F None known
Evaporation rate 1.7 - 2.3 (n-butyl acetate = 1) None known
Flammability (solid, gas) no data available None known
Flammability Limit in Air None known
Upper flammability or explosive 12.7%
limits
Lower flammability or explosive 2%
limits
Vapor pressure 4.4 None known
Vapor density 2.07 None known
Relative density 0.78505 None known
Water solubility No data available None known
Solubility(ies) no data available None known
Partition coefficient 0.05 - 0.1 None known
Autoignition temperature 399 °C / 750.2 °F None known
Decomposition temperature None known
Kinematic viscosity no data available None known
Dynamic viscosity No data available None known
Other information
Explosive properties No information available
Oxidizing properties No information available
Softening point No information available
Molecular weight 60.1
VOC Content (%) No information available
Liquid Density No information available
Bulk density No information available

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information		
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness.	
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.	
Skin contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation. Causes mild skin irritation.	
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed.	
Symptoms related to the physical, chemical and toxicological characteristics		
Symptoms	May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Prolonged contact may cause redness and irritation.	

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl Alcohol 67-63-0	= 1870 mg/kg(Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m³(Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation. Classification based on data available for ingredients.			or ingredients.	
Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.			ious eye irritation.	
Respiratory or skin sensitization No information available.				
Germ cell mutagenicity No information available.				
Carcinogenicity No information available.				
The table below indicates whether each agency has listed any ingredient as a carcinogen.				

Chemical name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol	-	Group 3 - Not classifiable	-	-
67-63-0		- Monograph 71 [1999]		
		Supplement 7 [1987]		
		Monograph 15 [1977]		

Legend

Reproductive toxicity	Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. Suspected of damaging fertility or the unborn child.
STOT - single exposure STOT - repeated exposure Target organ effects	May cause respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. respiratory system, Eyes, Skin.
Aspiration hazard	No information available.

Other adverse effects

No information available.

Interactive effects

No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Isopropyl Alcohol	EC50: >1000mg/L (72h,	LC50: =11130mg/L (96h,	-	EC50: =13299mg/L (48h,
67-63-0	Desmodesmus	Pimephales promelas)		Daphnia magna)
	subspicatus) EC50:	LC50: =9640mg/L (96h,		
	>1000mg/L (96h,	Pimephales promelas)		
	Desmodesmus	LC50: >1400000µg/L		
	subspicatus)	(96h, Lepomis		
		macrochirus)		

Persistence and degradability	
Bioaccumulation	

No information available. Inherently biodegradable.

Component Information

Chemical name	Partition coefficient
Isopropyl Alcohol	0.05
67-63-0	

Other adverse effects

No information available.

13. Disposal considerations		
Waste treatment methods		
Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.	
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld containers.	

14. Transport information

DOT

UN/ID no	UN1219
Proper Shipping Name:	Isopropanol
Hazard class	3
Packing group:	11
Special Provisions	IB2, T4, TP1
Marine Pollutant	Severe Marine Pollutant
Description:	UN1219, Isopropanol, 3, II
Emergency Response Guide	129
Number	
TDG	
UN-No:	UN1219

014-140.	UNIZIS
Proper Shipping Name:	Isopropanol
Hazard class	3
Packing Group:	11
Description:	UN1219, Isopropanol, 3, II

MEX

UN-No Proper Shipping Name Hazard class Packing Group Description	UN1219 Isopropanol 3 II UN1219, Isopropanol, 3, II	
ICAO (air) UN-No: Proper Shipping Name: Hazard class Packing Group: Special Provisions Description:	UN1219 Isopropanol 3 II A180 UN1219, Isopropanol, 3, II	
IATA UN number Proper Shipping Name: Transport hazard class(es) Packing group Description:	UN1219 Isopropanol 3 II UN1219, Isopropanol, 3, II	
IMDG UN number Proper shipping name Transport hazard class(es) Packing group EmS-No Marine pollutant Description	UN1219 Isopropanol 3 II F-E, S-D NP1 UN1219, Isopropanol, 3, II, (12°C c.c.)	
<u>RID</u> UN number Proper Shipping Name: Transport hazard class(es) Packing group Classification code Special Provisions Description: Labels	UN1219 Isopropanol 3 II F1 601 UN1219, Isopropanol, 3, II 3	
ADR UN number Proper Shipping Name: Transport hazard class(es) Packing group Classification code Tunnel restriction code Special Provisions Description: Labels	1219 Isopropanol 3 II F1 (D/E) 601 1219, Isopropanol, 3, II, (D/E) 3	
ADN UN/ID No Proper shipping name Transport hazard class(es) Packing Group Classification code Special Provisions Description Hazard label(s) Limited quantity (LQ) ventilation Equipment Requirements	UN1219 Isopropanol 3 II F1 601 UN1219, Isopropanol, 3, II 3 1 L VE01 PP, EX, A	
15. Regulatory information		

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	This product complies with ENCS:
IECSC	This product complies with China:
KECL	Complies
PICCS	Complies
AICS	All the constituents of this material are listed on the Australian Inventory of Chemical
	Substances (AICS).

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Isopropyl Alcohol - 67-63-0	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA			
Flammability 3			
Instability 0 Physical and chemical properties →			
HMIS			
Health hazards 2 *			
Flammability 3			
Physical hazards 0			
Personal protection X			
Chronic Hazard Star Legend	* = Chronic Health Hazard		
Key or legend to abbreviations and	acronyms used in the sa	afetv data she	et
Legend Section 8: EXPOSURE CON			
TWA TWA (time-weighted	ed average)	STEL	STEL (Short Term Exposure Limit)
Ceiling Maximum limit value	le		
Key literature references and sourc	es for data used to com	oile the SDS	
Agency for Toxic Substances and Dise			
U.S. Environmental Protection Agency			
European Food Safety Authority (EFS			
EPA (Environmental Protection Agenc			
Acute Exposure Guideline Level(s) (A			
U.S. Environmental Protection Agency	Federal Insecticide, Fung	jicide, and Roo	denticide Act
U.S. Environmental Protection Agency	High Production Volume	Chemicals	
Food Research Journal			
Hazardous Substance Database			
International Uniform Chemical Inform	ation Database (IUCLID)		
Japan GHS Classification			
Australia National Industrial Chemical		nent Scheme (NICNAS)
NIOSH (National Institute for Occupati			
National Library of Medicine's ChemID		_ `	
National Library of Medicine's PubMed	d database (NLM PUBMEI))	
National Toxicology Program (NTP)			
New Zealand's Chemical Classification			
Organization for Economic Co-operati			
Organization for Economic Co-operation			
Organization for Economic Co-operati World Health Organization	on and Development Scre	ening mormat	lion Data Set
C C			
Revision date	31-March-2021		
Revision Note	No information available.		
Disclaimer The information provided in this Se	fatu Data Shaat in arman	t to the bast	of our knowledge information and belief

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet