

TCI AMERICA SAFETY DATA SHEET

Revision number: 1 Revision date: 07/06/2018

1. IDENTIFICATION

Product name: 1,2-Dichloropropane

Product code: D0398

Product use:For laboratory research purposes.Restrictions on use:Not for drug or household use.

Company: TCI America

9211 N. Harborgate Street Portland, OR 97203 U.S.A.

Telephone:

+1-800-423-8616 / +1-503-283-1681

Fax:

+1-888-520-1075 / +1-503-283-1987

e-mail:

sales-US@TCIchemicals.com www.TCIchemicals.com

Emergency telephone number:

Chemical Emergencies:

TCI America (8:00am - 5:00pm) PST

+1-503-286-7624

Transportation Emergencies: Chemtrec 24-Hour

+1-800-424-9300 (U.S.A.)

+1-703-527-3887 (International) Responsible department:

TCI America

Environmental Health Safety and Security

+1-503-286-7624

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200:

WHMIS 2015:

Acute Toxicity - Oral [Category 4]
Acute Toxicity - Inhalation [Category 4]
Skin Corrosion/Irritation [Category 2]
Eye Damage/Irritation [Category 2A]
Sensitization - Skin [Category 1]
Carcinogenicity [Category 1A]
Toxic to Reproduction [Category 2]

Specific Target Organ Toxicity (Single Exposure) [Category 1]
Specific Target Organ Toxicity (Single Exposure) [Category 3]
Specific Target Organ Toxicity (Repeated Exposure) [Category 1]
Specific Target Organ Toxicity (Repeated Exposure) [Category 2]

Flammable Liquids [Category 2]
Aquatic Hazard (Acute) [Category 3]
Aquatic Hazard (Long-Term) [Category 3]

Signal word: Danger!

Hazard Statement(s):

Highly flammable liquid and vapor
Harmful if swallowed or if inhaled

Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction

May cause cancer

Suspected of damaging fertility or the unborn child

Harmful to aquatic life

Harmful to aquatic life with long lasting effects Causes damage to: Liver Blood Kidney

May cause respiratory irritation. May cause drowsiness or dizziness.

Causes damage to organs through prolonged or repeated exposure: Liver Blood System Kidney May cause damage to organs through prolonged or repeated exposure: Respiratory System

Pictogram(s) or Symbol(s):







Precautionary Statement(s): [Prevention]

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces. – No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary

1,2-Dichloropropane TCI AMERICA Page 2 of 5

measures against static discharge. Do not breathe mist, vapors or spray. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wash hands and face

thoroughly after handling. Wear protective gloves, protective clothing, face protection.

[Response] If swallowed: Call a poison center or doctor if you feel unwell. Rinse mouth. If on skin: Wash with plenty

of soap and water. If skin irritation or rash occurs: Get medical advice or attention. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice or attention. If exposed: Call a poison center or doctor.

[Storage] Store in a well-ventilated place. Keep container tightly closed. Store locked up.

[Disposal] Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40

CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).

Hazards not otherwise classified:

[HNOC]

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture: Substance

Components: 1,2-Dichloropropane

 Percent:
 >98.0%(GC)

 CAS RN:
 78-87-5

 Molecular Weight:
 112.98

 Chemical Formula:
 C3H6Cl2

Synonyms: Propylene Chloride, Propylene Dichloride

4. FIRST-AID MEASURES

Description of first aid measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER or doctor/physician.

Skin contact: Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.

Call a POISON CENTER or doctor/physician.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Call a POISON CENTER or doctor/physician.

Ingestion: Call a POISON CENTER or doctor/physician. Rinse mouth.

Symptoms/effects:

Acute: Dizziness. Redness. Drowsiness.

Delayed: May cause skin sensitization. May have effects on the respiratory tract. Possibly carcinogenic to

These products include: Carbon oxides Halogenated compounds

numans.

Indication of any immediate medical attention:

Not available.

Notes to physician: No data available

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, foam, water spray, carbon dioxide.

Unsuitable extinguishing media: Solid streams of water

Hazardous combustion products:

Other specific hazards: WARNING: Highly toxic HCl gas is produced during combustion.

Advice for firefighters: Wear self-contained breathing apparatus if possible.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be

controlled around the leakage area by roping off, etc.

Environmental precautions:

Prevent product from entering drains.

Methods and materials for containment

and cleaning up:

Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use

spark-proof tools and explosion-proof equipment.

1,2-Dichloropropane **TCI AMERICA** Page 3 of 5

7. HANDLING AND STORAGE

Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent Precautions for safe handling:

generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfaces. -No smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands

and face thoroughly after handling.

Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.

Avoid all contact!

Conditions for safe storage, including any incompatibilities

Storage conditions: Keep container tightly closed. Store in a cool, dark and well-ventilated place.

Store locked up.

Store away from incompatible materials such as oxidizing agents.

Packaging material: Comply with laws.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

ACGIH TLV(TWA): 75 ppm **ACGIH TLV(STEL):** 110 ppm **OSHA PEL(TWA):** 75 ppm JSOH OELs(TWA): 1 ppm

Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed Appropriate engineering controls:

system or local exhaust. Also install safety shower and eye bath.

Personal protective equipment

Respiratory protection: Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc.

Use respirators approved under appropriate government standards and follow local and national

regulations.

Hand protection: Impervious gloves.

Eye protection: Safety goggles. A face-shield, if the situation requires.

Skin and body protection: Impervious protective clothing. Protective boots, if the situation requires.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Liquid Form: Clear

Colour: Colorless - Slightly pale yellow

Characteristic Odour: No data available Odor threshold: No data available **Odour threshold:**

Melting point/freezing point: No data available No data available Boiling point/range: 97°C (207°F) Vapour pressure: No data available.

Decomposition temperature: No data available Vapour density: 3.9 **Dynamic Viscosity:** No data available

Relative density: 1.16

Kinematic viscosity: No data available

Log Pow: No data available **Evaporation rate(Butyl** No data available

Acetate=1):

14°C (57°F) 558°C (1036°F) Autoignition temperature: Flash point:

Flammability(solid, gas): No data available Flammability or explosive limits:

3.4% Lower: Upper: 14.5%

Solubility(ies):

Very slightly soluble (0.26g/100mL, 20°C) [Water] [Other solvents] Soluble: Ether, Alcohols, Benzene, Chloroform

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical stability: Stable under proper conditions. Possibility of hazardous reactions: No special reactivity has been reported. Conditions to avoid: Spark, Open flame, Static discharge

Incompatible materials: Oxidizing agents, Acids, Bases, Alkali metals, Alkaline earth metals, Metal powders

Carbon monoxide, carbon dioxide etc Hazardous decomposition products:

1,2-Dichloropropane TCI AMERICA Page 4 of 5

11. TOXICOLOGICAL INFORMATION

RTECS Number: TX9625000

Acute Toxicity:

ihl-rat LC50:2000 ppm/4H orl-rat LD50:1900 mg/kg

skn-rbt LD50:8750 mg/kg

Skin corrosion/irritation: skn-rbt 0.5 mL MLD

Serious eye damage/irritation:

eye-rbt 500 mg MLD

Respiratory or skin sensitization:

No data available

Germ cell mutagenicity: cyt-ham-ovr 660 mg/L mmo-sat 333 ug/plate (-S9)

cyt-ham-ovr 660 mg/L mmo-sat 100 ug/plate (+S9)

Carcinogenicity:

orl-mus TDLo:130 g/kg/2Y-I

IARC: Group 1 (Carcinogenic to NTP: No data available OSHA: No data available

humans).

Reproductive toxicity:

orl-rbt TDLo: 1950 mg/kg (7-19D preg) orl-rat TDLo: 1250 mg/kg (6-15D preg)

Target organ(s):

Causes damage to: Liver Blood Kidney May cause respiratory irritation. May cause drowsiness or dizziness.

Causes damage to organs through prolonged or repeated exposure: Liver Blood System Kidney May cause damage to organs through prolonged or repeated exposure: Respiratory System

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Fish: 96h LC50:160 mg/L (Oryzias latipes)
48h LC50:104 ppm (Oryzias latipes)

Crustacea: 48h EC50:30 mg/L (Daphnia magna)
Algae: 72h EC50:140 mg/L (Selenastrum capricornutum)

Algae: 72h EC50:140 mg/L (Selenastrum capric

Persistence / degradability: 0% (by BOD) , 1% (by TOC)

Bioaccumulative potential(BCF): 1.2 - 3.2(conc. 0.4 mg/L), 0.5 - 6.9(conc. 0.04 mg/L)

Mobility in soil

Disposal of container:

Log Pow: 2.28

Soil adsorption (Koc): No data available Henry's Law (PaM³/mol): No data available

13. DISPOSAL CONSIDERATIONS

Disposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and

Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for

Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not

be allowed to enter the environment, drains, water ways, or the soil. Dispose of as unused product. Do not re-use empty containers.

Other considerations: Observe all federal, state and local regulations when disposing of the substance.

1,2-Dichloropropane TCI AMERICA Page 5 of 5

14. TRANSPORT INFORMATION

DOT (US)

UN number: Proper Shipping Name: Class or Division: Packing Group:

UN1279 1,2-Dichloropropane 3 Flammable liquid

<u>IATA</u>

UN number: Proper Shipping Name: Class or Division: Packing Group:

UN1279 1,2-Dichloropropane 3 Flammable liquid

IMDG

er:

UN UN1279 Proper Shipping Name: Class or Division: Packing Group:

numb 1,2-Dichloropropane 3 Flammable liquid II

EmS number: F-E, S-D

Reportable Quantitiy: 1000 Pounds (454 Kilograms)

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.):

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regulations

CERCLA Hazardous substance and Reportable Quantity:

SARA 313: Listed SARA 302: Not Listed

State Regulations

State Right-to-Know

Massachusetts
New Jersey
Pennsylvania
California Proposition 65:
Listed
Listed

Other Information

NFPA Rating:
Health: 1
Flammability: 3
Instability: 0
HMIS Classification:
Health: 1
Flammability: 3
Flammability: 3
Physical: 0

International Inventories

 Canada: DSL
 On DSL

 EC-No:
 201-152-2

16. OTHER INFORMATION

Revision date: 07/06/2018 Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.