

TCI AMERICA SAFETY DATA SHEET

Revision number: 1 **Revision date: 07/06/2018**

1. IDENTIFICATION

Product name: 1-(2-Hydroxyethyl)ethyleneimine

Product code: H0567

For laboratory research purposes. Product use: Restrictions on use: Not for drug or household use.

Company: TCI America

9211 N. Harborgate Street Portland, OR 97203 U.S.A.

Telephone:

+1-800-423-8616 / +1-503-283-1681

Fax:

+1-888-520-1075 / +1-503-283-1987

e-mail:

sales-US@TCIchemicals.com www.TCIchemicals.com

Emergency telephone number:

Chemical Emergencies:

TCI America (8:00am - 5:00pm) PST

+1-503-286-7624

Transportation Emergencies:

Chemtrec 24-Hour

+1-800-424-9300 (U.S.A.) +1-703-527-3887 (International)

Responsible department:

TCI America

Environmental Health Safety and Security

+1-503-286-7624

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Acute Toxicity - Oral [Category 3]

Acute Toxicity - Dermal [Category 2] WHMIS 2015: Eye Damage/Irritation [Category 1]

Specific Target Organ Toxicity (Single Exposure) [Category 1]

Flammable Liquids [Category 4] Skin Corrosion/Irritation [Category 1B]

Signal word: Danger!

Hazard Statement(s): Combustible liquid Toxic if swallowed

Fatal in contact with skin

Causes severe skin burns and eye damage

Causes damage to: Liver

Pictogram(s) or Symbol(s):







Precautionary Statement(s): [Prevention]

[Response]

[Storage]

[Disposal]

Keep away from flames and hot surfaces. - No smoking. Do not breathe mist, vapors or spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Wear protective gloves, protective clothing, face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor. If on

skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a poison center or doctor. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. If exposed: Call a poison

center or doctor. In case of fire: Use dry chemical, dry sand or foam to extinguish.

Store in a well-ventilated place. Keep cool. Store locked up.

Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40

CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).

Hazards not otherwise classified:

[HNOC]

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture: Substance

Components: 1-(2-Hydroxyethyl)ethyleneimine

Percent: >97.0%(GC)(T) CAS RN: 1072-52-2 Molecular Weight: 87.12 **Chemical Formula:** C₄H₉NO

Synonyms: 1-Aziridineethanol

4. FIRST-AID MEASURES

Description of first aid measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a

POISON CENTER or doctor/physician.

Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Skin contact:

Immediately call a POISON CENTER or doctor/physician.

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Eye contact:

Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting. Ingestion:

Symptoms/effects:

Acute: Pain, Redness, Delayed: No data available

Indication of any immediate medical attention:

Not available.

Notes to physician: No data available

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Water (It may scatter and spread fire.)

Specific hazards arising from the Hazardous combustion products:

Other specific hazards:

chemical:

These products include: Carbon oxides Nitrogen oxides Closed containers may explode from heat of a fire.

Advice for firefighters: Wear self-contained breathing apparatus if possible.

etc.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off,

Take care as it may decompose upon combustion or in high temperatures to generate poisonous fume.

Environmental precautions:

Prevent product from entering drains.

Methods and materials for containment

and cleaning up:

Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly

disposed of, in accordance with appropriate laws and regulations.

Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use

spark-proof tools and explosion-proof equipment.

7. HANDLING AND STORAGE

Prevention of secondary hazards:

Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent Precautions for safe handling:

generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling.

Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.

Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a cool, dark and well-ventilated place. Storage conditions:

Store under inert gas. Store locked up.

Store away from incompatible materials such as oxidizing agents.

Air-sensitive

Comply with laws. Packaging material:

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Appropriate engineering controls: Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed

system or local exhaust. Also install safety shower and eye bath.

Personal protective equipment

Respiratory protection: Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc.

Dynamic Viscosity:

No data available

Use respirators approved under appropriate government standards and follow local and national

regulations.

Hand protection: Impervious gloves.

Eye protection: Safety goggles. A face-shield, if the situation requires.

Skin and body protection: Impervious protective clothing. Protective boots, if the situation requires.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Liquid Form: Clear

Colour:Colorless - YellowOdour:AmmoniacalOdor threshold:No data availableOdour threshold:No data available

Melting point/freezing point:No data availablepH:No data availableBoiling point/range:156°C (313°F)Vapour pressure:No data available.

Decomposition temperature: No data available Vapour density: 3

Relative density: 1.00

Kinematic viscosity: No data available

Log Pow:No data availableEvaporation rate(ButylNo data available

Acetate=1):

Flash point: 85°C (185°F) Autoignition temperature: 335°C (635°F)

Flammability(solid, gas): No data available Flammability or explosive limits:

Lower: 1.8%

Upper: No data available

Solubility(ies):

[Water] Miscible [Other solvents] No data available

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical stability: Stable under proper conditions.

Possibility of hazardous reactions: No special reactivity has been reported.

Conditions to avoid: Open flame Incompatible materials: Oxidizing agents

Hazardous decomposition products: Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx)

11. TOXICOLOGICAL INFORMATION

RTECS Number: CM7000000

Acute Toxicity:

orl-rat LD50:74 mg/kg skn-rbt LD50:71 uL/kg ihl-rat LC:>850 ppm/8H ivn-mus LD50:56 mg/kg

Skin corrosion/irritation:

skn-rbt 500 uL/24H SEV

Serious eye damage/irritation:

eye-rbt 100 uL/24H SEV

Respiratory or skin sensitization:

No data available

Germ cell mutagenicity:

mmo-sat 1 ug/plate (+/-S9) msc-ham-lng 100 mg/L

Carcinogenicity:

scu-mus TDLo:900 mg/kg/75W-I

IARC: Group 3 (Not classifiable as

carcinogenic to humans).

NTP: No data available OSHA: No data available

Reproductive toxicity:

No data available

Target organ(s):

Causes damage to: Liver

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Fish: No data available
Crustacea: No data available
Algae: No data available

Persistence / degradability: No data available

Bioaccumulative potential(BCF): 3.2

Mobility in soil

 Log Pow:
 -1.05

 Soil adsorption (Koc):
 2.0

 Henry's Law (PaM ³/mol):
 7.9 x 10⁻⁵

13. DISPOSAL CONSIDERATIONS

Disposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and

Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for

Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not

be allowed to enter the environment, drains, water ways, or the soil.

Disposal of container: Dispose of as unused product. Do not re-use empty containers.

Other considerations: Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

DOT (US)

UN number: Proper Shipping Name: Class or Division: Subrisk(s): Packing Group:

UN2922 Corrosive liquids, toxic, n.o.s 8 Corrosive material 6.1 Toxic material.

<u>IATA</u>

UN number: Proper Shipping Name: Class or Division: Subrisk(s): Packing Group:

UN2922 Corrosive liquid, toxic, n.o.s 8 Corrosive material 6.1 Toxic material.

IMDG

er:

UN UN2922 Proper Shipping Name: Class or Division: Subrisk(s): Packing Group:

numb Corrosive liquid, toxic, n.o.s 8 Corrosive material 6.1 Toxic material. II

EmS number: F-A, S-B

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.):

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regulations

CERCLA Hazardous substance and Reportable Quantity:

SARA 313: Not Listed SARA 302: Not Listed

State Regulations
State Right-to-Know

MassachusettsNot ListedNew JerseyNot ListedPennsylvaniaNot ListedCalifornia Proposition 65:Not Listed

Other Information

NFPA Rating:HMIS Classification:Health:4Health:3Flammability:2Flammability:2Instability:0Physical:0

International Inventories

 Canada: DSL
 On DSL

 EC-No:
 214-009-4

16. OTHER INFORMATION

Revision date: 07/06/2018 Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.