

TCI AMERICA SAFETY DATA SHEET

Revision number: 1 Revision date: 07/06/2018

1. IDENTIFICATION

Product name: Lithium Aluminum Hydride (10% in Tetrahydrofuran, ca. 2.5mol/L)

Product code: L017

Product use: For laboratory research purposes. Restrictions on use: Not for drug or household use.

Company: TCI America

9211 N. Harborgate Street Portland, OR 97203 U.S.A.

Telephone:

+1-800-423-8616 / +1-503-283-1681

Fax:

+1-888-520-1075 / +1-503-283-1987

e-mail:

sales-US@TCIchemicals.com www.TCIchemicals.com Emergency telephone number:

Chemical Emergencies:

TCI America (8:00am - 5:00pm) PST

+1-503-286-7624

Transportation Emergencies: Chemtrec 24-Hour

+1-800-424-9300 (U.S.A.)

+1-703-527-3887 (International) Responsible department:

TCI America

Environmental Health Safety and Security

+1-503-286-7624

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Acute Toxicity - Oral [Category 4]

WHMIS 2015:

Eye Damage/Irritation [Category 1]

Specific Target Organ Toxicity (Single Exposure) [Category 2] Specific Target Organ Toxicity (Single Exposure) [Category 3] Specific Target Organ Toxicity (Repeated Exposure) [Category 1]

Flammable Liquids [Category 2]

Substances and Mixtures which, in Contact with Water, Emit Flammable Gases [Category 1]

Skin Corrosion/Irritation [Category 1B]

Signal word: Danger!

Hazard Statement(s): Highly flammable liquid and vapor

In contact with water releases flammable gases which may ignite spontaneously

Harmful if swallowed

Causes severe skin burns and eye damage May cause damage to organs: Nervous System

May cause respiratory irritation.

Causes damage to organs through prolonged or repeated exposure: Liver Nervous System Kidney

Pictogram(s) or Symbol(s):



Precautionary Statement(s): [Prevention]

Keep away from heat, sparks, open flames and hot surfaces. – No smoking. Do not allow contact with water. Handle under inert gas. Protect from moisture. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist, vapors or spray. Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Wear protective gloves, protective clothing, face protection.

[Response]

If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a poison center or doctor. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. If exposed or concerned: Call a poison center or doctor. Brush off loose particles from skin. Immerse in cool water or wrap with wet bandages. In case of fire: Use dry chemical or dry sand to extinguish.

[Storage]

Store in a dry place. Store in a closed container. Store in a well-ventilated place. Keep container tightly

Lithium Aluminum Hydride (10% in Tetrahydrofuran, ca. 2.5mol/L)

TCI AMERICA

Page 2 of 5

closed. Store locked up.

[Disposal] Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40

CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).

Hazards not otherwise classified:

[HNOC]

May form explosive peroxides.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture: Mixture

Components: Lithium Aluminum Hydride (10% in Tetrahydrofuran, ca. 2.5mol/L)

Percent:

CAS RN: 16853-85-3
Molecular Weight: 37.95
Chemical Formula: H4AlLi

Synonyms: LAH (10% in Tetrahydrofuran, ca. 2.5mol/L)

4. FIRST-AID MEASURES

Description of first aid measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a

POISON CENTER or doctor/physician.

Skin contact: Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.

Immediately call a POISON CENTER or doctor/physician.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.Immediately call a POISON CENTER or doctor/physician.

Ingestion: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

Symptoms/effects:

Acute: Pain. Redness.

Delayed: May have effects on the respiratory tract.

Indication of any immediate medical attention:

Not available.

Notes to physician: No data available

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, dry sand.

Unsuitable extinguishing media: Water

Hazardous combustion products: These products include: Metallic oxides

Other specific hazards: Closed containers may explode from heat of a fire.

Advice for firefighters: Wear self-contained breathing apparatus if possible.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be

controlled around the leakage area by roping off, etc.

Environmental precautions:

Methods and materials for containment and cleaning up:

Prevent product from entering drains.

Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

Prevention of secondary hazards: Do not allow contact with water. Remove

Do not allow contact with water. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Since there is a possibility of igniting behind when removal of a leakage thing is imperfect, it is careful enough.

7. HANDLING AND STORAGE

Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent Precautions for safe handling:

generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfaces. -No smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands

and face thoroughly after handling.

Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.

Avoid contact with skin, eyes and clothing.

Keep away from any possible contact with water, because of violent reaction and possible flash fire. Use well-dried equipment. Handle under inert gas. Don't leave used equipment or rag. This product may ignite if it is left stuck on combustibles such as paper, rags, etc.

Conditions for safe storage, including any incompatibilities

Storage conditions: Keep container tightly closed. Store in a cool, dark and well-ventilated place.

> Store under inert gas. Protect from moisture. Store locked up. Store away from incompatible materials such as oxidizing agents.

Moisture-sensitive Comply with laws.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

ACGÍH TLV(TWA):50 ppm (skin) ACGIH TLV(STEL):100 ppm (skin) OSHA PEL(TWA):200 ppm

Appropriate engineering controls: Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed

system or local exhaust. Also install safety shower and eye bath.

Personal protective equipment

Packaging material:

Respiratory protection: Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc.

Use respirators approved under appropriate government standards and follow local and national

regulations.

Hand protection: Impervious gloves.

Safety goggles. A face-shield, if the situation requires. Eye protection:

Skin and body protection: Impervious protective clothing. Protective boots, if the situation requires.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Liquid

Form: Clear - Slightly cloudy Colorless - Very pale yellow Colour:

Odour: No data available Odor threshold: No data available Odour threshold: No data available

Melting point/freezing point: No data available pH: No data available

(THF) -108°C

Boiling point/range: No data available Vapour pressure: No data available.

(THF) 65°C

125°C (Lithium Aluminium Hydride) Decomposition temperature: Vapour density: **Dynamic Viscosity:**

Relative density: 0.90

Kinematic viscosity: No data available

No data available Log Pow: Evaporation rate(Butyl No data available

Acetate=1):

(THF) 0.46 Log Pow:

No data available No data available Flash point: Autoignition temperature:

(THF) -15°C

Flammability(solid, gas): No data available Flammability or explosive limits:

Lower: No data available Upper: No data available

No data available

No data available

Solubility(ies):

No data available [Water] [Other solvents] No data available

10. STABILITY AND REACTIVITY

No data available Reactivity:

Chemical stability: Stable under proper conditions.

May spontaneously ignite or release flammable gases when in contact with water. Possibility of hazardous reactions:

Conditions to avoid: Spark, Open flame, Static discharge, Moisture Oxidizing agents, Acids, Water, Alcohols Incompatible materials: Hazardous decomposition products: Carbon monoxide, carbon dioxide etc

11. TOXICOLOGICAL INFORMATION

Acute Toxicity:

No data available

Skin corrosion/irritation:

No data available

Serious eye damage/irritation:

No data available

Respiratory or skin sensitization:

No data available

Germ cell mutagenicity:

No data available

Carcinogenicity:

No data available

No data available NTP: No data available OSHA: No data available IARC:

Reproductive toxicity:

No data available

Target organ(s):

May cause damage to organs: Nervous System

May cause respiratory irritation.

Causes damage to organs through prolonged or repeated exposure: Liver Nervous System Kidney

12. ECOLOGICAL INFORMATION

Ecotoxicity:

No data available Fish: Crustacea: No data available No data available Algae:

Persistence / degradability: No data available Bioaccumulative potential(BCF): No data available

Mobility in soil

No data available Log Pow: Soil adsorption (Koc): No data available Henry's Law (PaM 3/mol): No data available

13. DISPOSAL CONSIDERATIONS

Disposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and

Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for

Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not

be allowed to enter the environment, drains, water ways, or the soil.

Dispose of as unused product. Do not re-use empty containers.

Disposal of container:

Other considerations: Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

DOT (US)

UN number: Proper Shipping Name: Class or Division: Subrisk(s): **Packing Group:**

UN3399 Organometallic substance, liquid, 4.3 Dangerous when wet 3 Flammable liquid

water-reactive, flammable material (water reactive)

IATA

UN number: **Proper Shipping Name:** Class or Division: Subrisk(s): **Packing Group:** UN3399

Organometallic substance, liquid. 4.3 Dangerous when wet 3 Flammable liquid water-reactive, flammable

material (water reactive)

IMDG

Class or Division: UN3399 **Proper Shipping Name:** Subrisk(s): **Packing Group:** UN

Organometallic substance, liquid, 4.3 Dangerous when wet 3 Flammable liquid numb

er: water-reactive, flammable material (water reactive)

Air Transport: Cargo Aircraft Only. EmS number: F-G. S-N

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.):

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regulations

CERCLA Hazardous substance and Reportable Quantity: SARA 313: Not Listed **SARA 302:** Not Listed

State Regulations State Right-to-Know

Massachusetts Listed Listed **New Jersey** Pennsylvania Listed California Proposition 65: Not Listed

Other Information

NFPA Rating: **HMIS Classification:**

2 2 Health: Health: Flammability: 3 Flammability: 3 Instability: Physical: 0

International Inventories

Canada: NDSL On NDSL EC-No: 240-877-9

16. OTHER INFORMATION

Revision date: 07/06/2018 Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.