

Revision number: 1 Revision date: 07/06/2018

1. IDENTIFICATION

Product name: Product code:

Product use: **Restrictions on use:**

Company: TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: WHMIS 2015:

Signal word:

Hazard Statement(s):

1-Phenyl-2-(trimethylsilyl)acetylene P1398

TCI AMERICA

SAFETY DATA SHEET

For laboratory research purposes. Not for drug or household use.

Emergency telephone number:

Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) **Responsible department:** TCI America Environmental Health Safety and Security +1-503-286-7624

Skin Corrosion/Irritation [Category 2] Eye Damage/Irritation [Category 2A] Flammable Liquids [Category 4]

Combustible liquid Causes skin irritation Causes serious eye irritation

Warning!

None.

Pictogram(s) or Symbol(s):



Precautionary Statement(s): [Prevention]

[Response]

[Storage] [Disposal] Keep away from flames and hot surfaces. - No smoking. Wash hands and face thoroughly after handling. Wear protective gloves, eye protection. If on skin: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention.

Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. In case of fire: Use dry chemical, dry sand or foam to extinguish. Store in a well-ventilated place. Keep cool.

Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40 CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).

Hazards not otherwise classified: [HNOC]

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture:	Substance
Components:	1-Phenyl-2-(trimethylsilyl)acetylene
Percent:	>98.0%(GC)
CAS RN:	2170-06-1
Molecular Weight:	174.32
Chemical Formula:	C11H14Si
Synonyms:	(Phenylethynyl)trimethylsilane
Synonyms.	(Fhenyleurynyl)unneuryisiiane
4. FIRST-AID MEASURES	
Description of first aid measures	
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical
innanationi	advice/attention if you feel unwell.
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. If
	skin irritation or rash occurs: Get medical advice/attention.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion:	Get medical advice/attention if you feel unwell. Rinse mouth.
Symptoms/effects:	
Acute:	Redness.
Delayed:	No data available
ndication of any immediate medical atte	ntion
lot available.	
Notes to physician:	
No data available	
5. FIRE-FIGHTING MEASURES	
Suitable extinguishing media:	Dry chemical, foam, carbon dioxide.
Insuitable extinguishing media:	Water (It may scatter and spread fire.)
insultable extinguishing media.	Water (it may scatter and spread fire.)
Specific hazards arising from the	Take care as it may decompose upon combustion or in high temperatures to generate poisonous fume.
hemical:	Take care as it may decompose upon combustion of in high temperatures to generate poisonous rune.
lazardous combustion products:	These products include: Carbon oxides Silicates
Other specific hazards:	Closed containers may explode from heat of a fire.
Advice for firefighters:	Wear self-contained breathing apparatus if possible.
6. ACCIDENTAL RELEASE MEASU	RES
	Lies assessed anotative any instant. Know as all any from and unvited of an ill/asly. Ensure addresses
Personal precautions, protective	Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate
equipment and emergency procedures:	
	etc.
Environmental precautions:	etc. Prevent product from entering drains.
Environmental precautions: Methods and materials for containment	etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large
Environmental precautions: Methods and materials for containment	etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly
Environmental precautions: Methods and materials for containment and cleaning up:	etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
Environmental precautions: Methods and materials for containment and cleaning up:	etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use
invironmental precautions: lethods and materials for containment nd cleaning up:	etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
Environmental precautions: Methods and materials for containment and cleaning up: Prevention of secondary hazards:	etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use
Environmental precautions: Methods and materials for containment and cleaning up: Prevention of secondary hazards:	etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use
Environmental precautions: Methods and materials for containment and cleaning up: Prevention of secondary hazards: 7. HANDLING AND STORAGE	etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.
Environmental precautions: Methods and materials for containment and cleaning up: Prevention of secondary hazards: 7. HANDLING AND STORAGE	etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent
Environmental precautions: Methods and materials for containment and cleaning up: Prevention of secondary hazards: 7. HANDLING AND STORAGE	etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the
Environmental precautions: Methods and materials for containment and cleaning up: Prevention of secondary hazards: 7. HANDLING AND STORAGE	etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after
Environmental precautions: Methods and materials for containment and cleaning up: Prevention of secondary hazards: 7. HANDLING AND STORAGE	etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling.
Environmental precautions: Methods and materials for containment nd cleaning up: Prevention of secondary hazards: 7. HANDLING AND STORAGE	etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.
Invironmental precautions: Nethods and materials for containment nd cleaning up: Prevention of secondary hazards: A. HANDLING AND STORAGE Precautions for safe handling:	etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.
Environmental precautions: Methods and materials for containment and cleaning up: Prevention of secondary hazards: 7. HANDLING AND STORAGE Precautions for safe handling:	etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. by incompatibilities
Environmental precautions: Methods and materials for containment and cleaning up: Prevention of secondary hazards: 7. HANDLING AND STORAGE Precautions for safe handling:	etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. by incompatibilities Keep container tightly closed. Store in a cool, dark and well-ventilated place.
Environmental precautions: Methods and materials for containment and cleaning up: Prevention of secondary hazards: 7. HANDLING AND STORAGE Precautions for safe handling:	etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. by incompatibilities Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas. Protect from moisture.
Equipment and emergency procedures: Environmental precautions: Methods and materials for containment and cleaning up: Prevention of secondary hazards: 7. HANDLING AND STORAGE Precautions for safe handling: Conditions for safe storage, including an Storage conditions:	etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. hy incompatibilities Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas. Protect from moisture. Store away from incompatible materials such as oxidizing agents.
Environmental precautions: Methods and materials for containment and cleaning up: Prevention of secondary hazards: 7. HANDLING AND STORAGE Precautions for safe handling:	Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. 1y incompatibilities Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas. Protect from moisture.

TCI AMERICA

Page 3 of 5

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Appropriate engineering controls:	Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath.
Personal protective equipment	
Respiratory protection:	Vapor respirator. Follow local and national regulations.
Hand protection:	Protective gloves.
Eye protection:	Safety glasses. A face-shield, if the situation requires.
Skin and body protection:	Protective clothing. Protective boots, if the situation requires.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Form: Colour: Odour: Odor threshold: Odour threshold:	Liquid Clear Colorless - Slightly pale No data available No data available No data available	yellow	
Melting point/freezing point: Boiling point/range: Decomposition temperature: Relative density: Kinematic viscosity: Log Pow:	No data available 88°C /1kPa (190°F) No data available 0.90 No data available No data available	pH: Vapour pressure: Vapour density: Dynamic Viscosity: Evaporation rate(Butyl Acetate=1):	No data available No data available. No data available No data available No data available
Flash point: Flammability(solid, gas):	73°C (163°F) No data available	Autoignition temperature: Flammability or explosive limits: Lower: Upper:	No data available No data available No data available
Solubility(ies): [Water] [Other solvents]	No data available No data available		

10. STABILITY AND REACTIVITY

Reactivity: Chemical stability: Possibility of hazardous reactions: Conditions to avoid: Incompatible materials: Hazardous decomposition products:

No data available Stable under proper conditions. No special reactivity has been reported. Open flame Oxidizing agents Carbon dioxide, Carbon monoxide, Silicon oxides

11. TOXICOLOGICAL INFORMATION

Acute Toxicity: No data available				
Skin corrosion/irritation: No data available				
Serious eye damage/irritation: No data available				
Respiratory or skin sensitization: No data available				
Germ cell mutagenicity: No data available				
Carcinogenicity: No data available				
IARC: No data available	NTP:	No data available	OSHA:	No data available
Reproductive toxicity: No data available				
Target organ(s):	No data available			
12. ECOLOGICAL INFORMATION				
Ecotoxicity:				
Fish:	No data available			
Crustacea:	No data available			
Algae:	No data available			
Persistence / degradability: Bioaccumulative potential(BCF): Mobility in soil	No data available No data available			
Log Pow:	No data available			
Soil adsorption (Koc):	No data available			
Henry's Law (PaM³/mol):	No data available			
13. DISPOSAL CONSIDERATIONS				
Disposal of product:	Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil.			
Disposal of container:	Dispose of as unu	sed product. Do not re-use empty	containers.	
Other considerations:	Observe all federa	al, state and local regulations when	n disposing of th	ne substance.
14. TRANSPORT INFORMATION				
DOT (US)	Non-hazardous fo	r transportation.		
IATA	Non-hazardous fo	r transportation.		
IMDG	Non-hazardous fo	r transportation.		

TCI AMERICA

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.):

This product is NOT on the EPA Toxic Substances Control Act (TSCA) inventory. The following notices are required by 40 CFR 720.36 (C) for those products not on the inventory list:

(i) These products are supplied solely for use in research and development by or under the supervision of a technically qualified individual as defined in 40 CFR 720.0 et sec.

(ii) The health risks of these products have not been fully determined. Any information that is or becomes available will be supplied on a SDS sheet.

US Federal Regulations

CERCLA Hazardous substance and Reportable Quantity: SARA 313: Not Listed SARA 302: Not Listed

State Regulations	
State Right-to-Know	
Massachusetts	Not Listed
New Jersey	Not Listed
Pennsylvania	Not Listed
California Proposition 65:	Not Listed

Other Information

NFPA Rating: Health: 2 Flammability: 2 Instability: 0

HMIS Classification:Health:2Flammability:2Physical:0

International Inventories

16. OTHER INFORMATION

Revision date: 07/06/2018

Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.