



TCI AMERICA

SAFETY DATA SHEET

Revision number: 1
Revision date: 07/06/2018

1. IDENTIFICATION

Product name: Skeletal Nickel Catalyst slurry in Water [Active catalyst for Hydrogenation]
Product code: S0487

Product use: For laboratory research purposes.
Restrictions on use: Not for drug or household use.

Company:
TCI America
9211 N. Harborgate Street
Portland, OR 97203 U.S.A.
Telephone:
+1-800-423-8616 / +1-503-283-1681
Fax:
+1-888-520-1075 / +1-503-283-1987
e-mail:
sales-US@TCIchemicals.com
www.TCIchemicals.com

Emergency telephone number:
Chemical Emergencies:
TCI America (8:00am - 5:00pm) PST
+1-503-286-7624
Transportation Emergencies:
Chemtrec 24-Hour
+1-800-424-9300 (U.S.A.)
+1-703-527-3887 (International)
Responsible department:
TCI America
Environmental Health Safety and Security
+1- 503-286-7624

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Sensitization - Respiratory [Category 1]
WHMIS 2015: Sensitization - Skin [Category 1]
Carcinogenicity [Category 2]
Specific Target Organ Toxicity (Single Exposure) [Category 1]
Specific Target Organ Toxicity (Repeated Exposure) [Category 1]
Pyrophoric Solids [Category 1]
Aquatic Hazard (Long-Term) [Category 4]

Signal word: Danger!

Hazard Statement(s): Catches fire spontaneously if exposed to air
May cause allergy or asthma symptoms or breathing difficulties if inhaled
May cause an allergic skin reaction
Suspected of causing cancer
May cause long lasting harmful effects to aquatic life
Causes damage to: Respiratory System Kidney
Causes damage to organs through prolonged or repeated exposure: Respiratory System

Pictogram(s) or Symbol(s):



Precautionary Statement(s):
[Prevention]

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces. – No smoking. Do not allow contact with air. Do not breathe dust, fume, mist, vapors or spray. Avoid release to the environment. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wash hands and face thoroughly after handling. Wear respiratory protection. Wear protective gloves, protective clothing, face protection.

[Response]

If on skin: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice or attention. Wash contaminated clothing before reuse. If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or doctor. If exposed: Call a poison center or doctor. Brush off loose particles from skin. Immerse in cool water or wrap with wet bandages. In case of fire: Use dry chemical or dry sand to extinguish. Store contents under inert gas. Store locked up.

[Storage]

[Disposal]

Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40 CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).

Hazards not otherwise classified:
[HNOC]

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture:	Substance
Components:	Skeletal Nickel Catalyst slurry in Water [Active catalyst for Hydrogenation]
Percent:
CAS RN:	7440-02-0
Molecular Weight:	58.69
Chemical Formula:	Ni
Synonyms:	Raney Nickel slurry in Water

4. FIRST-AID MEASURES

Description of first aid measures

Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician.
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Call a POISON CENTER or doctor/physician.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Call a POISON CENTER or doctor/physician.
Ingestion:	Call a POISON CENTER or doctor/physician. Rinse mouth.

Symptoms/effects:

Acute:	Redness.
Delayed:	May cause skin sensitization. Possibly carcinogenic to humans.

Indication of any immediate medical attention:

Not available.

Notes to physician:

No data available

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:	Dry chemical, foam, water spray, carbon dioxide.
Hazardous combustion products:	These products include: Metallic oxides
Other specific hazards:	Closed containers may explode from heat of a fire.
Advice for firefighters:	Wear self-contained breathing apparatus if possible.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc.
Environmental precautions:	Prevent product from entering drains.
Methods and materials for containment and cleaning up:	Sweep dust to collect it into an airtight container, taking care not to disperse it. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
Prevention of secondary hazards:	Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Ensure all leaks are completely removed to prevent subsequent ignition.

7. HANDLING AND STORAGE

Precautions for safe handling:	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent dispersion of dust. Keep away from heat/sparks/open flame/hot surfaces. -No smoking. Take measures to prevent the build up of electrostatic charge. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a local exhaust if dust or aerosol will be generated. Avoid all contact! Handle under inert gas. Do not allow contact with air. Don't leave used equipment or rag. This product may ignite if it is left stuck on combustibles such as paper, rags, etc.
Conditions for safe storage, including any incompatibilities	
Storage conditions:	Keep container tightly closed. Store in a cool and dark place. Store under inert gas. Store locked up. Store away from incompatible materials such as oxidizing agents. Air-sensitive
Packaging material:	Comply with laws.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

ACGIH TLV(TWA):	1.5 mg/m ³ (l)
OSHA PEL(TWA):	1 mg/m ³
JSOH OELs(TWA):	1 mg/m ³

Appropriate engineering controls: Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed system or local exhaust. Also install safety shower and eye bath.

Personal protective equipment

Respiratory protection:	Dust respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.
Hand protection:	Impervious gloves.
Eye protection:	Safety goggles. A face-shield, if the situation requires.
Skin and body protection:	Impervious protective clothing. Protective boots, if the situation requires.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):	Solid
Form:	Powder
Colour:	Black
Odour:	No data available
Odor threshold:	No data available
Odour threshold:	No data available

Melting point/freezing point:	No data available	pH:	No data available
Boiling point/range:	No data available	Vapour pressure:	No data available
Decomposition temperature:	No data available	Vapour density:	No data available
Relative density:	No data available	Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available		
Log Pow:	No data available	Evaporation rate(Butyl Acetate=1):	No data available

Flash point:	No data available	Autoignition temperature:	No data available
Flammability(solid, gas):	No data available	Flammability or explosive limits:	
		Lower:	No data available
		Upper:	No data available

Solubility(ies):	
[Water]	No data available
[Other solvents]	No data available

10. STABILITY AND REACTIVITY

Reactivity:	No data available
Chemical stability:	Stable under proper conditions.
Possibility of hazardous reactions:	Dust explosion possible if in powder or granular form, mixed with air. May spontaneously ignite on contact with air.
Conditions to avoid:	Spark, Open flame, Static discharge, Air
Incompatible materials:	Oxidizing agents, Strong acids, Combustibles
Hazardous decomposition products:	Carbon monoxide, carbon dioxide etc

11. TOXICOLOGICAL INFORMATION

RTECS Number: QR5950000

Acute Toxicity:

ipr-rat LD50:250 mg/kg
ivn-mus LDLo:50 mg/kg

orl-rat LDLo:500 mg/kg
itr-rat LDLo:12 mg/kg

Skin corrosion/irritation:

No data available

Serious eye damage/irritation:

No data available

Respiratory or skin sensitization:

No data available

Germ cell mutagenicity:

mtr-ham-emb 5 umol/L

mtr-ham-kdy 400 mg/L

Carcinogenicity:

ihl-gpg TCLo:15 mg/m³/91W-I
par-rat TDLo:40 mg/kg/52W-I

ims-rat TDLo:56 mg/kg

IARC: Group 2B (Possibly carcinogenic to humans) .

NTP: b (Reasonably anticipated to be carcinogens).

OSHA: No data available

Reproductive toxicity:

orl-rat TDLo:158 mg/kg (multigenerations)

Target organ(s):

Causes damage to: Respiratory System Kidney

Causes damage to organs through prolonged or repeated exposure: Respiratory System

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Fish: No data available
Crustacea: No data available
Algae: No data available

Persistence / degradability:

No data available

Bioaccumulative potential(BCF):

No data available

Mobility in soil

Log Pow: No data available
Soil adsorption (Koc): No data available
Henry's Law (PaM³/mol): No data available

13. DISPOSAL CONSIDERATIONS

Disposal of product:

Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil.

Disposal of container:

Dispose of as unused product. Do not re-use empty containers.

Other considerations:

Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION**DOT (US)**

UN number: UN1378	Proper Shipping Name: Metal catalyst, wetted	Class or Division: 4.2 Spontaneously combustible material.	Packing Group: II
-----------------------------	--	--	-----------------------------

IATA

UN number: UN1378	Proper Shipping Name: Metal catalyst, wetted	Class or Division: 4.2 Spontaneously combustible material.	Packing Group: II
-----------------------------	--	--	-----------------------------

IMDG

UN number: UN1378	Proper Shipping Name: Metal catalyst, wetted	Class or Division: 4.2 Spontaneously combustible material.	Packing Group: II
-----------------------------	--	--	-----------------------------

Air Transport:	Cargo Aircraft Only.
EmS number:	F-H, S-M

15. REGULATORY INFORMATION**Toxic Substance Control Act (TSCA 8b.):**

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regulations**CERCLA Hazardous substance and Reportable Quantity:**

SARA 313:	Listed
SARA 302:	Not Listed

State Regulations**State Right-to-Know**

Massachusetts	Listed
New Jersey	Listed
Pennsylvania	Listed

California Proposition 65:	Listed
-----------------------------------	--------

Other Information**NFPA Rating:**

Health:	2
Flammability:	0
Instability:	2

HMIS Classification:

Health:	2
Flammability:	0
Physical:	2

International Inventories

Canada: DSL	On DSL
EC-No:	231-111-4

16. OTHER INFORMATION

Revision date: 07/06/2018

Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.