



SAFETY DATA SHEET

Preparation Date: 5/9/2014

Revision Date: 4/26/2018

Revision Number: G2

1. IDENTIFICATION Product identifier **Product code:** US621 **Product Name:** ETHYL ETHER, UNISOLV(R) Other means of identification Diethyl ether Synonyms: Diethyl oxide Ethyl oxide Éther éthylique (French) Ethoxyethane Ethyl ether Oxyde d'ethyle (French) 60-29-7 CAS #: **RTECS #** KI5775000 CI#: Not available Recommended use of the chemical and restrictions on use **Recommended use:** Solvent. Uses advised against No information available Spectrum Chemical Mfg. Corp Supplier: 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000 https://www.spectrumchemical.com Order Online At: Chemtrec 1-800-424-9300 Emergency telephone number

Ibad Tirmiz (East Coast)

Martin LaBenz (West Coast)

2. HAZARDS IDENTIFICATION

Classification

Contact Person:

Contact Person:

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 1

Label elements

Danger

Hazard statements Harmful if swallowed Causes skin irritation Causes serious eye irritation May cause respiratory irritation. May cause drowsiness or dizziness Extremely flammable liquid and vapor



Hazards not otherwise classified (HNOC) Not Applicable

Other hazards

Toxic to aquatic life with long lasting effects Toxic to aquatic life

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/.../equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool

Precautionary Statements - Response

In case of fire: Use CO2, dry chemical, or foam to extinguish.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %

Ethyl Ether, w/o stabilize	er	60-29-7	100	
	4.	FIRST AID MEASURE	ES	
First aid measures				
General Advice:	have a poi	National Capital Poison Center in the United States can provide assistance if yo have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222.		
Skin Contact:		Wash off immediately with soap and plenty of water removing all contaminated clothing an shoes. Get medical attention. If skin irritation persists, call a physician.		
Eye Contact:	Flush eyes physician.	with water for 15 minutes. G	et medical attention. If symptoms persist, call a	
Inhalation:		sh air. If breathing is difficult, Get medical attention.	, give oxygen. If not breathing, give artificial	
Ingestion:		ce vomiting without medical s person. Obtain medical atte	advice. Never give anything by mouth to an tention.	
Most important symptoms and o	effects, both acu	ite and delayed		
Symptoms Indication of any immediate me	Irritating to eyes, respiratory system and skin Central nervous system effects Dizziness Drowsiness Fatigue May cause headache Ingestion may cause vomiting and nausea May cause cardiovascular effects dical attention and special treatment needed			
Notes to Physician:	Treat sympt			
Protection of first-aiders First-Aid Providers: Avoid exposu contaminated clothing and equipm			other necessary protective clothing. Dispose of	
	5. FI	RE-FIGHTING MEASU	JRES	
Extinguishing Media Suitable Extinguishing Media	a:	Carbon diox foam.	ide (CO2). Dry chemical. Water spray mist or	
Unsuitable Extinguishing Media:		Do not use a and spread f	a solid (straight) water stream as it may scatte fire.	
Specific hazards arising fi	om the chem	ical		
Hazardous Combustion Proc	lucts:	Carbon Mon	noxide, Carbon Dioxide.	
Specific hazards:		flames. Cont conditions of distance to s	ammable. May be ignited by heat, sparks or Itainer explosion may occur under fire or when heated. Vapor may travel considerable source of ignition and flash back. Vapors may ive mixtures with air. Most vapors are heavier	

than air. They will spread along the ground and collect in low or confined areas (sewers, basements, tanks). Fire may produce irritating, corrosive and/or toxic gases.

Special Protective Actions for Firefighters

Specific Methods:

Special Protective Equipment for Firefighters:

Water mist may be used to cool closed containers. For larger fires, use water spray or fog. Cool containers with flooding quantities of water until well after fire is out.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions:	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes and clothing. Use personal protective equipment. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use spark-proof tools and explosion-proof equipment. In case of large spill, water spray or vapor suppressing foam may be used to reduce vapors, but may not prevent ignition in closed spaces.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not let this chemical enter the environment. Prevent entry into waterways, sewers, basements or confined areas. In case of large spill, dike if

needed. Dike far ahead of liquid spill for later disposal.

Methods and material for containment and cleaning up

Methods for containmentStop leak if you can do it without risk. Absorb spill with inert material (e.g.
vermiculite, dry sand or earth).Methods for cleaning upUse appropriate tools to put the spilled material in a suitable chemical waste
disposal container. Use only non-sparking tools. Clean contaminated surface
thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Remove all sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Do not breathe vapors or spray mist. Do not ingest. When using do not smoke. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Sensitive to light. Store in light-resistant containers. Air sensitive. Hygroscopic. Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Keep at temperatures below 24

°C. Keep away from heat and sources of ignition. Store in a segregated and approved area. Store away from incompatible materials.

Incompatible Materials: Oxidizing agents Acids Halogens Sulfur Sulfur compounds

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WEEL
Ethyl Ether, w/o	60-29-7	400 ppm TWA	None	500 ppm STEL	None
stabilizer		1200 mg/m ³ TWA		400 ppm TWA	

Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Ethyl Ether, w/o stabilizer	60-29-7	400 ppm TWA 1210 mg/m ³ TWA 500 ppm STEL 1520 mg/m ³ STEL	400 ppm TWA 500 ppm STEL	500 ppm STEL	None

Australia and Mexico

Components	CAS-No.	Australia	Mexico
Ethyl Ether, w/o stabilizer	60-29-7	500 ppm STEL 1520 mg/m ³ STEL	400 ppm TWA 1200 mg/m³ TWA
		400 ppm TWA	500 ppm STEL
		1210 mg/m ³ TWA	1500 mg/m ³ STEL

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection:	Goggles	
Skin and body protection:	Chemical resistant apron Long sleeved clothing Gloves	
Respiratory protection:	Vapor respirator. Be sure to use an approved/certified respirator or equivale	ent.
Hygiene measures:	Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the prod	uct.
Product code: US621	Product name: ETHYL ETHER, UNISOLV(R)	5/13

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid

Odor: Ethereal. Sweetish. Pungent.

Molecular/Formula weight: 74.12

Flashpoint (°C/°F): -45 °C/ -49 °F -40 °C/-40 °F Lower Explosion Limit (%): 1.9%

Decomposition temperature(°C/°F):Boiling point/range(°C/°F):No information available34.6 °C/94.3 °F at 760 mm H

Density (g/cm3): No information available

Vapor pressure @ 20°C (kPa): 58.9

VOC content (g/L): 713-714

Viscosity: No information available Appearance: No information available.

Taste Burning. Sweet.

Flammability: No information available

Flash Point Tested according to: Closed cup Open cup Upper Explosion Limit (%): 36-48%

Boiling point/range(°C/°F): 34.6 °C/94.3 °F at 760 mm Hg 17.9 °C/64.2 °F at 400 mm Hg 2.2 °C/36 °F at 200 mm Hg

Specific gravity: 0.7134-0.7147 @ 20 °C

Evaporation rate: No information available

Odor threshold (ppm): No information available

Miscibility: Miscible with many organic solvents Miscible with Benzene Miscible with Chloroform Miscible with Oils Miscible with Petroleum Ether Miscible with lower aliphatic alcohols Color: Colorless.

Formula: C4-H10-O

Flash point (°C): -45

Autoignition Temperature (°C/°F): 160-180 °C/320-356 °F

Melting point/range(°C/°F): -116 °C; -177 °F

Bulk density: No information available

pH: No information available

Vapor density: 2.55

Partition coefficient (n-octanol/water): No information available

Solubility: Soluble in Acetone Very soluble in Ethanol Soluble in Benzene Slightly soluble in water

10. STABILITY AND REACTIVITY

Reactivity Reactive with oxidizing agents Reactive with acids

Chemical stability	
Stability:	Stable under recommended storage conditions.
Possibility of Hazardous Reactions:	_Hazardous polymerization does not occur
Conditions to avoid:	Heat. Ignition sources. Exposure to light. Exposure to moisture. Exposure to moist air. Exposure to air. Incompatible materials.
Incompatible Materials:	Oxidizing agents Acids Halogens

	Sulfur Sulfur compounds
Hazardous decomposition products:	Carbon monoxide. Carbon dioxide. When heated to decomposition it emits acrid smoke and irritating fumes.
Other Information Corrosivity:	No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure: Ingestion. Skin. Inhalation. Eyes.

Acute Toxicity

Component Information

Ethyl Ether, w/o stabilizer
CAS-No. 60-29-7
LD50/oral/rat = 1215 mg/kg Oral LD50 Rat
LD50/oral/mouse = 1760 mg/kg LD50/dermal/rabbit = >20 mL/kg Dermal LD50 Rabbit
LD50/dermal/rat = No information available
LC50/inhalation/rat = 32000 ppm 4 hr
LC50/inhalation/mouse = $130000 \text{ mg/m}^3 \text{ 3 h}$
31000 ppm 30M
Other LD50 or LC50information = No information available
Product Information
LD50/oral/rat =
VALUE- Acute Tox Oral = 1215 mg/kg
LD50/oral/mouse =
Value - Acute Tox Oral = 1760 mg/kg
LD50/dermal/rabbit
VALUE-Acute Tox Dermal = > 20 ml/kg
LD50/dermal/rat
VALUE -Acute Tox Dermal = No information available
LC50/inhalation/rat
VALUE-Vapor = No information available
VALUE-Gas = $32000 \text{ ppm}(4\text{-hr})$
VALUE-Dust/Mist = No information available
LC50/Inhalation/mouse
VALUE-Vapor = 130000 mg/m ³ 4 hr
VALUE - Gas = 31000 ppm 30 M
VALUE - Dust/Mist = No information available

Product code: US621

Product name: ETHYL ETHER, UNISOLV(R)

<u>Symptoms</u>	
Skin Contact:	Causes skin irritation. Moderate skin irritation. It may be absorbed through the skin. If absorbed through skin it may cause systemic effects.
Eye Contact:	Causes eye irritation. May cause conjunctivitis.
Inhalation	Irritating to respiratory system. May cause conjunctival irritation. May affect respiration (respiratory depression). Symptoms may include coughing and bronchodilation. May cause salivation. May cause loss of appetite. May affect cardiovascular system (bradycardia, tachycardia, cardiac arrhythmias). Inhalation of high concentrations of vapors may cause dizziness or suffocation. Inhalation of high concentrations of vapor may cause anesthetic effects. May cause central nervous system effects, central nervous system depression. It may affect behavior/central nervous system (ataxia, general anesthetic, drowsiness). It may affect behavior/central nervous system (headache, euphoria, fatigue, slurred speech).
Ingestion	Harmful if swallowed. May cause digestive (gastointestinal) tract irritation. It may cause abdominal (stomach) distention. Ingestion may cause nausea, vomiting. May cause central nervous system effects (affect behavior). Aspiration hazard if swallowed. Aspiration into the lungs can cause chemical pneumonitis. May cause loss of appetite.
Aspiration hazard	No information available.
Delayed and immediate effects	as well as chronic effects from short and long-term exposure
Chronic Toxicity	Prolonged or repeated inhalation and/or ingestion may cause central nervous system effects (affect behavior). Prolonged or repeated ingestion may cause weight loss. Prolonged or repeated inhalation may affect metabolism (weight loss). Prolonged or repeated ingestion may affect the liver. Prolonged or repeated inhalation may affect the liver. Prolonged or repeated inhalation may affect the liver. Prolonged or repeated dermatitis and defatting, dryness, and cracking of the skin. Prolonged or repeated inhalation may affect the kidneys.
Sensitization:	No information available.
Mutagenic Effects:	For Ethyl Ether: May affect genetic material Animal experiments showed mutagenic effects Experiments with bacteria have shown mutagenic effects

Carcinogenic effects:

Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Ethyl Ether, w/o stabilizer	60-29-7	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity	No data is available
Reproductive Effects: Developmental Effects: Teratogenic Effects:	No information available No information available No information available
• ··· - · · ·	

Specific Target Organ Toxicity

STOT - single exposure	Respiratory system. central nervous system.
STOT - repeated exposure	No information available.
Target Organs:	Central nervous system.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects:	Aquatic environment.
Ethyl Ether, w/o stabilizer - 60-29- Freshwater Fish Species Data:	7 2560 mg/L LC50 Pimephales promelas 96 h flow-through 1 10000 mg/L LC50 Lepomis macrochirus 96 h static 1
Water Flea Data:	165 mg/L EC50 Daphnia magna 24 h
Persistence and degradability:	No information available
Bioaccumulative potential:	No information available.
Mobility:	No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Ethyl Ether, w/o stabilizer	60-29-7	None	None	None	U117 ignitable waste

14. TRANSPORT INFORMATION

DOT

• ·	
UN-No:	UN1155
Proper Shipping Name:	Diethyl ether
Hazard Class:	3
Subsidiary Class	No information available
Packing group:	I
Emergency Response Guide	No information available
Number	
Marine Pollutant	No data available
DOT RQ (lbs):	100 lbs/45.4 kg

Product name: ETHYL ETHER, UNISOLV(R)

Special Provisions Symbol(s): Description:	No Information available No information available No information available
TDG (Canada) UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: Marine Pollutant Description:	UN1155 Diethyl ether 3 No information available I No Information available No information available
ADR UN-No: Proper Shipping Name: Hazard Class: Packing Group: Subsidiary Risk:	UN1155 Diethyl ether (Ethyl ether) 3 I No information available
IMO / IMDG UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: Marine Pollutant EMS:	UN1155 Diethyl ether (Ethyl ether) 3 No information available I No information available F-E
RID UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group:	UN1155 Diethyl ether (Ethyl ether) 3 3 I
ICAO UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group:	UN1155 Diethyl ether 3 No information available I
IATA UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: ERG Code: Special Provisions	UN1155 Diethyl ether 3 No information available I 3AH No information available

15. REGULATORY INFORMATION

International Inventories

Components CAS-No. U.S. TSCA KOREA KEC	L Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
--	--------------------------	------------	-------	---------------------	------------

Ethyl Ether, w/o stabilizer	60-29-7	PresentACTIV	Present KE-27690	Present	Present (2)-365,(2)-36	Present	Present	Present 200-467-2
Stabilizer		L	RE-27030		(2)-303,(2)-30			200-407-2

U.S. Regulations

Ethyl Ether, w/o stabilizer

Massachusetts RTK: Present New Jersey RTK Hazardous Substance List: 0701 New Jersey (EHS) List: 0701 500 lb TPQ New Jersey - Discharge Prevention - List of Hazardous Substances: Present New Jersey TCPA - EHS: 10000lbTQ Pennsylvania RTK: Environmental hazard Pennsylvania RTK - Environmental Hazard List Present Minnesota - Hazardous Substance List: Present New York Release Reporting - List of Hazardous Substances: 100 lb RQ Louisana Reportable Quantity List for Pollutants: 100lbfinal RQ 45.4kgfinal RQ California Directors List of Hazardous Substances: Present

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity		Female Reproductive
				Toxicity	Toxicity:
Ethyl Ether, w/o stabilizer	60-29-7	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Ethyl Ether, w/o	60-29-7	100 lb final RQ	None	None	None	None
stabilizer		45.4 kg final RQ				

U.S. TSCA

Components		TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Ethyl Ether, w/o stabilizer	60-29-7	Not Applicable	01/26/199406/30/1998

Canada

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Component Ethyl Ether, w/o stabilizer 60-29-7 (100) WHMIS 2015 Hazard Classification Flammable liquids - Category 1: H224 Extremely flammable liquid and vapour.; Acute toxicity - Oral - Category 4: H302 Harmful if swallowed.; Specific target organ toxicity - Single exposure -Category 3: H336 May cause drowsiness or dizziness.

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous

WHMIS 1988 Hazard Class

B2 Flammable liquid

Components

Ethyl Ether, w/o stabilizer

WHMIS 1988 B2

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Components	WHMIS Ingredient Disclosure List -	
Ethyl Ether, w/o stabilizer	1 %	

Inventory

Components	CAS-No.		Canada (DSL)	Canada (NDSL)
Ethyl Ether, w/o stabilizer	60-29-7		Present	Not Listed
Components CAS-No.			CEPA Schedule I - Toxic Substances	
Ethyl Ether, w/o stabilizer		60-29-7		Not listed
Components C		CAS-No.		CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Ethyl Ether, w/o stabilizer		60-29-7		Not listed

EU Classification

EU GHS - SV - CLP 1272/2008

Components	CAS-No.	EU GHS - SV - CLP (1272/2008)
Ethyl Ether, w/o stabilizer	60-29-7	Flammable liquids - Flam. Liq. 1: H224
		Extremely flammable liquid and
		vapour.; Acute toxicity - Oral - Acute
		Tox. 4: H302 Harmful if swallowed.
		(Minimum classification); Specific
		target organ toxicity - Single exposure
		- STOT SE 3: H336 May cause
		drowsiness or dizziness.;
		Supplemental Hazards: EUH019 May
		form explosive peroxides.;
		Supplemental Hazards: EUH066
		Repeated exposure may cause skin
		dryness or cracking.603-022-00-4

EU - CLP (1272/2008)

R-phrase(s)

R12 - Extremely flammable.

- R19 May form explosive peroxides.
- R22 Harmful if swallowed.
- R66 Repeated exposure may cause skin dryness or cracking.
- R67 Vapors may cause drowsiness and diziness.

S -phrase(s)

- S 9 Keep container in a well-ventilated place.
- S16 Keep away from sources of ignition No smoking.
- S29 Do not empty into drains.
- S33 Take precautionary measures against static discharges.

Components	CAS-No.	Classification	Concentration	Safety Phrases

Product code: US621

			Limits:	
Ethyl Ether, w/o stabilizer 6	60-29-7	F+; R12 R19 Xn; R22 R66 R67	No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

F+ - Extremely flammable. Xn - Harmful.



16. OTHER INFORMATION

Preparation Date:
Revision Date:
Prepared by:

5/9/2014 4/26/2018 Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet