

## Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication.


**Retest Date: 03-31-2025**

**WARNING**

- Causes serious eye irritation • May cause respiratory irritation • Causes mild skin irritation.
- Wear eye protection, face protection • Avoid breathing dust • Use only outdoors or in a well-ventilated area • Wash face, hands and any exposed skin thoroughly after handling.

**FIRST AID:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. If skin irritation occurs: Get medical attention.

**KEEP FROM CHILDREN**



**spectrum®**  
CHEMICAL MFG CORP

**CI132**      **2.5 KG**

**Citric Acid**  
(2-Hydroxy-1,2,3-propanetricarboxylic Acid)  
Monohydrate, Granular  
USP

CAS 5949-29-1

**CAUTION:** For manufacturing, processing or repacking. Not intended for use in injectable dosage forms. **Read and understand the label and Safety Data Sheet (SDS) prior to use.**

**Chemical Emergency: (800)424-9300**

www.SpectrumChemical.com

**C<sub>6</sub>H<sub>8</sub>O<sub>7</sub>•H<sub>2</sub>O**      **F.W. 210.14**

Not sterile.

Assay (Anhydrous Basis) ..... 99.5-100.5%  
Clarity of Solution ..... To pass test  
Color of Solution ..... To pass test  
Water Determination ..... 7.5-9.0%

**MAXIMUM LIMITS**

Residue on Ignition ..... 0.1%  
Readily Carbonizable Substances ..... To pass test  
Sulfate ..... 0.015%  
Elemental Impurities ..... As reported  
Oxalic Acid ..... To pass test  
Residual Solvents ..... To pass test

**WARNING:** Cancer and Reproductive Harm-  
www.P65Warnings.ca.gov

G 17/112GHS      A **0**      **Lot No. 062233**

**SPECTRUM CHEMICAL MFG. CORP.      Gardena, CA 90248 • New Brunswick, NJ 08901**

- |  |  |  |
|--|--|--|
| <ul style="list-style-type: none"> <li><b>A</b> Bar Code</li> <li><b>B</b> GHS Hazard Pictograms</li> <li><b>C</b> Warning, Safety Data and Precautionary Information</li> <li><b>D</b> Product Catalog Number</li> <li><b>E</b> Item Name, Form, Grade</li> <li><b>F</b> Size/Quantity</li> </ul> | <ul style="list-style-type: none"> <li><b>G</b> Chemical Abstracts Service (CAS) Registry Number</li> <li><b>H</b> Caution Information</li> <li><b>I</b> DOT Shipping Information</li> <li><b>J</b> Toll-Free 24-Hour Chemical Emergency Telephone Number</li> </ul> | <ul style="list-style-type: none"> <li><b>K</b> Empirical Formula, Formula Weight and Technical Specifications Panel</li> <li><b>L</b> Expiration Information</li> <li><b>M</b> Lot Number</li> <li><b>N</b> Kosher Certified by Kosher Supervision of America (KSA).</li> <li><b>O</b> Storage Color Band</li> <li><b>P</b> Halal Certified by IFANCA</li> <li><b>Q</b> bioCertified</li> </ul> |
|--|--|--|

This color-coded band indicates the hazard most likely to be posed by that material under storage conditions. The criteria used to assign band colors have been established by the Storage Code working group of the Society for Chemical Hazard Communication (SCHC). It is recommended that like colors be stored together, unless otherwise stated, based on the color codes indicated to the right. However, it is the responsibility of the customer to check with their local fire department for possible conflicts with our recommendations when storing hazardous chemicals.

- YELLOW:** Oxidizer
- RED:** Flammable
- GREEN:** General Storage
- BLUE:** Health Hazard
- WHITE:** Corrosive

### Spectrum Chemical Mfg Corp

**Corporate Headquarters:**  
769 Jersey Ave.  
New Brunswick, NJ 08901  
732.214.1300

**West Coast Facility:**  
14422 S. San Pedro St.  
Gardena, CA 90248  
310.516.8000