


Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication. Below you will find a typical label example for this catalog item.

Retest Date: 00-00-0000



1 5 6 *
* 4 9 4 5 2 B E 1 5 6 *

BE156 **SIZ SY**

DANGER

- Heating may cause a fire • May intensify fire • Oxidizer • May mass explode in fire • Causes serious eye irritation • Causes skin irritation • May cause respiratory irritation.
- Keep away from heat, sparks, open flames, hot surfaces • No smoking • Keep away from clothing and other combustible materials • Take any precaution to avoid mixing with combustibles
- Keep wetted with water • Ground container and receiving equipment • Do not subject to grinding, shock or friction • Keep only in original container • Do not return unused material to its original container, but destroy it by treatment with Sodium Hydroxide solution (1 to 10) until addition of a crystal of Potassium iodide results in no release of free iodine • Wear protective gloves, eye protection, face protection • Avoid breathing dust, mist or vapors • Use only outdoors or in a well-ventilated area • Wash face, hands and any exposed skin thoroughly after handling • Contaminated work clothing must not be allowed out of the workplace.

FIRST AID: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. IN CASE OF FIRE: Flood with water to extinguish. FOR LARGE FIRES: Evacuate area. Explosion risk in case of fire. DO NOT fight fire when fire reaches explosives.

KEEP FROM CHILDREN

BE156 **SIZ SY**

Hydrous Benzoyl Peroxide

75%
USP
CAS 94-36-0

CAUTION: For manufacturing, processing or repacking.
Read and understand the label and Safety Data Sheet (SDS) prior to use.

DOT: UN3104, Organic peroxide type C, solid
(benzoyl peroxide), 5.2, PG II

Chemical Emergency: (800)424-9300

www.SpectrumChemical.com

C₁₄H₁₀O₄ (Anhydrous) F.W. 242.23

This product contains a minimum of 20% water for the purpose of reducing flammability and shock sensitivity. Care must be taken to prevent drying. Assay conforms to USP limits of 90.0-110.0% of labeled value.

Manufacturer/Supplier Code ?
Manufacturer Lot Number ?

Components:
Benzoyl Peroxide (Anhydrous) CAS 94-36-0
Water (Min. 20%) CAS 7732-18-5

Assay (Benzoyl Peroxide) 70.0-80.0%
MAXIMUM LIMITS

Organic Impurities:
Individual Impurities 1.5%
Total Impurities 2.0%
Elemental Impurities As reported
Residual Solvents To pass test

Repackaged by Spectrum as:

Y 14/J2GHS-A ? Lot No. XQ####

Spectrum Chemical Mfg Corp

Corporate Headquarters:

769 Jersey Ave.
New Brunswick, NJ 08901

732.214.1300

West Coast Facility:

14422 S. San Pedro St.
Gardena, CA 90248

310.516.8000