

Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication. Below you will find a typical label example for this catalog item.

M.W. Nominally 4,000,000

A high molecular weight polymer of acrylic acid cross-linked with

use care: This material has been evaluated per GHS/OSHA criteria and is not classified as hazardous. All chemicals may pose unknown hazards and must be used with caution. Use personal protection and safe handling methods consistent with proper workplace safety practices. Consult SDS for additional properties and precautions. If adverse reaction occurs seek medical attention.

KEEP FROM CHILDREN

C1477 SIZ SY Carbomer 940

(Carbopol® 940) NF

CAS 9003-01-4

CAUTION: For manufacturing, processing or repacking.

Read and understand the label and Safety Data Sheet (SDS) prior to use.

Chemical Emergency: (800)424-9300

www.SpectrumChemical.com

A high molecular weight polymer of acrylic acid cross-linked with allyl ethers of pentaerythritol. Carbopol® is a registered trademark of Lubrizol Advanced Materials, Inc.

NOTE: This material is not intended for internal use.

 Carboxylic Acid Content (Dried Basis)
 56.0-68.0%

 Rotational Viscosity of a Neutralized 0.5%
 Aqueous Dispersion
 40,000-60,000 mPa·s

 MAXIMUM LIMITS
 2.0%

 Acrylic Acid
 0.25%

 Elemental Impurities
 As reported

To pass test

HYGROSCOPIC: Keep tightly closed.

Residual Solvents

WARNING: Cancer and Reproductive Harmwww.P65Warnings.ca.gov

G 10/L4GHS ? Lot No. XQ####

Spectrum Chemical Mfg Corp

Corporate Headquarters: 769 Jersey Ave.

New Brunswick, NJ 08901

732.214.1300 310.516.8000