

## **Label Information**

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication. Below you will find a typical label example for this catalog item.

USE CARE: This material has been evaluated per GHS/OSHA criteria and is not classified as hazardous. All chemicals may pose unknown hazards and must be used with caution. Use personal protection and safe handling methods consistent with proper workplace safety practices. Consult SDS for additional properties and precautions. If adverse reaction occurs seek medical attention.

**KEEP FROM CHILDREN** 

## C9719 SIZ SY **L-Citrulline**

USP, JP, bioCERTIFIED™

CAS 372-75-8

CAUTION: For manufacturing, processing or repacking. Further processing and testing required for use in parenteral applications.

Read and understand the label and Safety Data Sheet (SDS) prior to use.

Chemical Emergency: (800)424-9300

www.SpectrumChemical.com

$C_6H_{13}N_3O_3$	F.W. 175.19
Not sterile.	
Assay (C <sub>6</sub> H <sub>13</sub> N <sub>3</sub> O <sub>3</sub> , Dried Basis)	98.0-102.0%
Specific Rotation, $[\alpha]_0^{20}$ (C = 8; N H	
MAXIMUM LIMITS	
Residue on Ignition	
Sulfate (SO <sub>4</sub> )	0.020%
Chloride (Cl)	0.02%
Elemental Impurities	As reported
Related Compounds:	
delta-Acetylornithine	
Any Unspecified Impurity	
Total Impurities	
Loss on Drying @ 105°C	0.2%
Residual Solvents	To pass test
Microbial Limits:	4 000 OFU/-
Total Aerobic Microbial Count	
Total Yeast and Mold Count	
Escherichia coli	Negative/g

G 2/L3GHS ? Lot No. XO####

.Negative/g

Salmonella

## Spectrum Chemical Mfg Corp

Corporate Headquarters: 769 Jersey Ave. New Brunswick, NJ 08901 West Coast Facility: 14422 S. San Pedro St. Gardena, CA 90248

732.214.1300 310.516.8000