

## **Label Information**

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication. Below you will find a typical label example for this catalog item.

## WARNING

 May form combustible (explosive) dust-air mixtures.

· Keep away from all ignition sources including heat, sparks and flame . Keep container closed and grounded • Prevent dust accumulations to minimize explosion + hazard.

This material has been evaluated per GHS criteria and is not classified as hazardous under GHS. All chemicals may pose unknown hazards and must be used with caution. Use personal protection and safe handling methods consistent with proper workplace safety practices. Consult SDS for additional properties and precautions. If adverse reaction occurs seek medical attention.

**KEEP FROM CHILDREN** 

**DF145** 

SIZ SY

## Dextrose

(Corn Sugar; D-Glucose)

Monohydrate Powder **USP** 

CAS 77938-63-7

**CAUTION:** For manufacturing, processing or repacking. Read and understand the label and Safety Data Sheet (SDS) prior to use.

Chemical Emergency: (800)424-9300

www.SpectrumChemical.com

 $C_6H_{12}O_6 \cdot H_2O$ 

F.W. 198.17

Assay (Anhydrous Basis)	97.5-102.0%
Water Determination	7.5-9.5%
MAXIMUM LIMITS	
Related Substances	To pass test
Color and Clarity of Solution	To pass test
Conductivity @ 25°C	20 μS/cm
Elemental Impurities	As reported
Dextrin	To pass test
Soluble Starch, Sulfites	To pass test
Residual Solvents	To pass test

WARNING: Cancer and Reproductive Harmwww.P65Warnings.ca.gov

G 13/I8GHS

Lot No. XO####

## Spectrum Chemical Mfg Corp

Corporate Headquarters: 769 Jersey Ave.

New Brunswick, NJ 08901

West Coast Facility: 14422 S. San Pedro St. Gardena, CA 90248

310.516.8000

732.214.1300