

Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication. Below you will find a typical label example for this catalog item.

Retest Date: 00-00-0000



* 4 9 4 5 2 M 1 6 0 0 *

WARNING

- Harmful if swallowed.
- Do not eat, drink or smoke when using this product
- Wash face, hands and any exposed skin thoroughly after handling.

FIRST AID: IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth.

KEEP FROM CHILDREN

M1600

SIZ SY

Methylphenidate Hydrochloride
(Methyl α -Phenyl-2-piperidylacetate Hydrochloride)
USP
CAS 298-59-9

CAUTION: For manufacturing, processing, repacking, or for prescription compounding, Rx only.
Read and understand the label and Safety Data Sheet (SDS) prior to use.

Chemical Emergency: (800)424-9300

www.SpectrumChemical.com

$C_{14}H_{19}NO_2 \cdot HCl$ F.W. 269.77

DEA number required. _____?

Manufacturer/Supplier Code _____?

Manufacturer Lot Number _____?

Assay (Dried Basis) _____ 98.0-102.0%

Elemental Impurities _____ MAXIMUM LIMITS _____

Loss on Drying _____ As reported 0.5%

Organic Impurities (Procedure 2):

- Methylphenidate Related Compound A _____ 0.2%
- Phenylacetic Acid _____ 0.1%
- (±)-Erythro-Isomer _____ 0.2%
- Ethylphenidate _____ 0.1%
- Bis-Methylphenidate _____ 0.1%
- Any Individual Unspecified Impurity _____ 0.1%
- Total Impurities _____ 0.5%
- Residue on Ignition _____ 0.1%
- Residual Solvents _____ To pass test

WARNING: Cancer and Reproductive Harm-
www.P65Warnings.ca.gov

Repackaged by Spectrum as:
B 9/16GHS-A ? Lot No. XQ####

M1600 06-29-2019 FV GHS

Retest Date Required

Spectrum Chemical Mfg Corp

Corporate Headquarters:

769 Jersey Ave.
New Brunswick, NJ 08901

732.214.1300

West Coast Facility:

14422 S. San Pedro St.
Gardena, CA 90248

310.516.8000