

Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication. Below you will find a typical label example for this catalog item.

Retest Date: 00-00-0000



USE CARE: This material has been evaluated per GHS/OSHA criteria and is not classified as hazardous. All chemicals may pose unknown hazards and must be used with caution. Use personal protection and safe handling methods consistent with proper workplace safety practices. Consult SDS for additional properties and precautions. If adverse reaction occurs seek medical attention.

KEEP FROM CHILDREN

WARNING:
Cancer and Reproductive Harm-
www.P65Warnings.ca.gov

MA903 SIZ SY Magnesium Chloride

Hexahydrate
USP, EP, JPC, FCC,
bioCERTIFIED
CAS 7791-18-6



CAUTION: For manufacturing, processing or repacking. Further processing and testing required for use in parenteral applications.
Read and understand the label and Safety Data Sheet (SDS) prior to use.

Chemical Emergency: (800)424-9300
www.SpectrumChemical.com

MgCl₂•6H₂O

F.W. 203.30

Not sterile.	
Manufacturer/Supplier Code	?
Manufacturer Lot Number	?
Assay	99.0-101.0%
pH of a 5% Solution @ 25°C	4.5-7.0
Water	51.0-55.0%
MAXIMUM LIMITS	
Insoluble Matter	0.005%
Ammonium Ion	0.005%
Sulfate	0.005%
Aluminum	1 ppm
Barium	To pass test
Calcium	0.01%
Calcium (JPC)	To pass test
Potassium	To pass test
Elemental Impurities	As reported
Appearance (Clarity and Color) of Solution	To pass test
Acidity or Alkalinity	To pass test
Bromides	500 ppm
Arsenic	2 ppm
Lead	4 mg/kg
Heavy Metals	10 ppm
Iron	10 ppm
Iron (JPC)	To pass test
Residual Solvents	To pass test
Microbial Limits:	
Bacterial Endotoxins	5 EU/g
Total Aerobic Microbial Count	1,000 CFU/g
Total Yeast and Mold Count	100 CFU/g

DELIQUESCENT: Keep tightly closed.

Repackaged by Spectrum as:

G 1/L3GHS-A ? Lot No. XQ####

Spectrum Chemical Mfg Corp

Corporate Headquarters:

769 Jersey Ave.
New Brunswick, NJ 08901

732.214.1300

West Coast Facility:

14422 S. San Pedro St.
Gardena, CA 90248

310.516.8000