spectrum®

Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication. Below you will find a typical label example for this catalog item.

USE CARE: This material has been evaluated per GHS/OSHA criteria and is not classified as hazardous. All chemicals may pose unknown hazards and must be used with caution. Use personal protection and safe handling methods consistent with proper workplace safety practices. Consult SDS for additional properties and precautions. If adverse reaction occurs seek medical attention. KEEP FROM CHILDREN PO115 SIZ S PO195 DIS SIZ S PO195 PO195 DIS SIZ S PEG-12 NF CAS 25322-68-3 CAUTION: For manufacturing, processing or repackin Read and understand the label and Safety Data signs prior to use.	Average Molecular Weight 570-630 Completeness and Color of Solution To pass test Viscosity @ 98.9 \pm 0.3°C (210°F) 9.9-11.3 cSt pH of a 5% Solution @ 25°C 4.5-7.5 MAXIMUM LIMITS Residue on Ignition Elemental Impurities As reported Free Ethylene Oxide 10 µg/g Free 1,4-Dioxane 10 µg/g Ethylene Glycol and Diethylene Glycol 0.25% Residual Solvents To pass test ng. FLUSHED WITH NITROGEN
--	---

www.SpectrumChemical.com

0.45/0400110		L of No.	XO####
G 15/G12GHS	2		XU####

H(OCH₂CH₂)_nOH

Spectrum Chemical Mfg Corp

Corporate Headquarters: 769 Jersey Ave. New Brunswick, NJ 08901 West Coast Facility: 14422 S. San Pedro St. Gardena, CA 90248

732.214.1300

310.516.8000