

## Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication. Below you will find a typical label example for this catalog item.

s 22311-12-2018 gm ghs

$C_6H_7NaO_6 \cdot H_2O$  F.W. 216.12

### S1223 SIZ SY Sodium Erythorbate

FCC

CAS 6381-77-7

**CAUTION:** For manufacturing, processing or repacking.  
**Read and understand the label and Safety Data Sheet (SDS) prior to use.**

**Chemical Emergency: (800)424-9300**

[www.SpectrumChemical.com](http://www.SpectrumChemical.com)

Assay ( $C_6H_7NaO_6 \cdot H_2O$ ) ..... 98.0-100.5%  
Optical Rotation,  $[\alpha]_D^{25}$  ..... +95.5° to +98.0°  
MAXIMUM LIMITS

Lead ..... 5 mg/kg  
Loss on Drying ..... 0.25%  
Oxalate ..... To pass test

**LIGHT SENSITIVE:** Keep tightly closed in light-resistant containers.

**WARNING:** Cancer and Reproductive Harm-  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

G 8/H10GHS ? Lot No. XQ####

**WARNING**  
• **Causes eye irritation.**  
• Wash face, hands and any exposed skin thoroughly after handling.  
**FIRST AID:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.  
**KEEP FROM CHILDREN**



### Spectrum Chemical Mfg Corp

#### Corporate Headquarters:

769 Jersey Ave.  
New Brunswick, NJ 08901

732.214.1300

#### West Coast Facility:

14422 S. San Pedro St.  
Gardena, CA 90248

310.516.8000