spectrum®

Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication. Below you will find a typical label example for this catalog item.

		NaH ₂ PO ₄ •H ₂ O	F.W. 137.99
USE CARE: This material has been evaluated per GHS/OSHA criteria and is not classified as hazardous. All chemicals may pose unknown hazards and must be used with caution. Use personal protection and safe handling methods consistent with proper workplace safety practices. Consult SDS for additional properties and precautions. If adverse reaction occurs seek medical attention. KEEP FROM CHILDREN	SO130 SIZ SY Monobasic	Assay (NaH,PQ,; Anhydrous Basis) pH of a 5% Solution (Acidity) Loss on Drying Water Determination	
		Insoluble Substances 0.2% Chloride (Cl) 0.014% Sulfate (SO ₄) 300 ppm Aluminum, Calcium and Related Elements To pass test Arsenic (As) .2 ppm Elemental Impurities As reported	
	Granular, USP, BP CAS 10049-21-5	Clarity and Colour of Solution Reducing Substances Residual Solvents	10 ppm To pass test To pass test
	CAUTION: For manufacturing, processing or repacking. Read and understand the label and Safety Data Sheet (SDS) prior to use.	HYGROSCOPIC: Keep tightly closed. WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov	
	Chemical Emergency: (800)424-9300 www.SpectrumChemical.com		No. XQ####

Spectrum Chemical Mfg Corp

Corporate Headquarters: 769 Jersey Ave. New Brunswick, NJ 08901 West Coast Facility: 14422 S. San Pedro St. Gardena, CA 90248

732.214.1300

310.516.8000