

Scientific Documentation

\$1743, Sulindac, USP

Not appropriate for regulatory submission. Please visit www.spectrumchemical.com or contact Tech Services for the most up-to-date information contained in this information package.

Spectrum Chemical Mfg Corp

769 Jersey Avenue New Brunswick, NJ 08901 Phone 732.214.1300



Dear Customer,

Thank you for your interest in Spectrum's quality products and services.

Spectrum has been proudly serving our scientific community for over 45 years. It is our mission to manufacture and distribute fine chemicals and laboratory products with Quality and delivery you can count on every time.

To accomplish our mission, Spectrum utilizes our sourcing leverage and supplier qualification expertise in offering one of the industry's most comprehensive line of fine chemical products under one brand, in packaging configurations designed to meet your research and production requirements. Our product grades include: USP, NF, BP, EP, JP, FCC, ACS, KSA, Reagent grade, as well as DEA controlled substances. We operate facilities in the United States on the East Coast, West Coast, as well as in Shanghai, China in order to provide the best logistical support for our customers.

At Spectrum, Quality is priority number one. Suppliers with the best qualifications are preferred and we employ full-functioning in-house analytical laboratories at each of our facilities. Our facilities and systems are USFDA registered and ISO certified. We frequently host customer audits and cherish opportunities for improvements. Quality is engrained into our culture. Quality is priority number one.

In the following pages, we have designed and prepared documented scientific information to aid you in your initial qualification or your continual use of our products. Please do not hesitate to contact us if further information or the most up-to-date documentation is desired from any of the covered areas.

We appreciate your business and we look forward to hearing from you.

Sincerely,

Alan Wang, MSQA, ASQ CQA Director of Technical Services techservices@spectrumchemical.com

19.September.2017

Table of Contents

- Product Specification
- Safety Data Sheet (SDS)
- Manufacturer
- Certification of Quality Management System (QMS)
- Certification of current Good Manufacturing Practices (cGMP)
- Product BSE/TSE Statement
- Product Allergen Statement
- Product Aflatoxin Statement
- General Label Information Sample Label
- Product Certificate of Analysis Sample(s)
- General Lot Numbering System Guidance
- Stability Shelf Life Guidance



Specification for Sulindac, USP (S1743)

Item Number	<u>S1743</u>
Item	Sulindac, USP
CAS Number	38194-50-2
Molecular Formula	C ₂₀ H ₁₇ FO ₃ S
Molecular Weight	356.41
MDL Number	
Synonyms	cis-[5-Fluoro-2-methyl-1-[(p-(methylsulfinyl)benzylidene]indene-3-acetic Acid

Test	Specification			
	Min	Max		
ASSAY (DRIED BASIS)	99.0-101.0 %			
CHROMATOGRAPHIC PURITY	TO PASS TEST			
LOSS ON DRYING		0.5 %		
RESIDUE ON IGNITION		0.1 %		
HEAVY METALS		0.001 %		
IDENTIFICATION	TO PASS TEST			
EXPIRATION DATE				
RESIDUAL SOLVENTS	TO PASS TEST			

Spectrum Chemical Mfg Corp

Corporate Headquarters: 769 Jersey Ave. New Brunswick, NJ 08901

Gardena, CA 90248 310.516.8000

West Coast Facility:

14422 S. San Pedro St.

732.214.1300





SAFETY DATA SHEET

Preparation Date: 3/29/2016 Revision Date: 3/29/2016 Revision Number: Not Applicable

1. IDENTIFICATION

Product identifier

Product code: S1743

Product Name: SULINDAC, USP

Other means of identification

Synonyms: Arthrocine

Clinoril

cis-5-Fluoro-2-methyl-1-((4-(methylsulfinyl)phenyl)methylene)-1H-indene-3-acetic

acid

(Z)-5-Fluoro-2-methyl-1-((p-(methylsulfinyl)phenyl)methylene)-1H-indene-3-acetic

acid

cis-Sulindac Sulindac sulfoxide

CAS #: 38104-50-2 RTECS # NK8226000 CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: Medication.

Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp

14422 South San Pedro St. Gardena, CA 90248

(310) 516-8000

Order Online At: https://www.spectrumchemical.com

Emergency telephone numberChemtrec 1-800-424-9300Contact Person:Martin LaBenz (West Coast)

Contact Person: Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Acute toxicity - Oral	Category 3
Serious eye damage/eye irritation	Category 2B
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Reproductive toxicity	Category 2

Label elements

Product code: S1743 Product name: SULINDAC, USP 1/11

Danger

Hazard statements

Toxic if swallowed

Causes eye irritation

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause an allergic skin reaction

Suspected of damaging fertility or the unborn child



Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Not available

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing must not be allowed out of the workplace

Wear respiratory protection

Wear eye/face protection

Wear protective gloves

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory

symptoms: Call a POISON CENTER or doctor/physician.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Sulindac	38194-50-2	100
38194-50-2		

Product code: S1743 Product name: SULINDAC, USP 2/11

4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222. First aider needs to protect himself. Ensure that medical personnel are aware

of the material(s) involved and take precautions to protect themselves.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothing and

shoes. Get medical attention if irritation develops. Consult a physician if necessary.

Eye Contact: Flush eyes with water for 15 minutes. Get medical attention. If symptoms persist, call a

physician.

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

WARNING! It may be hazardous to the person providing aid to give mouth-to-mouth

resuscitation when the inhaled or ingested material is toxic, infectious or corrosive. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper

respiratory medical device. Get medical attention.

Ingestion: Toxic if swallowed. Do not induce vomiting without medical advice. Never give anything by

mouth to an unconscious person. Immediate medical attention is required. Call a physician or

Poison Control Center immediately.

Most important symptoms and effects, both acute and delayed

Symptoms

Causes eye irritation. Mild eye irritation. May cause skin irritation. May cause sensitization by inhalation and skin contact. May cause an allergic skin reaction. May cause allergic respiratory reaction. May affect the cardiovascular system. It may affect the heart. May cause heartburn. May cause abdominal pain, nausea, vomiting, diarrhea. Eructation (Belching). May cause anorexia. May cause constipation. May affect the liver. It may affect the kidneys.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Carbon dioxide (CO2). Dry chemical. Water spray mist or

foam.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products: Carbon monoxide, carbon dioxide, sulfur oxides, hydrogen

fluoride

Specific hazards: May be combustible at high temperatures

Special Protective Actions for Firefighters

Specific Methods: No information available.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

Product code: S1743 Product name: SULINDAC, USP 3 / 11

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Do not touch

damaged containers or spilled material unless wearing appropriate protective clothing. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove all sources

of ignition.

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent entry into waterways,

sewers, basements or confined areas. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containmentStop leak if you can do it without risk. Cover with plastic sheet to prevent spreading.

Methods for cleaning up Sweep up and shovel. Use appropriate tools to put the spilled material in a suitable

chemical waste disposal container. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Avoid dust formation. All equipment used when handling the product must be grounded. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Use only in well-ventilated areas. Do not breathe vapors/dust. Do not ingest. Keep away from heat and sources of ignition. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials. Store in a segrated and approved area.

Incompatible Materials:

Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	OSHA	NIOSH	ACGIH	AIHA WHEEL				
Sulindac	None	None	None	None				
38194-50-2								

Canada

Components	Alberta	British Columbia	Ontario	Quebec
Sulindac	None	None	None	None
38194-50-2				

Australia and Mexico

Components	Australia	Mexico
-		

Product code: S1743 Product name: SULINDAC, USP 4/11

Sulindac	None	None
38194-50-2		

Appropriate engineering controls

Engineering measures to reduce exposure: Ensure adequate ventilation, especially in confined areas.

Use process enclosures, local exhaust ventilation, or other

engineering controls to keep airborne levels below

recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Goggles

Skin and body protection: Chemical resistant apron. Gloves. Long sleeved clothing.

Respiratory protection: Wear respirator with dust filter. Be sure to use an approved/certified respirator or

equivalent..

Hygiene measures: Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke.

Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:Appearance:Color:SolidCrystalline powder.Yellow.

Odor:TasteFormula:No information availableNo information availableC20H17FO3S

Molecular/Formula weight: Flammability: Flashpoint (°C/°F):

No information available No information available.

Flash Point Tested according to: Autoignition Temperature (°C/°F): Lower Explosion Limit (%): Not available

No information available

No information available

Upper Explosion Limit (%): pH: Melting point/range(°C/°F):

No information available No information available 182 - 185 °C (360 - 365 °F)

Decomposition temperature(°C/°F):182 - 185 °C (360 - 365 °F)

Boiling point/range(°C/°F):

No information available

Bulk density:

No information available

Density (g/cm3): Specific gravity: Vapor pressure @ 20°C (kPa):

1.39 No information available No information available

Evaporation rate: Vapor density: VOC content (q/L):

Evaporation rate: Vapor density: VOC content (g/L):
No information available No information available

Odor threshold (ppm): Partition coefficient Viscosity:

No information available (n-octanol/water): No information available

3.42

Miscibility:Solubility:No information availableInsoluble in water

10. STABILITY AND REACTIVITY

Reactivity

No information available

Product code: S1743 Product name: SULINDAC, USP 5 / 11

Chemical stability

Stability: Stable under recommended storage conditions

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Avoid dust formation. Incompatible materials.

Incompatible Materials: Oxidizing agents.

Hazardous decomposition products: Sulfur oxides. Carbon oxides. Hydrogen fluoride gas.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Ingestion. Inhalation. Skin.

Acute Toxicity

Component Information

Sulindac - 38194-50-2

LD50/oral/rat = 264 mg/kg Oral LD50 Rat

LD50/oral/mouse = 507 mg/kg

LD50/dermal/rabbit = No information available

LD50/dermal/rat = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No infomation available

Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = 264mg/kg

LD50/oral/mouse =

Value - Acute Tox Oral = 507mg/kg

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available

VALUE-Gas = No information available

VALUE-Dust/Mist = No information available

Product code: S1743 Product name: SULINDAC, USP 6 / 11

LC50/Inhalation/mouse

VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: May cause skin irritation.

Eye Contact: Causes eye irritation. Mild eye irritation.

Inhalation May cause irritation of respiratory tract.

Ingestion Toxic if swallowed. Health effects for nosteroidal anti-inflammatory drugs (NSAIDs):

nausea, vomiting, diarrhea, constipation, heartburn, stomach/abdominal pain, black or tarry stools, bleeding/bruising, swelling, sores/ulcers/white spots on lips and mouth, sweating, bluish colored skin, insomnia, mood/mental/personality changes, confusion, dizziness/drowsiness, headache, analgesia, itching, rash, weight gain/loss, vision and speech problems, ringing, tremors, difficulty breathing,

increased heart rate or palpitations.

Delayed effects may include gastrointestinal ulceration or bleeding, hypertension, kidney impairment, blood disorders, cardiovascular thrombotic events, stroke, congestive heart failure, fluid retention and edema, central nervous system effects (coma, convulsions, seizures, somnolence, analgesia, depression, anxiety, fatigue). May cause decreased appetite or anorexia. May also cause belching, excess air or

gas in the stomach or intestines, passing gas, bloating, bleeding gums.

Aspiration hazard No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Prolonged or repeated exposure may cause allergic respiratory and skin reactions

Prolonged or repeated ingestion may affect the liver, and kidneys Chronic exposure may affect the kidneys and cause kidney damage

Sensitization: May cause sensitization by inhalation and skin contact

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic

Components	IARC	ACGIH -	NTP	OSHA HCS -	Australia - Notifiable	Australia - Prohibited
		Carcinogens		Carcinogens	Carcinogenic	Carcinogenic
					Substances	Substances
Sulindac	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

Reproductive toxicity Suspected of damaging fertility or the unborn child

Reproductive Effects: No information available

Developmental Effects: May cause adverse developmental effects based on animal data

Animal studies have revealed evidence of developmental abnormalities

There are no adequate and well-controlled studies in humans

Teratogenic Effects: No information available

Specific Target Organ Toxicity

Product code: S1743 Product name: SULINDAC, USP 7 / 11

STOT - single exposure
STOT - repeated exposure
Target Organs:

No information available
No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.

Persistence and degradability: No information available

Bioaccumulative potential: No information available

Mobility: No information available

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Sulindac	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: UN2811

Proper Shipping Name: Toxic solids, organic, n.o.s. (sulindac)

Hazard Class: 6.1

Subsidiary Risk: No information available

Packing Group: III ERG No: 154

Marine PollutantNo data availableDOT RQ (lbs):No information availableSpecial ProvisionsNo Information available

Symbol(s): G

TDG (Canada)

UN-No: UN2811

Proper Shipping Name: Toxic solid, organic, n.o.s.

Hazard Class: 6.1

Subsidiary Risk: No information available

Packing Group:

Marine Pollutant No Information available

ADR

Product code: S1743 Product name: SULINDAC, USP 8 / 11

14. TRANSPORT INFORMATION

UN-No: UN2811

Proper Shipping Name: Toxic solid, organic, n.o.s.

Hazard Class: 6.1 Packing Group:

Subsidiary Risk: No information available

IMO / IMDG

UN-No: UN2811

Proper Shipping Name: Toxic solid, organic, n.o.s.

Hazard Class: 6.1

Subsidiary Risk: No information available

Packing Group:

Marine Pollutant No information available

EMS: F-A

RID

UN-No: UN2811

Proper Shipping Name: Toxic solid, organic, n.o.s.

Hazard Class: 6.1

Subsidiary Risk: No information available

Packing Group:

ICAO

UN-No: UN2811

Proper Shipping Name: Toxic solid, organic, n.o.s.

Hazard Class: 6.1

Subsidiary Risk: No information available

Packing Group:

IATA

UN-No: UN2811

Proper Shipping Name: Toxic solid, organic, n.o.s.

Hazard Class: 6.1

Subsidiary Risk: No information available

Packing Group: III ERG Code: 6L

Special Provisions No information available

15. REGULATORY INFORMATION

International Inventories

Components	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Sulindac	Not Listed	Present KE- 17029	Not present	Not present	Not present	Present	Present 253-819-2

U.S. Regulations

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Product code: S1743 Product name: SULINDAC, USP 9/11

Components	Carcinogen	Developmental Toxicity Male Reproductive Fe		Female Reproductive
			Toxicity	Toxicity:
Sulindac	Not Listed	developmental toxicity	Not Listed	female reproductive toxicity

CERCLA/SARA

	Substances and their		Hazardous	Chemical Category	Section 313 - Reporting de minimis
	Reportable Quantities	Substances and TPQs	Substances and RQs		
Sulindac	None	None	None	None	None

U.S. TSCA

•	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Sulindac	Not Applicable	Not Applicable

Canada

WHMIS hazard class:

D1B Toxic materials

Canada Controlled Products Regulation:
This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

Components	Canada (DSL)	Canada (NDSL)
Sulindac	Not Listed	Not Listed

Components	CEPA Schedule I - Toxic Substances
Sulindac	Not listed

Components	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Sulindac	Not listed

EU Classification

R-phrase(s)

R22 - Harmful if swallowed.

S -phrase(s)

S46 - If swallowed, seek medical advice immediately and show this container or label.

Components	Classification	Concentration Limits:	Safety Phrases
Sulindac		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

10/11 Product code: S1743 Product name: SULINDAC, USP

Indication of danger:

Xn - Harmful.



16. OTHER INFORMATION

Preparation Date: 3/29/2016
Revision Date: 3/29/2016
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet

Product code: S1743 Product name: SULINDAC, USP 11 / 11



Manufacturer

Product Covered: S1743, Sulindac, USP

Spectrum takes ownership as the manufacturer for the Spectrum product listed above and provides full quality assurance, customer service, and technical product support.

While information concerning the raw material manufacturer of our starting materials is considered proprietary, such information can be made available upon request contingent on demonstration of business volume justification and successful execution of confidential disclosure agreement (CDA).

Requests for disclosure of proprietary raw material manufacturer information may be submitted to the assigned account representative for consideration.

Sincerely,

Alan Wang, MSQA, ASQ CQA Director of Technical Services techservices@spectrumchemical.com



CERTIFICATEOF REGISTRATION

This is to certify that the quality management system of:

Spectrum Chemicals and Laboratory Products, Inc.

Main Site: 14422 South San Pedro Street, Gardena, California, 90248, USA,

Additional sites:13915 South Main Street, Los Angeles, California, 90061, USA

769 Jersey Avenue, New Brunswick, New Jersey, 08901, USA 755 Jersey Avenue, New Brunswick, New Jersey, 08901, USA 777 Jersey Avenue, New Brunswick, New Jersey, 08901, USA 400 N. Oracle, Suite 221, Tucson, Arizona, 85704, USA, USA

has been assessed and registered by Intertek as conforming to the requirements of:

ISO 9001:2015

The quality management system is applicable to:

Main Site: The manufacture and distribution of specialty fine chemicals, solutions, equipment, supplies and products for the laboratory, pharmaceutical, food, healthcare, cosmetic, fragrance, biotechnology, environmental and process industries.

Certificate Number:

94-316m-03

Initial Certification Date:

27 December 1994

Certificate Issue Date:

31 July 2017

Certificate Expiry Date:

28 January 2019



Authorized Signature
Calin Moldovean

President Business Assurance

Intertek Testing Services NA, Inc. dba Intertek 900 Chelmsford Street, Lowell, MA, USA







APPENDIX TO CERTIFICATE OF REGISTRATION

This appendix identifies the locations by the management system of

Spectrum Chemicals and Laboratory Products, Inc.

755 and 769 Jersey Avenue: The manufacture and distribution of specialty fine chemicals, solutions, equipment, supplies and products for the laboratory, pharmaceutical, food, healthcare, cosmetic, fragrance, biotechnology, environmental and process industries.

777 Jersey Avenue: The manufacture and distribution of specialty fine chemicals, solutions, equipment, supplies and products for Compounding Pharmacies.

7400 N. Oracle: The manufacture and distribution of specialty fine chemicals, solutions, equipment, supplies and products for the laboratory, pharmaceutical, food, healthcare, cosmetic, fragrance, biotechnology, environmental and process industries.





Certificate of Registration



This is to certify that the quality management system of

Spectrum China Ltd.

Building A20, No. 3802, Shengang Road, Songjiang District, Shanghai, China

has been assessed and registered by Intertek as conforming to the requirements of

ISO 9001: 2008

The quality management system is applicable to:

Provision of service of purchase, testing and sales for chemical products, repacking of non-hazardous chemical products.

Organization Code: 77762704-8
Certificate Number: 111310001-01
Certificate Issue Date: 17 November 2015
Certificate Expiry Date: 14 September 2018



014



Authorised Signature: Calin Moldovean – President, Business Assurance Intertek Certification Limited, 10A Victory Park, Victory Road, Derby DE24 8ZF, United Kingdom Intertek Certification Limited is a UKAS accredited body under schedule of accreditation no. 014.

In the issuance of this certificate, Intertek assumes no liability to any party other than to the client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with Intertek's requirements for systems certification. Validity may be confirmed via email at certificate.validation@intertek.com or by scanning the code to the right with a smartphone.

The annual validity of the certificate can also be checked through the website http://www.cnca.gov.cn of CNCA in China.



July 13, 2017

Certification of Compliance with current Good Manufacturing Practices

Dear Valued Customer:

Spectrum Chemical Mfg Corp certifies that our USP, NF, FCC, EP, BP, JP and food grade products are produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Spectrum is an FDA registered and inspected Drug Establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA:2020632Spectrum-New Brunswick, NJ:2246824Spectrum-Shanghai, China:3006174778

Thank you for your interest in Spectrum products. If we may be of further assistance, please feel free to contact the Quality Assurance department at 310-516-8000 or via email at qualityassurance@spectrumchemical.com

Sincerely,

Oralia Chavez

Oula Olway

Quality Assurance Specialist



September 19, 2017

Certification of Compliance with current Good Manufacturing Practices

Dear Valued Customer:

Spectrum Chemical Mfg Corp certifies that the following product(s) is produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Catalog Number	Product Name	
S1743	Sulindac, USP	

Spectrum is an FDA registered and inspected Drug Establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA: 2020632
Spectrum-New Brunswick, NJ: 2246824
Spectrum-Shanghai, China: 3006174778

Thank you for your interest in Spectrum products. If we may be of further assistance, please feel free to contact the Quality Assurance department at 310-516-8000 or via email at qualityassurance@spectrumchemical.com

Sincerely,

Oralia Chavez

Oula Clary

Quality Assurance Specialist



May 23, 2016

Re: Sulindac, USP- S1743

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfr. Corp. understand the concern regarding Bovine Spongiform Encephalopathy (BSE). Please be assured that the chemical

Sulindac, USP-S1743

is BSE/TSE free.

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at techservices@spectrumchemical.com.

Sincerely,

Darlene Dagdag-Lyudmirskiy Technical Services Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



May 24, 2016

Re: Sulindac, USP- S1743

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfr. Corp. understand the concern regarding the presence of allergens in raw materials. Please be assured that the following chemical does not contain (Milk; Egg; Fish; Shellfish; Sulfur dioxide and sulfites at concentrations of more than 10 mg/kg or 10 mg/liter expressed as SO₂; Tree nuts; Wheat; Peanuts; Soy; Cereals containing Gluten; Celery; Mustard; Sesame Seed).

Sulindac, USP-S1743

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at techservices@spectrumchemical.com.

Sincerely,

Darlene Dagdag-Lyudmirskiy Technical Services Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



May 24, 2016

Re: Sulindac, USP- S1743

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfg. Corp. understand the concern regarding Aflatoxins in raw materials. To the best of our knowledge, the product listed below is not contaminated with Aflatoxins. Aflatoxins are not used in production. The following product does not come in contact with Aflatoxins at any stage of production.

Sulindac, USP- S1743

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at techservices@spectrumchemical.com.

Sincerely,

Darlene Dagdag-Lyudmirskiy Technical Services Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication.



- A Bar Code
- GHS Hazard Pictograms
- Warning, Safety Data and Precautionary Information
- Product Catalog Number
- Item Name, Form, Grade
- Storage Color Band

- Size/Quantity
- Chemical Abstracts Service (CAS) Registry Number
- Caution Information
- DOT Shipping Information
- Toll-Free 24-Hour Chemical Emergency Telephone Number
- Empirical Formula, Formula Weight and Technical Specifications Panel
- Expiration Information
- Lot Number
- Kosher Certified by Kosher Supervision of America (KSA).

This color-coded band indicates the hazard most likely to be posed by that material under storage conditions. The criteria used to assign band colors have been established by the Storage Code working group of the Society for Chemical Hazard Communication (SCHC). It is recommended that like colors be stored together, unless otherwise stated, based on the color codes indicated to the right. However, it is the responsibility of the customer to check with their local fire department for possible conflicts with our recommendations when storing hazardous chemicals.

YELLOW: Oxidizer

RED: Flammable

GREEN: General Storage

BLUE: Health Hazard

WHITE: Corrosive

Spectrum Chemical Mfg Corp

Corporate Headquarters: 769 Jersey Ave.

New Brunswick, NJ 08901

732.214.1300

West Coast Facility: 14422 S. San Pedro St.

Gardena, CA 90248

310.516.8000



Certificate Of Analysis

Item Number	S1743	Lot Number	2EG0383
Item	Sulindac, USP		
CAS Number	38194-50-2		
Molecular Formula	C ₂₀ H ₁₇ FO ₃ S	Molecular Weight	356.41

Test	Specification		Result
	min	max	
ASSAY (DRIED BASIS)	99.0-101.0 %		100.2 %
CHROMATOGRAPHIC PURITY	TO PASS TEST		PASSES TEST
LOSS ON DRYING		0.5 %	0.07 %
RESIDUE ON IGNITION		0.1 %	0.05 %
HEAVY METALS		0.001 %	<0.001 %
IDENTIFICATION	TO PASS TEST		PASSES TEST
EXPIRATION DATE			30-MAY-2018
RESIDUAL SOLVENTS	TO PASS TEST		PASSES TEST
CLASS 2 (solvent) / CHLOROFORM			<60 ppm
CLASS 2 (solvent) TOLUENE			<890 ppm
CLASS 3 (solvent) / ETHANOL			<5000 ppm
DATE OF MANUFACTURE			31-MAY-2015
APPEARANCE			YELLOW CRYSTALLINE POWDER

Spectrum Chemical Mfg Corp 755 Jersey Avenue New Brunswick 08901 NJ



Certificate of Analysis Results Certified By:

Mulbah F. Dwanah Laboratory Supervisor

Spectrum Chemicals & Laboratory Products

All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.



January 26, 2016

RE: Lot Numbering System

Dear Valued Customer:

This letter is to inform you of Spectrum Chemicals and Laboratory Products' Lot Numbering System. The system is based on an alpha-numerical sequence which provides the month, year and location of production.

The lot numbering system utilized until 2010 is a sequence of **six characters**, two letters followed by four numbers. The first letter represents the year, for example, Y denotes 2009 and Z denotes 2010. The second letter represents the month and site, for example, A-L denotes January through December at Spectrum's Gardena, CA facility, while M-X denotes January through December at the New Brunswick, NJ facility. The following four numbers are sequentially assigned.

Example: Zl0928 = The 928th material produced in California in September 2010

The lot numbering system utilized for 2011 and forward, is a sequence of **seven characters**. The first character, a number, represents the production facility:

1 = Gardena, CA Facility

2 = New Brunswick, NJ Facility

3 = China Facility

The second character, a letter, represents the year. For example, A denotes 2011 and B denotes 2012. The third character, a letter, represents the month, with A denoting January and L denoting December. The following four numbers are sequentially assigned.

Example: 2AA0706 = The 706th material produced in New Jersey in January 2011

Thank you for your interest with Spectrum products. Please feel free to contact us at 310-516-8000 or via email at qualityassurance@spectrumchemical.com if we may be of further assistance.

Sincerely,

Michael Dang

Manager, GMP Compliance



Stability – Shelf Life Guidance

Product Covered: S1743, Sulindac, USP

Spectrum Chemical's manufacturing partner has assigned the following shelf life guidance for the product listed above.

The product, S1743, Sulindac, USP, is assigned a 36 months shelf life from date of manufacturing. The quality and integrity of the chemical depends on the handling and storage conditions. Please refer to the Safety Data Sheet for proper storage and handling procedures.

Adan R. Hernandez Quality Control Manager

Corporate Headquarters 769 Jersey Avenue New Brunswick, NJ 08901-3605