

VELTEK ASSOCIATES, INC

# DECON-AHOL® 99%

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/18/2016 Revision date: 02/28/2017 Supersedes: 01/18/2016

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

: Solvent

**Product identifier** 

Use of the substance/mixture

: Mixture Product form

: DECON-AHOL® 99% Product name : SDS VEL-124 Product code

ABN DECON-AHOL® 60% WFI Formula and DECON-AHOL® 91% WFI Formula

Relevant identified uses of the substance or mixture and uses advised against

Industrial/Professional use spec : For professional use only

Details of the supplier of the safety data sheet

Veltek Associates, Inc. In Canada Distributed by: 15 Lee Blvd

**CCR** Malvern, PA 19355-1234 USA

200 Terence Matthews T +1 610-644-8335 - F +1 610-644-8336 Kanata, ONT K2M 2C6 vai@sterile.com Telephone: 613-591-0044

1.4. **Emergency telephone number** 

**Emergency number** : CARECHEM 24 call: 1-866-928-0789

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

### **Classification (GHS-US)**

Flam. Liq. 2 H225 Eve Irrit, 2A H319 STOT SE 3 H336

#### **Label elements** 2.2.

## **GHS-US** labeling

Hazard pictograms (GHS-US)





Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H225 - Highly flammable liquid and vapor

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

Precautionary statements (GHS-US) P210 - Keep away from heat, sparks, open flames, hot surfaces. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical, ventilating, lighting equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P261 - Avoid breathing vapors

P264 - Wash hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves, protective clothing, eye protection

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eves: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P312 - Call doctor if you feel unwell

P337+P313 - If eye irritation persists: Get medical advice/attention

P370+P378 - In case of fire: Use dry chemical powder, Carbon dioxide, Alcohol-resistant foam to

extinguish

02/28/2017 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container to licensed waste management site

#### Other hazards

No additional information available

#### 2.4. **Unknown acute toxicity (GHS-US)**

No data available

### **SECTION 3: Composition/information on ingredients**

#### 3.1. **Substance**

Not applicable

Full text of H-phrases: see section 16

#### **Mixture** 3.2.

Name	Product identifier	%	Classification (GHS-US)
Propan-2-ol	(CAS No) 67-63-0	99	Flam. Liq. 2, H225 Eve Irrit. 2A. H319
			STOT SE 3, H336

### **SECTION 4: First aid measures**

#### **Description of first aid measures**

First-aid measures general

First-aid measures after eye contact

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms First-aid measures after inhalation develop obtain medical attention.

First-aid measures after skin contact Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Gently

wash with plenty of soap and water. If symptoms develop, obtain medical attention.

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms develop, obtain medical attention.

First-aid measures after ingestion Get immediate medical attention. Rinse mouth. Do NOT induce vomiting. Do not give an

unconscious person anything to drink.

## Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause drowsiness or dizziness.

Symptoms/injuries after skin contact Repeated and/or prolonged skin contact may cause irritation.

Symptoms/injuries after eye contact : Causes eye irritation.

# Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

## Extinguishing media

Suitable extinguishing media : Dry powder. Carbon dioxide. Alcohol resistant foam.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapor.

: May form flammable/combustible vapour-air mixture when heated. Explosion hazard

Reactivity Stable under normal conditions.

#### Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

: Do not enter fire area without proper protective equipment, including respiratory protection. Use Protection during firefighting

self-contained breathing apparatus when in close proximity to fire.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Ensure adequate ventilation.

02/28/2017 EN (English US) 2/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ensure adequate ventilation. Avoid inhalation of vapors.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

#### 6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Use only non-sparking tools. Take precautionary measures against static discharge.

Hygiene measures

: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Keep away from open flames, hot surfaces and sources of ignition.

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Incompatible

materials. Keep container tightly closed.

Incompatible products

Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources. Oxidizing

materials. Combustible materials. Halogens. peroxides. Metallic salts.

#### 7.3. Specific end use(s)

**Decontaminant** 

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Propan-2-ol (67-63-0)			
USA ACGIH	ACGIH TWA (ppm)	200 ppm	
USA ACGIH	ACGIH STEL (ppm)	400 ppm	
USA ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair	
USA OSHA	OSHA PEL (TWA) (mg/m³)	980 mg/m³	
USA OSHA	OSHA PEL (TWA) (ppm)	400 ppm	

#### 8.2. Exposure controls

Appropriate engineering controls

: Ensure adequate ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal protective equipment

: Avoid all unnecessary exposure. Wash hands thoroughly after handling.

Hand protection

: Wear chemically resistant protective gloves.

Eye protection

: Goggles.

Skin and body protection

: Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazard protection

: Not required for normal conditions of use.

Environmental exposure controls

: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams.

Other information

: Do not eat, drink or smoke during use. Do not breathe Vapors. Do not eat, drink or smoke when using this product.

02/28/2017 EN (English US) 3/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear.
Color : Colorless.
Odor : mild. alcohol.
Odor threshold : No data available

pH : 5.5 - 7.5

Relative evaporation rate (butyl acetate=1) : No data available : Not applicable Melting point Freezing point : Not applicable 180.5 °F (82.5 °C) **Boiling point** Flash point : 64.9 °F (18.3 °C) Auto-ignition temperature 750.2 °F (399 °C) Decomposition temperature No data available Flammability (solid, gas) : No data available

Vapor pressure : 3.7 - 4.1 kPa @ 20°C (Propan-2-ol)
Relative vapor density at 20 °C : 1.6 Relative density, gas (air=1)

Relative density : No data available Specific gravity / density : 0.87 - 0.90 g/cm³

Solubility : Miscible.

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available

Viscosity, dynamic : 2.1 cP @ 25°C (Propan-2-ol)

Explosive properties : No data available
Oxidizing properties : No data available
Explosive limits : 2.5 - 12 vol %

### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Stable under normal conditions.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Combustible when heated.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame.

# 10.5. Incompatible materials

Strong acids. Strong bases. Oxidizing agents. Halogens. Peroxides. Metallic salts.

#### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Propan-2-ol (67-63-0)	
LD50 oral rat	4396 mg/kg

02/28/2017 EN (English US) 4/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Propan-2-ol (67-63-0)	
LD50 dermal rat	12800 mg/kg
LC50 inhalation rat (mg/l)	72.6 mg/l/4h
Skin corrosion/irritation	: Not classified
	pH: 5.5 - 7.5
Serious eye damage/irritation	: Causes serious eye irritation.
	pH: 5.5 - 7.5
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified

Propan-2-ol (67-63-0)	
IARC group	3 - Not classifiable
Poproductive toxicity	· Not classified

Reproductive toxicity

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : May cause drowsiness or dizziness.

Specific target organ toxicity (repeated : Not classified exposure)

Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Based on available data, the classification criteria are not met

Potential Adverse human health effects and

symptoms

: Harmful if swallowed.

Symptoms/injuries after inhalation : May cause drowsiness or dizziness.

Symptoms/injuries after skin contact : Repeated and/or prolonged skin contact may cause irritation.

Symptoms/injuries after eye contact : Causes eye irritation.

# **SECTION 12: Ecological information**

#### **Toxicity**

Propan-2-ol (67-63-0)	
LC50 fish	4200 mg/l 96 h
LC50 other aquatic organisms	1400 mg/l 48 h (Crustaceans)

#### 12.2. Persistence and degradability

DECON-AHOL® 99%	
Persistence and degradability	Rapidly degradable.

#### **Bioaccumulative potential** 12.3.

DECON-AHOL <sup>®</sup> 99%	
Bioaccumulative potential	Low bioaccumulation potential.
Propan-2-ol (67-63-0)	
Bioconcentration factor (BCF REACH)	3

#### 12.4. **Mobility in soil**

DECON-AHOL® 99%	
Ecology - soil	Very mobile.

#### 12.5. Other adverse effects

Other information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

#### Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point.

02/28/2017 EN (English US) 5/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with DOT

UN-No.(DOT) : 1219
Proper Shipping Name (DOT) : Isopropanol

Transport hazard class(es) (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid



Packing group (DOT) : II - Medium Danger

DOT Packaging Exceptions (49 CFR 173.xxx) : 4b;150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242

**Additional information** 

Other information : Not classified.

Special transport precautions : No special precautions required.

Transport by sea

UN-No. (IMDG) : 1219
Proper Shipping Name (IMDG) : Isopropanol

Class (IMDG) : 3 - Flammable liquids

Packing group (IMDG) : II - substances presenting medium danger

Air transport

UN-No.(IATA) : 1219
Proper Shipping Name (IATA) : Isopropanol

Class (IATA) : 3 - Flammable Liquids
Packing group (IATA) : II - Medium Danger

## **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

Propan-2-ol (67-63-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on United States SARA Section 313		
SARA Section 313 - Emission Reporting	1 %	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants List	Not regulated	
US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration	Isopropyl alcohol 1.0%	
US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance	Isopropyl alcohol	
CERCLA (Superfund) reportable quantity (lbs) (40 CFR 302.4)	Isopropyl alcohol: 100	
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)	Not regulated	

02/28/2017 EN (English US) 6/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.2. International regulations

#### **CANADA**

DECON-AHOL® 99%		
WHMIS Classification	ion Class B Division 2 - Flammable Liquid Class D Division 2 Subdivision B - Toxic material causing other toxic effects	

#### 15.2.2. National regulations

## 15.3. US State regulations

US - California Hazardous Substances (Director's): Listed substance Isopropyl alcohol (CAS 67-63-0) Listed.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance Not listed.

US - New Jersey RTK - Substances: Listed substance Isopropyl alcohol (CAS 67-63-0) Listed.

US. Massachusetts RTK - Substance List Isopropyl alcohol (CAS 67-63-0) Listed.

## **SECTION 16: Other information**

Data sources : US OSHA HazCom (GHS) 25 May 2012.

Other information : None.

Full text of H-phrases: see section 16:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Flam. Liq. 2	Flammable liquids Category 2	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H225	Highly flammable liquid and vapor	
H319	Causes serious eye irritation	
H336	May cause drowsiness or dizziness	

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual


injury even if no treatment is given.

NFPA fire hazard : 3 - Liquids and solids that can be ignited under almost all

ambient conditions.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



# **HMIS III Rating**

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

\* Chronic Hazard - Chronic (long-term) health effects may result from repeated overexposure

Flammability : 3 Serious Hazard
Physical : 0 Minimal Hazard

Personal Protection : G

NCEC SDS US GHS (Hazcom 2012)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Veltek Associates, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Veltek Associates, Inc. accepts no liability for loss or damage resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

02/28/2017 EN (English US) 7/7