

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Version: 4.0

VELTEK ASSOCIATES, INC. Date of issue: 05/10/2011 Revision date: 06/08/2018 Supersedes: 02/28/2017

### **SECTION 1: Identification**

1.1. Identification

Product form : Mixture

Product name : STER-AHOL® WIPE
Product code : SDS VEL-039

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Wipe for use on clean room surfaces.

Restrictions on use : For professional use only

1.3. Supplier

Veltek Associates, Inc.

15 Lee Blvd

Malvern, PA 19355-1234 USA

Telephone: +1 610-644-8335 - Fax: +1 610-644-8336

E-mail: vai@sterile.com

In Canada distributed by: Canada Clean Room (CCR) 200 Terence Matthews

Kanata, ONT K2M 2C6, Canada Telephone: 888-595-8070

1.4. Emergency telephone number

Emergency number : CARECHEM 24: 1-215-207-0061

1-866-928-0789 (toll free) Canada: 1-800-579-7421 (toll free) Mexico: +52-55-5004-8763

## **SECTION 2: Hazard(s) identification**

## 2.1. Classification of the substance or mixture

## **GHS-US** classification

Flammable liquids H226 Flammable liquid and vapor

Category 3
Serious eye damage/eye
H3

Serious eye damage/eye H319 irritation Category 2

Specific target organ H370

toxicity (single exposure)

Category 1

Full text of H statements : see section 16

Causes damage to organs (optic nerve, central nervous system)

## 2.2. GHS Label elements, including precautionary statements

### **GHS-US** labeling

Hazard pictograms (GHS-US) :





Causes serious eye irritation



Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H226 - Flammable liquid and vapor

H319 - Causes serious eye irritation

H370 - Causes damage to organs (optic nerve, central nervous system)

Precautionary statements (GHS-US) : P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P260 - Do not breathe vapors.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

06/09/2018 EN (English US) Page 1

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P280 - Wear eye protection, protective gloves, protective clothing.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P337+P313 - If eye irritation persists: Get medical advice/attention.

P307+P311 - If exposed: Call a poison center/doctor

P370+P378 - In case of fire: Use alcohol resistant foam, Dry powder, carbon dioxide (CO2),

Water spray to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to an authorized waste collection point

#### 2.3. Other hazards which do not result in classification

No additional information available

#### **Unknown acute toxicity (GHS US)**

Not applicable

### **SECTION 3: Composition/Information on ingredients**

#### **Substances**

Not applicable

#### 3.2. **Mixtures**

Name	Product identifier	%	GHS-US classification
Ethanol	(CAS-No.) 64-17-5	61 - 65	Flam. Liq. 2, H225 Eye Irrit. 2A, H319
Methanol	(CAS-No.) 67-56-1	3.1 - 3.5	Flam. Liq. 2, H225 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 STOT SE 1, H370
Isopropanol	(CAS-No.) 67-63-0	3.2 - 3.6	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336

Full text of hazard classes and H-statements : see section 16

### **SECTION 4: First-aid measures**

#### **Description of first aid measures**

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

: Remove person to fresh air and keep at rest in a position comfortable for breathing. If First-aid measures after inhalation

symptoms persist, obtain medical attention.

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed First-aid measures after skin contact

by warm water rinse. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion Do NOT induce vomiting. Do not give an unconscious person anything to drink. Rinse mouth.

Obtain immediate medical attention.

## Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms

Causes serious eye irritation. Causes damage to organs (optic nerve, central nervous system). Ingestion may cause irritation of the gastrointestinal tract. May be harmful if swallowed.

## Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## **SECTION 5: Fire-fighting measures**

#### Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide. Dry powder. Water spray.

Unsuitable extinguishing media : Do not use water jet.

## Specific hazards arising from the chemical

Fire hazard : Flammable liquid and vapor, Vapors are heavier than air and may travel considerable distance

to an ignition source and flash back to source of vapors. Fire may produce irritating, corrosive

and/or toxic gases. Carbon monoxide. Carbon dioxide.

: Stable under recommended handling and storage conditions (see section 7). Reactivity

06/09/2018 EN (English US) 2/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Keep upwind. Exercise caution when fighting any chemical fire. Use water spray or fog for

cooling exposed containers. Do not allow run-off from fire fighting to enter drains or water

courses.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Use

self-contained breathing apparatus when in close proximity to fire.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Remove all sources of ignition. Ventilate area. Do not breathe vapors. Avoid contact with skin,

eyes and clothing. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Remove all sources of ignition. Use only non-sparking tools. Ventilate area. Do not breathe

vapors. Avoid contact with skin, eyes and clothing.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if large amounts of the product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Place in a suitable container for disposal in accordance with the waste regulations (see Section

13).

#### 6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Use only non-sparking tools. Do not breathe vapors. Avoid contact with skin, eyes

and clothing.

Hygiene measures : Do not eat, drink or smoke when using this product. Handle in accordance with good industrial

hygiene and safety practice. Wash hands and other exposed areas with mild soap and water

before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Store in a well-ventilated place. Keep cool. Store locked up.

Incompatible materials : Strong acids. Strong alkalis. Oxidizing agents. Metallic salts. Halogens. Peroxides.

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Ethanol (64-17-5)			
ACGIH Local name		Ethanol	
ACGIH	ACGIH STEL (ppm)	1000 ppm	
ACGIH	Remark (ACGIH)	URT irr	
ACGIH	Regulatory reference	ACGIH 2018	
OSHA PEL (TWA) (mg/m³)		1900 mg/m³	
OSHA PEL (TWA) (ppm)		1000 ppm	
OSHA Regulatory reference (US-OSHA)		OSHA	
Isopropanol (67-63-0)			
ACGIH	Local name	2-Propanol	
ACGIH	ACGIH TWA (ppm)	200 ppm	
ACGIH         ACGIH STEL (ppm)           ACGIH         Remark (ACGIH)		400 ppm	
		Eye & URT irr; CNS impair	

06/09/2018 EN (English US) 3/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Isopropanol (67-63-0)		
ACGIH Regulatory reference		ACGIH 2017
OSHA	OSHA PEL (TWA) (mg/m³)	980 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	400 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA
Methanol (67-56-1)		
ACGIH	Local name	Methanol
ACGIH	ACGIH TWA (ppm)	200 ppm
ACGIH	ACGIH STEL (ppm)	250 ppm
ACGIH	Remark (ACGIH)	Headache; eye dam; dizziness; nausea
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m³)	260 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	200 ppm
OSHA Regulatory reference (US-OSHA)		OSHA

### 8.2. Appropriate engineering controls

Appropriate engineering controls

: Provide good ventilation in process area to prevent formation of vapor. Ensure exposure is below occupational exposure limits (where available). Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure. Wash hands thoroughly after handling.

## Hand protection:

Wear chemically resistant protective gloves. The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. Gloves should be removed and replaced if there are any signs of degradation or breakthrough.

### Eye protection:

Chemical goggles or safety glasses

#### Skin and body protection:

Long sleeved protective clothing

#### Respiratory protection:

Not required for normal conditions of use. In case of insufficient ventilation, wear suitable respiratory equipment

### Thermal hazard protection:

Not required for normal conditions of use.

#### Other information:

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety procedures.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Polyester fabric moistened with liquid.

Color : White fabric, clear liquid

Odor : Slight Alcohol
Odor threshold : No data available
pH : Not applicable
Melting point : Not applicable
Freezing point : Not applicable

06/09/2018 EN (English US) 4/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Boiling point : No data available Flash point : 23.9 °C (75 °F) Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable.

: 28 mm Hg (20 °C/68 °F) Vapor pressure Relative vapor density at 20 °C : No data available Relative density : 0.878 (Water = 1) No data available Solubility : No data available Log Pow : No data available Auto-ignition temperature Decomposition temperature : No data available Viscosity, kinematic : No data available

Explosion limits : 2 - 12 vol %
Explosive properties : Not explosive.
Oxidizing properties : Not oxidizing.

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Viscosity, dynamic

Stable under recommended handling and storage conditions (see section 7).

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7). Flammable liquid and vapor.

: No data available

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## 10.5. Incompatible materials

Serious eye damage/irritation

Strong acids. Strong alkalis. Oxidizing agents. Metals. Metallic salts. Halogens. Peroxides.

#### 10.6. Hazardous decomposition products

Fire may produce irritating, corrosive and/or toxic gases. Carbon monoxide. Carbon dioxide.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Ethanol (64-17-5)	
LD50 oral rat	10470 mg/kg
LC50 inhalation rat (mg/l)	117 - 125 mg/l - 4 Hours
Isopropanol (67-63-0)	
LD50 oral rat	5840 mg/kg
LD50 dermal rat	16400 ml/kg
LC50 inhalation rat (ppm)	> 10000 ppm - 6 Hours
Methanol (67-56-1)	
LD50 oral rat	> 1187 mg/kg (35% Aqueous solution)
LD50 dermal rabbit	17100 mg/kg
LC50 inhalation rat (mg/l)	43.68 mg/l - 6 Hours
Skin corrosion/irritation	: Not classified
	pH: Not applicable

06/09/2018 EN (English US) 5/10

: Causes serious eye irritation.pH: Not applicable

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Ethanol (64-17-5)

IARC group 1 - Carcinogenic to humans

Isopropanol (67-63-0)

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : Causes damage to organs (optic nerve, central nervous system).

Specific target organ toxicity – repeated : Not classified

exposure

Aspiration hazard : Not classified

Potential Adverse human health effects and : Causes serious eye irritation. Causes damage to organs (optic nerve, central nervous system).

symptoms Ingestion may cause irritation of the gastrointestinal tract. May be harmful if swallowed.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ethanol (64-17-5)	
LC50 fish	11200 mg/l (calculated value)
EC50 Daphnia	5012 mg/l (calculated value) (freshwater)
EC50 Daphnia 2	857 mg/l (calculated value) (marine water)
Isopropanol (67-63-0)	
LC50 fish	9640 mg/l 96 Hours - Pimephales promelas
EC50 Daphnia	> 10000 mg/l 48 Hours - Daphnia magna
LC50 fish 2	> 1400 mg/l 96 Hours - Lepomis macrochirus
Methanol (67-56-1)	
LC50 fish	15400 mg/l 96 Hours - Lepomis macrochirus
FC50 Daphnia	18260 mg/l 48 Hours - Daphnia magna

## 12.2. Persistence and degradability

Isopropanol (67-63-0)	
Persistence and degradability	Expected to be readily biodegradable.

### 12.3. Bioaccumulative potential

Ethanol (64-17-5)	
Bioconcentration factor (BCF REACH)	3
Isopropanol (67-63-0)	
Bioconcentration factor (BCF REACH)	3
Methanol (67-56-1)	
Bioconcentration factor (BCF REACH)	< 10
Log Kow	-0.74

#### 12.4. Mobility in soil

No additional information available

## 12.5. Other adverse effects

Effect on the global warming : No known effects from this product.

GWPmix comment : No known effects from this product.

Other information : Avoid release to the environment.

06/09/2018 EN (English US) 6/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 13: Disposal considerations**

13.1. Disposal methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

### **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT

Transport document description : UN3175 Solids containing flammable liquid, n.o.s. (Ethanol), 4.1, II

UN-No.(DOT) : UN3175

Proper Shipping Name (DOT) : Solids containing flammable liquid, n.o.s. (Ethanol) Transport hazard class(es) (DOT) : 4.1 - Class 4.1 - Flammable Solid 49 CFR 173.124

Packing group (DOT) : II - Medium Danger
Hazard labels (DOT) : 4.1 - Flammable solid



DOT Packaging Non Bulk (49 CFR 173.xxx) : 212
DOT Packaging Bulk (49 CFR 173.xxx) : 240
DOT Symbols : G

DOT Special Provisions (49 CFR 172.102) : 47, IB6, IP2, T3, TP33

DOT Packaging Exceptions (49 CFR 173.xxx) : 151

DOT Quantity Limitations Passenger aircraft/rail : 15 kg

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 50 kg

CFR 175.75)

DOT Vessel Stowage Location : B
Emergency Response Guide (ERG) Number : 133

Other information : No supplementary information available.

Special transport precautions : No special precautions required.

#### **Transportation of Dangerous Goods**

Transport document description : UN3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol), 4.1, II

UN-No. (TDG) : UN3175

Proper Shipping Name (Transportation of

Dangerous Goods)

: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)

TDG Primary Hazard Classes : 4.1 - Class 4.1 - Flammable Solids

Packing group : II - Medium Danger

TDG Special Provisions : 16, 56
Explosive Limit and Limited Quantity Index : 1 kg
Passenger Carrying Road Vehicle or Passenger : 15 kg

Carrying Railway Vehicle Index

#### Transport by sea

Transport document description (IMDG) : UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol), 4.1, II

UN-No. (IMDG) : 3175

Proper Shipping Name (IMDG) : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)

Class (IMDG) : 4.1 - Flammable solids, self-reactive substances and solid desensitized explosives

Packing group (IMDG) : II - substances presenting medium danger

Air transport

Transport document description (IATA) : UN 3175 Solids containing flammable liquid, n.o.s. (Ethanol), 4.1, II

06/09/2018 EN (English US) 7/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

UN-No. (IATA) : 3175

Proper Shipping Name (IATA) : Solids containing flammable liquid, n.o.s. (Ethanol)

Class (IATA) : 4.1 - Flammable solids
Packing group (IATA) : II - Medium Danger

## **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

STER-AHOL® WIPE	
SARA Section 311/312 Hazard Classes	Physical hazard - Flammable (gases, aerosols, liquids, or solids) Health hazard - Serious eye damage or eye irritation Health hazard - Specific target organ toxicity (single or repeated exposure)

## Ethanol (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Isopropanol (67-63-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

#### Methanol (67-56-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

CERCLA RQ 5000 lb

### 15.2. International regulations

#### CANADA

No additional information available

### **EU-Regulations**

No additional information available

#### **National regulations**

## Ethanol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

### 15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

Methanol (67-56	Methanol (67-56-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
No	Yes	No	No		

#### Ethanol (64-17-5)

U.S. - New Jersey - Right to Know Hazardous Substance List

#### Isopropanol (67-63-0)

U.S. - New Jersey - Right to Know Hazardous Substance List

## Methanol (67-56-1)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

### **SECTION 16: Other information**

Revision date : 06/08/2018

Data sources : US OSHA HazCom (GHS) 25 May 2012.

06/09/2018 EN (English US) 8/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information : None.

#### Full text of H-phrases:

H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H301	Toxic if swallowed
H311	Toxic in contact with skin
H319	Causes serious eye irritation
H331	Toxic if inhaled
H336	May cause drowsiness or dizziness
H370	Causes damage to organs

#### Abbreviations and acronyms:

ACGIH (American Conference of Government Industrial Hygienists)
ATE (Acute Toxicity Estimate)
CAS (Chemical Abstracts Service) number
DNEL (Derived No Effect Level)
EC50 (Effective Concentration 50%)
IARC (International Agency for Research on Cancer)
IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods Code)
IMO (International Maritime Organisation)
LC50 (Lethal Concentration 50%)
LD50 (Lethal Dose 50%)
OECD (Organisation for Economic Co-operation and Development)
OSHA (Occupational Safety and Health Administration) (US)
PBT (Persistent, Bioaccumulative and Toxic)
PNEC (Predicted No Effect Concentration)
STEL (Short Term Exposure Limit)
TSCA (Toxic Substances Control Act) (US)
TWA (Time Weighted Average)
UNxxxx (Number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods)
vPvB (very Persistent and very Bioaccumulative)

NFPA health hazard


: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard

: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Health

: 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures

Flammability

: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F, as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)

Physical

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

### Indication of changes:

Section	Changed item	Change	Comments
1	Identification	Modified	
2	Hazards identification	Modified	
			- / -

06/09/2018 EN (English US) 9/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3	Composition/Information on ingredients	Modified	
4	First aid measures	Modified	
5	Fire fighting measures	Modified	
6	Accidental release measures	Modified	
7	Handling and storage	Modified	
8	Exposure controls / Personal protection equipment	Modified	
11	Toxicological information	Modified	
15	Regulatory information	Modified	

SDS US (GHS HazCom 2012)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Veltek Associates, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Veltek Associates, Inc. accepts no liability for loss or damage resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

06/09/2018 EN (English US) 10/10