

SAFETY DATA SHEET

Revision Date 10/01/2018 REVISION NUMBER: 4

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name 104 STAKLEEN STAINLESS STEEL CLEANER

Other means of identification

 Product code
 117659

 UN/ID No.
 1950

 Synonyms
 None

Recommended use of the chemical and restrictions on use

Recommended Use Cleaning agent.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address Importer

See Distributor information. Rochester Midland Canada Corporation

5353 John Lucas Drive

Suite 103

Burlington, ON L7L 6G5

Canada

Distributor

Rochester Midland Corporation 155 Paragon Drive Rochester, New York 14624 USA

Emergency telephone number

EMERGENCY TELEPHONE INFOTRAC: 1-800-535-5053

OUTSIDE U.S.: +1-352-323-3500

CANUTEC: 613-996-6666

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is considered hazardous by the WHMIS 2015 Hazardous Products Regulation.

Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable Aerosols	Category 1

Label elements

Emergency Overview

DANGER

Hazard statements

Causes serious eye irritation
May cause drowsiness or dizziness
May be fatal if swallowed and enters airways
Extremely flammable aerosol



Appearance Clear Yellow

Physical state Aerosol Gas

Odor Citrus

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No information available

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
Distillates, petroleum, hydrotreated light	64742-47-8	15 - 40	*
White mineral oil	8042-47-5	15 - 40	*
Acetone	67-64-1	10 - 30	*
Propane	74-98-6	10 - 30	*
Methyl acetate	79-20-9	3 - 7	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediately call a POISON CENTER or doctor/physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact IF ON SKIN: Wash with soap and water.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion IF SWALLOWED: Call a poison control center or physician immediately. Do NOT induce

vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical. Foam. Carbon dioxide (CO2).

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Pressurized container may explode when exposed to heat or flame.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Move containers from fire area if you can do it without risk. Cool exposed containers with water spray. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn. In the event of fire and/or explosion do not breathe fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. ELIMINATE all ignition sources (no smoking, flares,

sparks or flames in immediate area). Wear adequate personal protective equipment, see Section 8, Exposure Controls/Personal Protection. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate affected area.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information. Avoid release to the environment.

Keep out of drains, sewers, streams, or other bodies of water.

Methods and material for containment and cleaning up

Methods for containmentStop the flow of gas or remove cylinder to outdoor location if this can be done without risk.

If leak is in container or container valve, contact the appropriate emergency telephone

number in Section 1.

Methods for cleaning upAfter cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Contents under pressure. Never pierce, drill, grind, cut, saw or weld any empty container.

Keep away from heat/sparks/open flames/hot surfaces. — No smoking. All equipment used when handling the product must be grounded. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas. Use personal

protection recommended in Section 8. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Protect from sunlight. Store at temperatures not exceeding 50 °C/ 122

°F. Emptied containers may retain hazardous properties. Do not cut, puncture or weld on or near the container. Store in a well ventilated area. Keep away from heat, sparks, flame and

other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Incompatible materials Acids. Strong oxidizing agents. Nitrates.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH IDLH
White mineral oil 8042-47-5	TWA: 5 mg/m³ inhalable fraction excluding metal working fluids, highly & severely refined	(vacated) TWA: 5 mg/m³ TWA: 5 mg/m³	2500 mg/m³
Acetone 67-64-1	STEL: 750 ppm TWA: 500 ppm	(vacated) STEL: 2400 mg/m³ The acetone STEL does not apply to the cellulose acetate fiber industry. It is in effect for all other sectors (vacated) STEL: 1000 ppm (vacated) TWA: 750 ppm (vacated) TWA: 1800 mg/m³ TWA: 1000 ppm TWA: 2400 mg/m³	2500 ppm
Propane 74-98-6	TWA: 1000 ppm	(vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m³ TWA: 1000 ppm TWA: 1800 mg/m³	2100 ppm
Methyl acetate 79-20-9	STEL: 250 ppm TWA: 200 ppm	(vacated) STEL: 250 ppm (vacated) STEL: 760 mg/m³ (vacated) TWA: 200 ppm (vacated) TWA: 610 mg/m³ TWA: 200 ppm TWA: 610 mg/m³	3100 ppm

Appropriate engineering controls

ENGINEERING CONTROLS Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses are recommended to minimize eye contact.

Skin and body protection Chemical resistant gloves are recommended to minimize skin contact. Appropriate

protective clothing as needed to prevent skin contact. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this

product.

RESPIRATORY PROTECTION Use approved NIOSH respiratory protection if TLV/PEL exceeded or if over exposure is

Citrus

likely.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

Odor

Estimated for propellant

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Aerosol Gas Appearance Clear Yellow

Color Light Yellow Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Unknown

Melting point/freezing pointNo information availableBoiling point / boiling range3.47 °C / 38.25 °FFlash point-104.4 °C / -156 °FEvaporation rateNo information available

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: 12% Lower flammability limit: 2.5%

Vapor pressureNo information availableVapor densityNo information available

Specific gravity 0.765 - 0.865

Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** 263.1 °C / 505.58 °F **Decomposition temperature** No information available No information available Kinematic viscosity Dynamic viscosity No information available **Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Softening point
VOC (EPA METH.24) (G/L):

Density

Bulk density

No information available
No information available
No information available
No information available

10. STABILITY AND REACTIVITY

REACTIVITY

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

CONDITIONS TO AVOID

Extremes of temperature and direct sunlight. Keep away from heat, sparks, and flame.

Incompatible materials

Acids. Strong oxidizing agents. Nitrates.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Serious eye damage/eye irritation.

Inhalation Aspiration into lungs can produce severe lung damage. May cause drowsiness or dizziness.

Eye contact Severely irritating to eyes.

Skin contact Prolonged contact may lead to irritation and dermatitis.

Ingestion HARMFUL - MAY CAUSE LUNG DAMAGE IF SWALLOWED.

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50
Distillates, petroleum, hydrotreated light	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
64742-47-8			
White mineral oil	> 5000 mg/kg (Rat)	-	= 2062 ppm (Rat) 4 h
8042-47-5			
Acetone	-	-	$= 50100 \text{ mg/m}^3 \text{ (Rat) 8 h}$
67-64-1			
Propane	-	-	= 658 mg/L (Rat) 4 h
74-98-6			, ,
Methyl acetate	> 5000 mg/kg (Rat)	> 5 g/kg (Rabbit)	= 16000 ppm (Rat) 4 h
79-20-9			

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ cell mutagenicity No information available.

CarcinogenicityThe table below indicates whether each agency has listed any ingredient as a carcinogen.

PRODUCT COMPOSITION	ACGIH	IARC	NTP	OSHA
White mineral oil	A2	-	-	-
8042-47-5				

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Aspiration hazard May be fatal if swallowed and enters airways.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 7735 mg/kg ATEmix (dermal) 3913 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

PRODUCT COMPOSITION	Algae/aquatic plants	Fish	Crustacea
Distillates, petroleum, hydrotreated light	- 2.4: 96 h Oncorhynchus		-
64742-47-8		mykiss mg/L LC50 static 45:	
		96 h Pimephales promelas	
		mg/L LC50 flow-through 2.2:	
		96 h Lepomis macrochirus	
		mg/L LC50 static	
White mineral oil	-	10000: 96 h Lepomis	-
8042-47-5		macrochirus mg/L LC50	
Acetone	-	8300: 96 h Lepomis	12600 - 12700: 48 h

67-64-1 macrochirus mg/L LC50 Daphnia magna mg/L EC50 10294 - 17704: 48 h 6210 - 8120: 96 h Pimephales promelas mg/L Daphnia magna mg/L EC50 LC50 static 4.74 - 6.33: 96 h Static Oncorhynchus mykiss mL/L LC50 295 - 348: 96 h Pimephales Methyl acetate 120: 72 h Desmodesmus 1026.7: 48 h Daphnia 79-20-9 subspicatus mg/L EC50 promelas mg/L LC50 magna mg/L EC50 flow-through 250 - 350: 96 h Brachydanio rerio mg/L LC50 static

Persistence and degradability

No information available.

Bioaccumulation

No information available.

PRODUCT COMPOSITION	Partition coefficient
White mineral oil 8042-47-5	6
Acetone 67-64-1	-0.24
Propane 74-98-6	2.8
Methyl acetate 79-20-9	0.18

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

DEPT. OF TRANSPORTATION

UN/ID No. 1950

Proper shipping name AEROSOLS, FLAMMABLE (each not exceeding 1 L capacity)

Hazard Class 2.

Description 1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.

TDG

UN/ID No. 1950

Proper shipping name AEROSOLS, FLAMMABLE (each not exceeding 1 L capacity)

Hazard Class

Description 1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.

15. REGULATORY INFORMATION

International Inventories

Complies **TSCA** Complies **DSL/NDSL EINECS/ELINCS** Complies Complies **ENCS** Complies **IECSC** Complies **KECL** Complies **PICCS** Complies **AICS**

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

ACUTE HEALTH HAZARD	YES
CHRONIC HEALTH HAZARD	YES
FIRE HAZARD	YES
Sudden release of pressure hazard	YES
REACTIVE HAZARD	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

PRODUCT COMPOSITION	Hazardous Substances RQs (in LBS)	U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs
Acetone 67-64-1	5000	

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION	NJRTK:	MARTK:	PARTK:
White mineral oil		Listed	Listed
8042-47-5			
Acetone	0006	Listed	Listed
67-64-1			
Propane	1594	Listed	Listed
74-98-6			

Methyl acetate	1217	Listed	Listed
79-20-9			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA

Health hazards 2
Flammability 4
Instability 0
Physical and Chemical Properties HMIS
Health hazards 2

Flammability 4
Physical hazards 0
Personal protection B

Revision Date 10/01/2018

Revision Note

Minor revisions for Canadian GHS compliance.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

*** END OF SDS ***