

SAFETY DATA SHEET

Revision Date 08/14/2015

REVISION NUMBER: 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product name

OXYGEN REFILL, GLEE

Other means of identification Product code UN/ID No. Synonyms

119632 1169 NONE

Recommended use of the chemical and restrictions on useRecommended UseAir Freshener.Uses advised againstNo information available

Details of the supplier of the safety data sheet

Manufacturer Address See Distributor information.

Importer Rochester Midland Limited 5353 John Lucas Drive Suite 103 Burlington, ON L7L 6G5 Canada

Distributor

Rochester Midland Corporation 155 Paragon Drive Rochester, New York 14624 USA

Emergency telephone number

EMERGENCY TELEPHONE

INFOTRAC: 1-800-535-5053 OUTSIDE U.S.: +1-352-323-3500 CANUTEC: 613-996-6666

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) This chemical is considered hazardous by the WHMIS 2015 Hazardous Products Regulation.

Skin sensitization	Category 1
Flammable liquids	Category 3

Label elements

Emergency Overview

WARNING

Hazard statements May cause an allergic skin reaction Flammable liquid and vapor



Physical state Liquid

Odor Pleasant fragrance as labeled.

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Call a POISON CENTER or doctor/physician if you feel unwell If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No information available

Other Information

- · May be harmful if swallowed
- Toxic to aquatic life with long lasting effects.
- Toxic to aquatic life.
- **Unknown Acute Toxicity**

64.75% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
Hexyl acetate	142-92-7	25 - 50	*
Ethyl acetoacetate	141-97-9	25 - 50	*
Ethyl hexanoate	123-66-0	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice

Call a POISON CENTER or doctor/physician if you feel unwell.

Eye contact	IF IN EYES: Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	IF INHALED: Remove to fresh air.
Ingestion	IF SWALLOWED: Clean mouth with water and drink afterwards plenty of water.
Most important symptoms and effects, both acute and delayed	
Symptoms	No information available.
Indication of any immediate medical attention and special treatment needed	
Note to physicians	Treat symptomatically.
5. FIRE-FIGHTING MEASURES	

Suitable extinguishing media

Water spray (fog). Carbon dioxide (CO2). Foam.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

FLAMMABLE. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapors may accumulate in confined areas (basement, tanks, hopper/tank cars, etc.). Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Explosion data Sensitivity to Mechanical Impact NONE. Sensitivity to Static Discharge YES.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Avoid release to the environment. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.
Methods and material for containm	ent and cleaning up
Methods for containment	Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Use clean non-sparking tools to collect absorbed material. Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Keep away from heat/sparks/open flames/hot surfaces. — No smoking. All equipment used when handling the product must be grounded. Take precautionary measures against static discharges. Use with local exhaust ventilation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Strong oxidizing agents. Strong acids. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters	
Exposure Guidelines	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
Appropriate engineering controls	exposure infine established by the region specific regulatory bodies.
ENGINEERING CONTROLS	Showers Eyewash stations Ventilation systems.
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	Safety glasses are recommended to minimize eye contact.
Skin and body protection	Chemical resistant gloves are recommended to minimize skin contact. Appropriate protective clothing as needed to prevent skin contact. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.
RESPIRATORY PROTECTION	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance	Liquid Light yellow liquid.	Odor	Pleasant fragrance as labeled.
Color	Colorless or Light Yellow	Odor threshold	No information available
<u>Property</u> pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate	<u>Values</u> Unknown No information available No information available 56 °C / 132.8 °F No information available	<u>Remarks • Method</u>	

Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature **Decomposition temperature** Kinematic viscosity **Dynamic viscosity Explosive properties Oxidizing properties**

No information available No information available

No information available

Other Information

Softening point VOC (EPA METH.24) (G/L): Density Bulk density No information available No information available No information available No information available

10. STABILITY AND REACTIVITY

REACTIVITY

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

CONDITIONS TO AVOID

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	May be harmful if swallowed.
Inhalation	May cause irritation of respiratory tract.
Eye contact	May cause slight irritation.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	May be harmful if swallowed.

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl acetoacetate 141-97-9	= 3980 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-

Information on toxicological effects		
Symptoms	No information available.	
Delayed and immediate effects as v	vell as chronic effects from short and long-term exposure_	
Sensitization	May cause sensitization by skin contact.	
Germ cell mutagenicity	No information available.	
Carcinogenicity	No information available.	
Reproductive Toxicity	No information available.	
STOT - single exposure	No information available.	
STOT - repeated exposure	No information available.	
Aspiration hazard	No information available.	
Numerical measures of toxicity - Product Information		
Unknown Acute Toxicity	64.75% of the mixture consists of ingredient(s) of unknown toxicity	
The following values are calculated	based on chapter 3.1 of the GHS document	
ATEmix (oral)	3980 mg/kg	
ATEmix (dermal)	5005 mg/kg	
12. ECOLOGICAL INFORMATION		

This product contains a chemical which is listed as a marine pollutant according to DOT.

Ecotoxicity

Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

26.75% of the mixture consists of components(s) of unknown hazards to the aquatic environment

PRODUCT COMPOSITION	Algae/aquatic plants	Fish	Crustacea
Hexyl acetate 142-92-7	-	3.7 - 4.4: 96 h Pimephales promelas mg/L LC50 flow-through	-
Ethyl acetoacetate 141-97-9	500: 72 h Desmodesmus subspicatus mg/L EC50	298: 96 h Pimephales promelas mg/L LC50 307: 96 h Lepomis macrochirus mg/L LC50 290: 96 h Oncorhynchus mykiss mg/L LC50	646: 48 h Daphnia magna mg/L EC50
Ethyl hexanoate 123-66-0	-	8.02 - 9.97: 96 h Pimephales promelas mg/L LC50 flow-through	-

Persistence and degradability

No information available.

Bioaccumulation

No information available.

PRODUCT COMPOSITION	Partition coefficient
Ethyl acetoacetate	0.27
141-97-9	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture, or weld containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

DEPT. OF TRANSPORTATION UN/ID No. Proper shipping name Hazard Class Packing Group Marine Pollutant Description	1169 EXTRACTS, AROMATIC, LIQUID 3 III This product contains a chemical which is listed as a marine pollutant according to DOT. 5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.
TDG	
UN/ID No. Proper shipping name Hazard Class Packing Group Marine Pollutant Description	1169 EXTRACTS, AROMATIC, LIQUID 3 III This product contains a chemical which is listed as a marine pollutant according to TDG. 5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Does not Comply
IECSC	Complies
KECL	Does not Comply
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

ACUTE HEALTH HAZARD	No
CHRONIC HEALTH HAZARD	YES
FIRE HAZARD	YES
Sudden release of pressure hazard	No
REACTIVE HAZARD	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION	NJRTK:	MARTK:	PARTK:
Ethyl acetoacetate 141-97-9		Listed	Listed
Ethyl hexanoate 123-66-0		Listed	Listed

U.S. EPA Label Information EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA

Health hazards 1 Flammability 2 Instability 0 Physical and Chemical Properties -<u>HMIS</u> Health hazards 1 Flammability 2 Physical hazards 0 Personal protection B

Revision Date Revision Note <u>Disclaimer</u> 08/14/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

*** END OF SDS ***