



Revision date 21-February-2024 **Revision Number** 3

1. Identification

Product identifier

Product Name ACETIC ACID, GLACIAL, DOUBLE DISTILLED

Other means of identification

A1014 Product Code(s)

UN/ID no UN2789

None **Synonyms**

Recommended use of the chemical and restrictions on use

Recommended use For manufacturing or laboratory use only.

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Address

Spectrum Chemical Mfg. Corp. 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

| Acute toxicity - Dermal | Category 4 |
|---|---------------------------|
| Acute toxicity - Inhalation (Dusts/Mists) | Category 4 |
| Skin corrosion/irritation | Category 1 Sub-category A |
| Serious eye damage/eye irritation | Category 1 |
| Flammable liquids | Category 3 |

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Danger

Hazard statements

Harmful in contact with skin

Harmful if inhaled

Causes severe skin burns and eye damage Flammable liquid and vapor



Appearance clear Physical state Liquid Odor Vinegar-like

Precautionary Statements - Prevention

Use only outdoors or in a well-ventilated area

Do not breathe dusts or mists

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/.?/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Precautionary Statements - Response

Specific treatment (see .? on this label)

Immediately call a POISON CENTER or doctor

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

Call a POISON CENTER or doctor if you feel unwell

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store locked up.

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed.

3. Composition/information on ingredients

Substance

| Chemical name | CAS No | Weight-% |
|----------------------|---------|----------|
| Acetic Acid, glacial | 64-19-7 | 100 |

4. First-aid measures

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical advice/attention.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical advice/attention.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Get immediate medical

advice/attention.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give

mouth-to-mouth resuscitation. Avoid breathing vapors or mists.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. Fire-fighting measures

Suitable Extinguishing Media Large Fire Dry chemical. Carbon dioxide (CO2). water spray. Alcohol resistant foam. CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media

Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire

extinguishing water must be disposed of in accordance with local regulations. The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to

release of irritating gases and vapors.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

Explosion data

Sensitivity to mechanical impact none.

Sensitivity to static discharge yes.

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Attention!

Corrosive material. Avoid breathing vapors or mists.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Hygroscopic. It absorbs moisture from the air. Protect from moisture. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--|-----------|--------------|------------|
| Acetic Acid, glacial No data available | | 10 ppm TWA | - |
| 64-19-7 | | 25 mg/m³ TWA | |

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

> be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

> > None known

None known

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid **Appearance** clear Color Colorless Odor Vinegar-like

Odor threshold No information available

Property Values Remarks • Method

рΗ pH of a 1% solution: 2 [Acidic] None known Melting point / freezing point 16.6 °C / 61.9 °F None known 118 °C / 244.4 °F Boiling point / boiling range None known 40 °C / 104 °F Flash point None known **Evaporation rate** no data available None known Flammability (solid, gas) no data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure 1.5 None known Vapor density no data available None known Relative density 1.05 None known Water solubility Miscible in water None known Solubility(ies) None known

Miscible with alcohol Miscible in Benzene Soluble in Acetone Soluble in Ether Soluble in Glycerin

Partition coefficient No data available **Autoignition temperature** no data available

Decomposition temperature

None known no data available Kinematic viscosity None known **Dynamic viscosity** No data available None known

Other information

No information available **Explosive properties Oxidizing properties** No information available Softening point No information available

Molecular weight 60.05

VOC Content (%) No information available **Liquid Density** No information available **Bulk density** No information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat, flames and sparks. Exposure to air or moisture over prolonged periods. Excessive

heat.

Incompatible materials Acids. Bases. Oxidizing agent.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal. Harmful by inhalation.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage.

(based on components). Corrosive to the eyes and may cause severe damage including

blindness. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns. May be absorbed through the skin in harmful amounts.

Harmful in contact with skin.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Numerical measures of toxicity

Component Information

| | Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------------|---------------|--------------------|-----------------------|-----------------------|
| Acetic Acid, glacial = | | = 3310 mg/kg (Rat) | = 1060 mg/kg (Rabbit) | = 11.4 mg/L (Rat) 4 h |
| | 64-19-7 | | | |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes burns.

Serious eye damage/eye irritation Classification based on data available for ingredients. Risk of serious damage to eyes.

Causes burns.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Target organ effects respiratory system, Eyes, Skin, Teeth.

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

Ecotoxicity

| Chemical name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|----------------------|----------------------|----------------------|----------------|-----------------------|
| | | | microorganisms | |
| Acetic Acid, glacial | - | LC50: =75mg/L (96h, | - | EC50: =47mg/L (24h, |
| 64-19-7 | | Lepomis macrochirus) | | Daphnia magna) EC50: |
| | | LC50: =79mg/L (96h, | | =65mg/L (48h, Daphnia |
| | | Pimephales promelas) | | magna) |

Persistence and degradability No information available.

Bioaccumulation Inherently biodegradable.

Component Information

| Chemical name | | Partition coefficient | |
|----------------------|---------|-----------------------|--|
| Acetic Acid, glacial | | -0.31 | |
| | 64-19-7 | | |

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld

containers.

14. Transport information

products

```
UN2789
   UN/ID no
   Proper shipping name
                                   Acetic acid, glacial
   Hazard class
   Subsidiary Class
                                   3
   Special Provisions
                                   Ш
   Special Provisions
                                   A3, A7, A10, B2, IB2, T7, TP2
   Marine Pollutant
                                   Severe Marine Pollutant
   Description
                                   UN2789, Acetic acid, glacial, 8 (3), II
   Emergency Response Guide
                                   132
   Number
TDG
   UN/ID no.
                                   UN2789
   Proper shipping name
                                   Acetic acid, glacial
   Hazard class
   Subsidiary Class
                                   3
                                   Ш
   Packing Group
   Description
                                   UN2789, Acetic acid, glacial, 8 (3), II
MEX
   UN-No
                                   UN2789
   Proper Shipping Name
                                   Acetic acid, glacial
   Hazard class
   Subsidiary Class
                                   3
   Packing Group
                                   Ш
   Description
                                   UN2789, Acetic acid, glacial, 8 (3), II
ICAO (air)
   UN/ID no.
                                   UN2789
   Hazard class
                                   8
   Subsidiary hazard class
                                   3
   Packing Group
                                   Ш
IATA
   UN number
                                   UN2789
   Hazard Class
                                   8
   Subsidiary hazard class
                                   3
                                   Ш
   Packing group
   Emergency Response Guide
                                   8F
   Number
IMDG
   UN number
                                   UN2789
   Hazard Class
   Subsidiary hazard class
                                   3
   Packing group
   EmS-No
                                   F-E, S-C
   Marine Pollutant
                                   NP1
RID
   UN number
                                   UN2789
   Proper shipping name
                                   ACETIC ACID, GLACIAL
   Hazard Class
   Packing group
                                   Ш
   Classification code
                                   CF1
   Description
                                   UN2789, ACETIC ACID, GLACIAL, 8 (3), II
   Labels
                                   8 + 3
ADR
   UN number
                                   UN2789
   Proper shipping name
                                   Acetic acid, glacial
   Hazard Class
                                   8
   Subsidiary hazard class
                                   3
   Packing group
                                   Ш
   Classification code
                                   CF1
   Tunnel restriction code
                                   (D/E)
```

Description UN2789, Acetic acid, glacial, 8 (3), II, (D/E)

Labels 8 + 3

ADN

UN/ID No UN2789

Proper shipping name Acetic acid, glacial

Hazard Class 8
Packing Group II
Classification code CF1

Description UN2789, Acetic acid, glacial, 8 (3), II

Hazard label(s) 8 + 3 Limited quantity (LQ) 1 L ventilation VE01

Equipment Requirements PP, EP, EX, A

15. Regulatory information

International Inventories

TSCA Complies

DSL/NDSL Complies EINECS/ELINCS Complies

ENCS This product complies with ENCS: **IECSC** This product complies with China:

KECL Complies PICCS Complies

AICS All the constituents of this material are listed on the Australian Inventory of Chemical

Substances (AICS).

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs |
|----------------------|--------------------------|------------------------------------|
| Acetic Acid, glacial | 5000 lb final RQ | - |
| 64-19-7 | 2270 kg final RQ | |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical name New Jersey | | Massachusetts | Pennsylvania |
|--------------------------|------|---------------|----------------------|
| Acetic Acid, glacial | 0004 | Present | Environmental hazard |
| 64-19-7 | | | |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA

Health hazards 3 Flammability 2 Instability 0

Physical and chemical properties -

HMIS

Health hazards 3
Flammability 2
Physical hazards 0
Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 21-February-2024 Revision Note 21-February-2024 No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet