



SAFETY DATA SHEET

Preparation Date: 09/05/2019 Revision date 09/05/2019 Revision Number: G1

1. IDENTIFICATION

Product identifier

Product code: A1060

Product Name: ALUMINUM, 6 IN. X 6 IN. X 0.0625 IN., SHEET

Other means of identification

 Synonyms:
 Aluminum

 CAS #:
 7429-90-5

 RTECS #
 BD0330000

 CI#:
 77000

Recommended use of the chemical and restrictions on use

Recommended use: No information available. Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp

14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000

Order Online At: https://www.spectrumchemical.com

Emergency telephone number Chemtrec 1-800-424-9300

Contact Person:Tom Tyner (USA - West Coast)Contact Person:Ibad Tirmiz (USA - East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Not classified			

Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Not available

Product code: A1060 Product name: ALUMINUM, 6 IN. X 6 Page 1 / 11

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight-%
Aluminum	7429-90-5	100

4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call

1-800-222-1222.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothing and

shoes. Get medical attention if irritation develops. Consult a physician if necessary.

Eye Contact: Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms

persist, call a physician.

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms Health injuries are not known or expected under normal use

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: The product is not flammable. If it is involved in a fire,

extinguish the fire using an agent suitable for the type of

surrounding fire.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous combustion products No information available.

Specific hazardsNo information available.

Special Protective Actions for Firefighters

Specific Methods: No information available

Product code: A1060 Product name: ALUMINUM, 6 IN. X 6 Page 2/11

Special Protective Equipment for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin,

eyes and clothing. Remove all sources of ignition.

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering

drains.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Cover with plastic sheet to prevent

spreading.

Methods for cleaning up Sweep up and shovel into suitable containers for disposal. Clean contaminated

surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Keep away from incompatible materials.

Safe Handling Advice:

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe dust. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

Incompatible Materials:

Strong oxidizing agents
Acids
Strong bases
Sodium hydroxide
Iodine monochloride

halogenated hydrocarbons

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Component	CAS No	OSHA	NIOSH	ACGIH	AIHA WEEL
Aluminum	7429-90-5	15 mg/m³ TWA 5 mg/m³ TWA	10 mg/m³ TWA 5 mg/m³ TWA	1 mg/m³ TWA respirable particulate matter	None

Product code: A1060 Product name: ALUMINUM, 6 IN. X 6 Page 3 / 11

Canada

Component	CAS No	Canada - Alberta	Canada - British	Canada - Ontario	Canada - Quebec
			Columbia		
Aluminum	7429-90-5	10 mg/m³ TWA dust	1.0 mg/m³ TWA respirable	None	None

Australia and Mexico

Component	CAS No	Australia	Mexico
Aluminum	7429-90-5	10 mg/m ³ TWA	1 mg/m³ TWA
		5 mg/m³ TWA	

Appropriate engineering controls

Engineering measures to reduce exposure: Ensure adequate ventilation. Use process enclosures,

local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants

below the exposure limit.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Goggles or Safety glasses with side-shields.

Skin and body protection: Chemical resistant apron

Gloves

Long sleeved clothing

Respiratory protection: Effective dust mask. Use a dust respirator under conditions where exposure to

the substance is apparent (e.g. generation of high concentration of dust (dust clouds), inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to use an approved/certified

respirator or equivalent.

Hygiene measures: Avoid contact with skin, eyes and clothing. Wash hands before breaks and

immediately after handling the product When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:Appearance:Color:SolidPellets.Gray.

Odor: Taste Formula

No information available. No information available. Al

Molecular/Formula weight (g/mole): Flammability (solid, gas) Flashpoint (°C/°F):

26.98 No information available

Flash Point Tested according to: Autoignition Temperature (°C/°F): Lower Explosion Limit (%):

Not available No information available No information available

Upper Explosion Limit (%): Melting point/range(°C/°F): Decomposition temperature(°C/°F):

No information available 660°C/1220°F No information available

Product code: A1060 Product name: ALUMINUM, 6 IN. X 6 Page 4 / 11

Boiling point/range(°C/°F): Bulk density:

2327°C/ 4220.6°F No information available

No information available

Density (g/cm3):

Specific gravity: pH

2.7 No information available

No information available

Vapor pressure @ 20°C (kPa):

Evaporation rate: Vapor density:

No information available No information available

VOC content (g/L):No information available

Odor threshold (ppm): Partition coefficient

No information available (n-octanol/water):

No information available

Viscosity:

No information available

Miscibility: Solubility:

No information available Insoluble in water

Soluble in Alkalis Soluble in Sulfuric acid Soluble in Hydrochloric acid Insoluble in Nitric acid Insoluble in hot acetic acid

10. STABILITY AND REACTIVITY

Reactivity

Aluminum reacts vigorously with strong oxidizers, acids, halogenated hydrocarbons, Sodium Hydroxide, lead oxide, iodine monochloride, diborane.

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Ignition sources. Incompatible materials.

Incompatible Materials: Strong oxidizing agents

Acids

Strong bases
Sodium hydroxide
lodine monochloride
halogenated hydrocarbons

Hazardous decomposition

products:

No information available.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Skin. Ingestion. Eyes.

Product code: A1060 Product name: ALUMINUM, 6 IN. X 6 Page 5/11

Acute Toxicity

Component Information

Aluminum

CAS No 7429-90-5

LD50/oral/rat = No information available LD50/oral/mouse = No information available LD50/dermal/rabbit = No information available LD50/dermal/rat = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No information available

Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =

Value - Acute Toxicity = No information available

LD50/oral/mouse =

Value - Acute Tox = No information available

LD50/dermal/rabbit

Value - Acute Toxicity = No information available

LD50/dermal/rat

VALUE - Acute Tox = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available
VALUE-Gas = No information available
VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: Not likely to cause skin irritation.

Eye Contact: Not likely to cause eye irritation.

Inhalation Inhalation of aluminum dust or fume (if heated) may cause respiratory tract

irritation. Heating Aluminum can release Aluminum Oxide fumes and cause fume metal fever when inhaled. This is a flu-like illness with symptoms of metallic taste,

fever, chills, aches, chest tightness, and cough.

Ingestion May cause digestive (gastointestinal) tract irritation. Acute aluminum toxicity is

unlikely.

Aspiration hazard No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Product code: A1060 Product name: ALUMINUM, 6 IN. X 6 Page 6 / 11 IN. X 0.0625 IN., SHEET

Chronic Toxicity

Skin: Contact dermatitis occurs rarely after aluminum exposure.

Most cases of aluminum toxicity in humans are in one of two categories: patients with chronic renal failure, or people exposed to aluminum in the workplace. The main source of aluminum in people with chronic renal failure was in the high aluminum content of the water for the dialysate used for dialysis in the 1970's. Even though this problem was recognized and corrected, aluminum toxicity continues to occur in some individuals with renal who chronically ingest aluminum-containing phosphate binders or antacids.

Inhalation: Chronic exposure to aluminum dust may cause dyspnea, cough, asthma, chronic obstructive lung disease, pulmonary fibrosis, pneumothorax, pneumoconiosis, encephalopathy, weakness, incoordination and epileptiform seizures and other neurological symptoms similar to that described for chronic ingestion. Hepatic necrosis is also a reported effect of exposure to airborne particulates carrying aluminum.

Ingestion: Chronic ingestion of aluminum may cause Aluminum Related Bone Disease or aluminum-induced

Osteomalacia with fracturing Osteodystrophy, microcytic anemia, weakness, fatigue, visual and auditory hallucinations, memory loss, speech and language impairment (dysarthria, stuttering, stammering, anomia, hypofluency, aphasia and eventually, mutism), epileptic seizures(focal or grand mal), motor disturbance (tremors, myoclonic jerks, ataxia, convulsions, asterixis, motor apraxia, muscle fatigue), and dementia (personality changes, altered mood, depression, diminished alertness, lethargy, 'clouding of the sensorium', intellectual deterioration, obtundation, coma), and altered EEG.

Sensitization: No information available.

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic.

Component	CAS No	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Aluminum	7429-90-5	Not listed	A4 Not Classifiable as a Human Carcinogen	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects:No information availableDevelopmental Effects:No information availableTeratogenic Effects:No information available

Specific Target Organ Toxicity

STOT - single exposure
STOT - repeated exposure
Target Organs:

No information available.
No information available.

Product code: A1060 Product name: ALUMINUM, 6 IN. X 6 Page 7 / 11

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.

Persistence and degradability: No information available

Bioaccumulative potential: No information available.

Mobility in soilNo information availableOther adverse effectsNo information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Component	CAS No	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Aluminum	7429-90-5	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class
Subsidiary Class
Packing group:
No information available

Number

Marine PollutantNo data availableDOT RQ (lbs):No information availableSpecial ProvisionsNo Information availableSymbol(s):No information availableDescription:No information available

TDG (Canada)

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class
Subsidiary Risk:
Packing Group:
Marine Pollutant
Description:
No information available

ADR

Product code: A1060 Product name: ALUMINUM, 6 IN. X 6 Page 8 / 11

UN Number Not regulated

Proper Shipping Name:
Transport hazard class(es)
Packing group
Subsidiary Risk:

No information available
No information available
No information available

IMDG

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Marine Pollutant

No information available
No information available
No information available
No information available

RID

UN Number Not Regulated

Proper Shipping Name:
Transport hazard class(es)
Subsidiary Risk:
Packing group

No information available
No information available
No information available
No information available

ICAO (air)

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class
Subsidiary Risk:
No information available
No information available
No information available
No information available

IATA

UN Number Not Regulated

Proper Shipping Name:
Transport hazard class(es)
Subsidiary Risk:
Packing group
Precautionary Statements No information available
No information available
No information available
No information available

Response

Special Provisions No information available

15. REGULATORY INFORMATION

International Inventories

Component	CAS No	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	China IECSC	Australia (AICS)	EINECS-No.
Aluminum	7429-90-5	PresentACTIV E	Present KE-00881	Present	Present -	Present	Present	Present 231-072-3

U.S. Regulations

Aluminum

Massachusetts RTK: Present

New Jersey RTK Hazardous Substance List: 0054

New Jersey (EHS) List: 0054 500 lb TPQ

New Jersey - Discharge Prevention - List of Hazardous Substances: Present

Pennsylvania RTK: Environmental hazard

Present

Pennsylvania RTK - Environmental Hazard List Present Minnesota - Hazardous Substance List: Present

Product code: A1060 Product name: ALUMINUM, 6 IN. X 6 Page 9 / 11

California Directors List of Hazardous Substances: Present

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Component	CAS No	Carcinogen	Developmental Toxicity	Male	Female
				Reproductive	Reproductive
				Toxicity	Toxicity:
Aluminum	7429-90-5	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Component	CAS No	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Aluminum	7429-90-5	None	None	None		1.0 % de minimis concentration

U.S. TSCA

Component		· · · · · · · · · · · · · · · · · · ·	TSCA 8(d) -Health and Safety Reporting
		(SNURS)	
Aluminum	7429-90-5	Not Applicable	Not Applicable

Canada

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Not a dangerous product according to HPR classification criteria.

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

DSL/NDSL

	CAS No	Canada (DSL)	Canada (NDSL)
Aluminum	7429-90-5	Present	Not Listed

Component	CAS No	CEPA Schedule I - Toxic Substances	
Aluminum	7429-90-5	Not listed	
Component	CAS No	CEPA - 2010 Greenhouse Gases Subject	
		to Mandatory Reporting	
Aluminum	7429-90-5	Not listed	

EU Classification

EU GHS - SV - CLP 1272/2008

20 0110 01 011 (12121000)	Component	CAS No	EU GHS - SV - CLP (1272/2008)
---------------------------	-----------	--------	-------------------------------

Product code: A1060 Product name: ALUMINUM, 6 IN. X 6 Page 10 / 11 IN. X 0.0625 IN., SHEET

Aluminum	7429-90-5	Flammable solids - Flam. Sol. 1: H228		
		Flammable solid.; Substances and		
		mixtures which in contact with water		
		emit flammable gases - Water-react. 2:		
		H261 In contact with water releases		
		flammable gases.013-002-00-1 (for		
		aluminum powder)		

EU - CLP (1272/2008)

R-phrase(s)

not determined (not applicable)

S -phrase(s)

none

Component	CAS No	Classification	Concentration Limits:	Safety Phrases
Aluminum	7429-90-5	F; R11-15	No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

Not dangerous

16. OTHER INFORMATION

Preparation Date: 09/05/2019
Revision date 09/05/2019
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet

Product code: A1060 Product name: ALUMINUM, 6 IN. X 6 Page 11 / 11